

Catu Industrial Parts Catalog

Axiparts Global Industrial RFQ Platform

Email: info@axiparts.com

Website: <https://axiparts.com>

Premium RFQ catalog for Catu industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

Brand: Catu

Listed Products in This PDF: 318

Catalog URL: <https://axiparts.com/catalogs/brands/catu.pdf>

Part Number	Product Description	Live RFQ Link
10006150	10006150 BLOCK;TYPE:CIRCUIT BREAKER	Open Product RFQ Page
10006151	10006151 BLOCK;TYPE:CIRCUIT BREAKER	Open Product RFQ Page
10006161	10006161 Original Spare Part	Open Product RFQ Page
10006312	10006312 LOCK;TYPE:BOX	Open Product RFQ Page
111	111	Open Product RFQ Page
11111	11111	Open Product RFQ Page
1482BP410	1482BP410 Original Spare Part	Open Product RFQ Page
251208	251208 CE-4-21-C ((No Material : EB-5040- 15-56-13-3) Catu CE-4-21-C Telescopic insulating stick according to IEC61235. Length 1,2/2,0m. Rated insulat	Open Product RFQ Page
251476	251476 CS-45 (Insulating rescue stick 45kV, length 1.65m. Delivered with wall mounted support CI-06-D.. Weight: 1,1 kg/unit. Toll number: 70191990.)	Open Product RFQ Page
251477	251477 CG-35-2 RUBBER GLOVES BOX. Weight: 0,9 kg/unit. Toll number: 39269097. Country of origin: FR	Open Product RFQ Page
251489	251489 Catu MT-1920 PORTABLE WORKING EARTH 150MM2/50MM2 RATED 30KA/1S. Weight: 18,25 kg/unit. Toll number: 85363090. Country of origin: FR. Gefahrgut	Open Product RFQ Page
251515	251515 CM-1-10 ((No Material : EB-5040- 15-56-13-3) Catu CM-1-10 CARRYING BAG FOR ROD 1-1,30M. Weight: 0,55 kg/unit. Toll number: 42021219)	Open Product RFQ Page
251521	251521 / CL-2-5/36-2 (CATU, Your Pos. 1 Catu CL-2-5/36-2 Neon tube HV Detector 5/36 KV. Weight: 0,321 kg/unit. Toll number: 90303399. Country of origi	Open Product RFQ Page
251567	251567 CG-40-C I.E.C. INSULATING GLOVES, CLASS 4 (36KV), SIZE 10, ACC. TO IEC/EN60903. Weight: 0,84 kg/unit. Toll number: 40151900. Country of origin:	Open Product RFQ Page
251780	251780 CC-765-3/10-C (I.E.C. COMPACT DETECTOR 3/10 kV. HEX-FITTING (TYPE C).. Weight: 0,7 kg/unit. Toll number: 90303399.)	Open Product RFQ Page
251916	251916 INDOOR INSUL	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
271208,	271208, CE-4-21-C Telescopic insulating stick according to IEC61235. Length 1,2/2,0m. Rated insulation: 90kV. Hexagonal end fitting.. Weight: 1,7 kg/u	Open Product RFQ Page
271254	271254 CATU MO-630 INSULTATED FUSE TONG 30KV. Weight: 1,8 kg/unit. Toll number: 85369085. Country of origin: DE. Hazardous good for air or see transpo	Open Product RFQ Page
(271268)	(271268) CATU CC-765-10/36-K E.C. COMPACT H.V. DETECTOR 10/36 kV, Universal edn fitting K. Weight: 0,7kg/unit. Toll number: 90303399. Country of origi	Open Product RFQ Page
271366	271366 EARTHING CLUSTER	Open Product RFQ Page
271397	271397 CATU AM-20 Catu AM-20 INSTRUCTION SIGN FIRST AID (FRENCH). AFFICHE ALUMETAL "SOINS AUX ELECTRISES". Weight: 0,4 kg/unit. Toll number: 83100000.	Open Product RFQ Page
271484	271484 Catu AM-61 SUBSTATION SIGN DANGER (FRENCH). PLAQUE ALU POSTE 200 x 150 MM Weight: 0,068 kg/unit. Toll number: 83100000. Country of origin: FR.	Open Product RFQ Page
(271517)	(271517) CATU MT-6613 IEC SHORT CIRCUITING EQUIPMENT. Weight: 11,6 kg/unit. Toll number: 85363090. Country of origin: FR. Hazardous good for air or se	Open Product RFQ Page
271544,	271544, AL-205 LOCK	Open Product RFQ Page
271742(MS-124)	271742(MS-124) CATU MS-124 Your Pos.1 - Catu MS-124 ; HEADLAMP 5 LED'S WITH HELMET CLIP. Weight: 0,115 kg/unit. Toll number: 85131000. Country of orig	Open Product RFQ Page
271789	271789 MP-60/0310 INSULATING RUBBER MAT Original Spare Part	Open Product RFQ Page
(271960)	(271960) AT-49/025 SELF_ADHESIVE WARNING SIGN	Open Product RFQ Page
28102014	28102014 Original Spare Part	Open Product RFQ Page
530190	530190 Original Spare Part	Open Product RFQ Page
55100	55100 Original Spare Part	Open Product RFQ Page
64599004	64599004 Original Spare Part	Open Product RFQ Page
700-1	700-1	Open Product RFQ Page
AL-201/1	AL-201/1 (CIRCUIT BREAKER LOCKOUT)	Open Product RFQ Page
AL-201/1-1	AL-201/1-1 Sperrelement	Open Product RFQ Page
AL-204	AL-204 Power Breaker Lockout	Open Product RFQ Page
AL-205/5	AL-205/5 (SWITCH LOCKING APPARATUS)	Open Product RFQ Page
AL-230-S-222-EX.	AL-230-S-222-EX.	Open Product RFQ Page
AL-230-Z-EX	AL-230-Z-EX (SAFETY PADLOCK 50MM)	Open Product RFQ Page
AL-240	AL-240 Locking padlock ten padlock with key numbers of 111,222,333,444,555,666,777,888,999,1111 to 10 different people	Open Product RFQ Page
AL-240-S-BL-111-EX	AL-240-S-BL-111-EX Locking padlocks	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
ALM-6/25	ALM-6/25 HASP models	Open Product RFQ Page
ALM-6/8	ALM-6/8 Multiverriegelungsgerät aus Metall	Open Product RFQ Page
AM	AM 20 RM Instruction plate electr. peop	Open Product RFQ Page
AM-18/1	AM-18/1 (AFFICHE CONSIGNES DE SECURITE. Weight: 0,386 kg/unit. Toll number: 83100000.)	Open Product RFQ Page
AM-208/1	AM-208/1 ,	Open Product RFQ Page
AM-346	AM-346 (TRIANGLE ALU "TERRE DES MASSES" 100MM. Weight: 0,007 kg/unit. Toll number: 83100000)	Open Product RFQ Page
AM-49/1	AM-49/1 (TRIANGLE ALU "ECLAIR" 100MM. Weight: 0,011 kg/unit. Toll number: 83100000)	Open Product RFQ Page
AM-510-EX	AM-510-EX (PLAQUE ALU CONSIGNES DE SECURITE VISIERE. Weight: 0,37 kg/unit. Toll number: 83100000.)	Open Product RFQ Page
AM-51/2	AM-51/2 Accès réservé	Open Product RFQ Page
AM-61.	AM-61. Original Spare Part	Open Product RFQ Page
AM-61-RM	AM-61-RM Danger sign	Open Product RFQ Page
AM-910	AM-910 (PLAQUE ALU "DEFENSE D'AFFICHER". Weight: 0,09 kg/unit. Toll number: 83100000)	Open Product RFQ Page
AP	AP - 461 AFFICHETTES CONDAMNATION BT	Open Product RFQ Page
AP-373	AP-373 (PLAQUE PLASTIQUE EDF PR-40. Weight: 0,08 kg/unit. Toll number: 39269097)	Open Product RFQ Page
AP-467	AP-467 DISQUE POLYPLEX "APPAREIL CONDAMNE" 80MM. Weight (kg/unit): 0,007. Toll number: 39269097.	Open Product RFQ Page
ARC100B	ARC100B Design Standard : ASTM F1506 AND NFPA 70E STD, Material : INDURA ULTRA LIGHT MATERIAL, Type : ARC FLASH SET, Size: L	Open Product RFQ Page
ARC-40-B-L	ARC-40-B-L / 251559 (CATU KIT, "Arc flash" protective kits 40 cal/cm², size L. Weight: 7,2 kg/unit. Toll number: 62104000. Country of origin: FR/USA.	Open Product RFQ Page
ARC-55-B	ARC-55-B ARCFLASH PROTECTIVE HOOD KIT	Open Product RFQ Page
AT-54/1	AT-54/1 ETIQ. PROTECTION OBLIGATOIRE DES MAINS	Open Product RFQ Page
BAR22	BAR22 CB2200 (BARRETTE DE COUPURE. Weight: 0,59 kg/unit. Toll number: 85365080.)	Open Product RFQ Page
BAR-52	BAR-52 CB5200 (PLATINE DE MISE A LA TERRE HTA/BT. Weight: 0,9 kg/unit. Toll number: 85365080)	Open Product RFQ Page
BOOTS	BOOTS MV-135 Size 9 Insulating, brown, size 60x210x460mm	Open Product RFQ Page
C-765-10/36-K	C-765-10/36-K	Open Product RFQ Page
CATU	CATU MO-180-ARC4	Open Product RFQ Page
CATU-KIT-ARC-01	CATU-KIT-ARC-01 ARC FLASH FACE SHIELD KIT	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
CATU-MT-1920	CATU-MT-1920 (Catu MT-1920 PORTABLE WORKING EARTH 150MM2/50MM2 RATED 30KA/1S. Weight: 18,25 kg/unit. Toll number: 85363090. Country of origin: FR. Gef	Open Product RFQ Page
CC	CC 765-10/36 OG Control Pencil	Open Product RFQ Page
CC-245-150/420-K	CC-245-150/420-K H.V. DETECTOR	Open Product RFQ Page
CC-245-225/550-K	CC-245-225/550-K Catu CC-245-225/550-K HV Detector 225/550kV according to IEC61243-1. Universal end fitting K-type.. Weight: 1,64 kg/unit. Toll number	Open Product RFQ Page
CC-245-63/90-C	CC-245-63/90-C H.V. DETECTOR 63/90KV C-TYPE	Open Product RFQ Page
CC-245-66/132-C	CC-245-66/132-C H.V. DETECTOR	Open Product RFQ Page
CC-245-90/225-K	CC-245-90/225-K Catu CC-245-90/225-K HV Detector 90/225kV according to IEC61243-1. Universal end fitting K-type.. Weight: 1,65 kg/unit. Toll number: 9	Open Product RFQ Page
CC296	CC296 NFC low voltage earthing kit	Open Product RFQ Page
CC-360/40-14	CC-360/40-14 US,CAT NO. 514360-2 obsolete, replaced by :CATU CC-765-04/14-US Electronic Voltage Detector	Open Product RFQ Page
CC-363-	CC-363- K H.V. DETECTOR 36KV K-TYPE Universel	Open Product RFQ Page
CC-365-3/10-(K)	CC-365-3/10-(K) Voltage Detector	Open Product RFQ Page
CC-760-5/36-C	CC-760-5/36-C	Open Product RFQ Page
CC-760-5/36-K	CC-760-5/36-K COMPACT H.V. DETECTOR 5/36 kV	Open Product RFQ Page
CC-765-10/	CC-765-10/ 36-C I.E.C. 10/36 Kv Ext. "C" Voltage Detector	Open Product RFQ Page
CC-765-10/30-K	CC-765-10/30-K	Open Product RFQ Page
CC-765-10/36	CC-765-10/36 IEC electronic Voltage Detector	Open Product RFQ Page
CC-765-10/36-K	CC-765-10/36-K	Open Product RFQ Page
CC-765-3/10	CC-765-3/10 IEC electronic Voltage Detector	Open Product RFQ Page
CC-765-3/10-C	CC-765-3/10-C VOLTAGE DETECTOR	Open Product RFQ Page
CC-765-5.5/20-()	CC-765-5.5/20-() I.E.C. Compact Detector 5.5/20 kV Hex-Fitting (Type C). Tollnbr. 90303399	Open Product RFQ Page
CC875-10/36	CC875-10/36 C replaced by CC-765-10/36-C Detector of absence of bright acoustic stress	Open Product RFQ Page
CD-104	CD-104 TORCH LIGHT	Open Product RFQ Page
CE-4-21-	CE-4-21- C Telescopic Pole 90kV For Voltage Detectors	Open Product RFQ Page
CE-4-21-K.	CE-4-21-K.	Open Product RFQ Page
CE-75-C	CE-75-C Insulation Stick IEC for voltage detectors (for 6.6kV overhead line)	Open Product RFQ Page
CE-75-K	CE-75-K TELESCOPIC STICK 2 ELEMENTS	Open Product RFQ Page
CF-3-72.5-C	CF-3-72.5-C Insulating stick	Open Product RFQ Page
CF-3-72-E	CF-3-72-E ISOFIBRE TOOL 72kV	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
CF-5-40-C	CF-5-40-C	Open Product RFQ Page
CF-5-40-E	CF-5-40-E Original Spare Part	Open Product RFQ Page
CF-5-40-(K)	CF-5-40-(K) Stick For Voltage Detector	Open Product RFQ Page
CG	CG - 96 - C WORK GLOVES : AMERICAN STYLE , WITH SOFT AND FLEXIBLE FULL BLOOM LEATHER ALLOWING FULL FINGER MOVEMENT	Open Product RFQ Page
CG.02.C	CG.02.C 500/2500V A.G Isolation Gloves	Open Product RFQ Page
CG-05-B	CG-05-B (I.E.C. INSULATING GLOVES)	Open Product RFQ Page
CG-05-C	CG-05-C (Your Pos. 4 Catu CG-05-C I.E.C. INSULATING GLOVES. Weight: 0,15 kg/unit. Toll number: 40151900. Country of origin: ES. Gefahrgut für Luft- od	Open Product RFQ Page
CG-1-09-NR	CG-1-09-NR Original Spare Part	Open Product RFQ Page
CG-1-10-NR	CG-1-10-NR ((No Material : EB-5040- 15-56-12-3) Electrical insulating gloves. Class 1 - Max use 7500V, size 10, length : 14'/360mm. Beige/Red Rolled C	Open Product RFQ Page
CG-117	CG-117 PNEUMATIC GLOVE TESTER	Open Product RFQ Page
CG-12/S-()	CG-12/S-() CG-12 Line Worker Glove-resistant to 1kV 120 St. - - -Various sizes: (*) A=size 8, B=size 9, C=size 10, D=size 11. Gewicht (kg)/ Einheit 0	Open Product RFQ Page
CG-15	CG-15 HV IS OBSOLETE, REPLACED BY CG-1-10-NR Insulating Gloves, Class 1 Rubber Insulated Gloves -High Voltage 7500 volt No Material :EB-5040-15-56-12-	Open Product RFQ Page
CG-15-C	CG-15-C OBSOLETE I.E.C. INSULATING GLOVES	Open Product RFQ Page
CG20	CG20 OBSOLETE, replaced by CATU CG-2-10-NR INSLATING RUBBER GLOVES, FOR HT POST 17000V	Open Product RFQ Page
CG-20().AM	CG-20().AM ISOLATED GLOVES	Open Product RFQ Page
CG-20-B	CG-20-B replaced by CG-2-09- NR Catu CG-2-09-NR Catu CG-2-09-NR (Code CG-20-B is replaced by CG-2-09- NR); Electrical insulating gloves. Class 2 - Max	Open Product RFQ Page
CG-20-C,493-310	CG-20-C,493-310 obsolete, replacement CG-2-10-NR I.E.C. INSULATING GLOVES	Open Product RFQ Page
CG-2-10-NR	CG-2-10-NR Electrical insulating gloves	Open Product RFQ Page
CG-30	CG-30 INSULATING GLOVE	Open Product RFQ Page
CG-30-C	CG-30-C OBSOLETE glove safety equipment	Open Product RFQ Page
CG-35/1	CG-35/1 is obsolete. Replaced by CG-35-2 Storage box gloves	Open Product RFQ Page
CG-35-2	CG-35-2 ,	Open Product RFQ Page
CG-36	CG-36	Open Product RFQ Page
CG-40().AM	CG-40().AM ISOLATED GLOVES	Open Product RFQ Page
CG-40-C	CG-40-C obsolete alternative CG-4-10-NR INSULATING GLOVES	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
CG-40-C-R	CG-40-C-R Original Spare Part	Open Product RFQ Page
CG-40-D	CG-40-D GANTS ISOLANTS CEI CLASSE 4 TAILLE D-11	Open Product RFQ Page
CG-40-D-R	CG-40-D-R Original Spare Part	Open Product RFQ Page
CG-4-10-NR	CG-4-10-NR	Open Product RFQ Page
CG-4-12-NR	CG-4-12-NR Gloves size E (12) (code: CG-4-12-NR)	Open Product RFQ Page
CG-4-NR	CG-4-NR Dexter+ (code : CG-4--NR) Gloves	Open Product RFQ Page
CG-96-()	CG-96-() CG-96 Industrial Gloves (pair) 120 Team - - -Various sizes: (*) A=size 8, B=size 9, C=size 10, D=size 11. Lieferzeit (Wochen nach AE) 0,129	Open Product RFQ Page
CG-981-11	CG-981-11	Open Product RFQ Page
CG-98-C	CG-98-C Insulating latex gloves	Open Product RFQ Page
CG-99-D	CG-99-D Overgloves	Open Product RFQ Page
CGA	CGA – 4- 10 – NB	Open Product RFQ Page
CGA-0-()-B	CGA-0-()-B ASTM Insulating Rubber Gloves	Open Product RFQ Page
CGA-1-()-NB	CGA-1-()-NB ASTM Insulating Rubber Gloves	Open Product RFQ Page
CGA-4-()-NB	CGA-4-()-NB ASTM Insulating Rubber Gloves	Open Product RFQ Page
CGM-0-09	CGM-0-09	Open Product RFQ Page
CGM-2-08	CGM-2-08	Open Product RFQ Page
CGM-2-09	CGM-2-09	Open Product RFQ Page
CGM-4-10	CGM-4-10 Mechanical Insulating Gloves (36000V) - Size 10	Open Product RFQ Page
CGM-4-11	CGM-4-11 Mechanical Insulating Gloves (36000V) - Size 11	Open Product RFQ Page
CI-06-D	CI-06-D	Open Product RFQ Page
CI-10-D	CI-10-D	Open Product RFQ Page
CL-	CL- 4-10/30-2 Détecteur de présence de tension (5.5 Kv)	Open Product RFQ Page
CL-1-05	CL-1-05 PIEZO ELECTRIC TESTER	Open Product RFQ Page
CL-2-10/30	CL-2-10/30 2 NEON TUBE HV DETECTOR	Open Product RFQ Page
CL-2-5/10	CL-2-5/10 not exist	Open Product RFQ Page
CL-2-5/36-2	CL-2-5/36-2 Original Spare Part	Open Product RFQ Page
CL-4	CL-4	Open Product RFQ Page
CL4/03-36/2US	CL4/03-36/2US (Catu CL-4/03-36/2-US; NEON TUBE HV DETECTOR. Weight: 1,15 kg/unit. Toll number: 90303399. Country of origin: FR)	Open Product RFQ Page
CL4-10/30-M	CL4-10/30-M obsolete, replaced by CL-465-10/30-M	Open Product RFQ Page
CL-4-41	CL-4-41 control pen	Open Product RFQ Page
CL-4-41/2	CL-4-41/2	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
CL-465-10/30-M	CL-465-10/30-M	Open Product RFQ Page
CL-5-36	CL-5-36 (PHASE TESTER 5/36KV W TESTER)	Open Product RFQ Page
CL-8-36/1	CL-8-36/1 Two-pole phase comparator c/w Probe Extenders	Open Product RFQ Page
CM	CM 45 Rescue Hook	Open Product RFQ Page
CM-03-K	CM-03-K Manoeuvring Hook C Type	Open Product RFQ Page
CM-1-10	CM-1-10 HOUSSE POUR PERCHE 1M/1,30M	Open Product RFQ Page
CM-4360-C	CM-4360-C Original Spare Part	Open Product RFQ Page
CM-4360-E	CM-4360-E HV Sticks 6 meter lenght Combination of 3 Catu HV Stick CM-4620	Open Product RFQ Page
CM-50	CM-50	Open Product RFQ Page
CM-6-15	CM-6-15 STICK ELEMENT L=1.50M	Open Product RFQ Page
CM-7-10-A	CM-7-10-A Major Stick Basic Element	Open Product RFQ Page
CS-225	CS-225 Safety rescue rod for high voltage	Open Product RFQ Page
CS-45	CS-45 Insulating rescue stick	Open Product RFQ Page
CT-7-25/1	CT-7-25/1 Insulating platforms (indoor models)	Open Product RFQ Page
CT-7-63	CT-7-63 Insulating platforms (indoor models)	Open Product RFQ Page
CT-9-45	CT-9-45 Isolierhocker	Open Product RFQ Page
(CZ-50-MR	(CZ-50-MR is obsolete), replaced by CATU CZ-54-MR Original Spare Part	Open Product RFQ Page
CZ-53-E	CZ-53-E	Open Product RFQ Page
CZ-53-MR	CZ-53-MR LIFE SAVING KIT	Open Product RFQ Page
CZ-54E	CZ-54E RESCUE KIT PANEL	Open Product RFQ Page
CZ-54-MR	CZ-54-MR Original Spare Part	Open Product RFQ Page
CZ-54-R	CZ-54-R	Open Product RFQ Page
CZ-55-E	CZ-55-E	Open Product RFQ Page
CZ-55R	CZ-55R Original Spare Part	Open Product RFQ Page
Detex	Detex cc-363 OBSOLETE, replaced by CC-760-5/36-K Dedector	Open Product RFQ Page
DT	DT 300 Earth and Continuity controller	Open Product RFQ Page
DT-104	DT-104 Original Spare Part	Open Product RFQ Page
DT500	DT500 Insulation tester	Open Product RFQ Page
Etche	Etche 36KV TST NS OG Electric Boots	Open Product RFQ Page
EXTRAIT	EXTRAIT DE L'ARRÊTE DU 30 AVRIL 1951 ,	Open Product RFQ Page
GG	GG 40 Insulated gloves	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
GLB3-36	GLB3-36 obsolete/replaced by CATU CG-30-B-R Gloves operating voltage 26.500v	Open Product RFQ Page
GLBOO-36	GLBOO-36 obsolete/replaced by CATU CG-10-A-R Gloves operating voltage 1000v	Open Product RFQ Page
GTC-25	GTC-25 (GRILLE CABLE DEPLOYE CUIVRE 0,46MX2,50M. Weight: 2,75 kg/unit. Toll number: 74199910)	Open Product RFQ Page
IEC	IEC SHORT-CIRCUITING AND EARTHING SYSTEMS FOR MV SUBSTATIONS (FROM 1KV TO 52KV) Original Spare Part	Open Product RFQ Page
ISOMIL	ISOMIL DUAL LAYER INSULATING PLIER	Open Product RFQ Page
ISOMIL2	ISOMIL2 DUAL LAYER INSULATING PLIER	Open Product RFQ Page
KIT	KIT ARC-40-B-L, 40 CAL/ cm2, size L, gray Electric Anti Arc Kit	Open Product RFQ Page
KIT-AR	KIT-AR C-03	Open Product RFQ Page
KIT-ARC-03	KIT-ARC-03 ARC FLASH PROTECTIVE COVERALL KIT	Open Product RFQ Page
KIT-ARC-100-B-L	KIT-ARC-100-B-L Original Spare Part	Open Product RFQ Page
KIT-ARC-100-B-M	KIT-ARC-100-B-M Original Spare Part	Open Product RFQ Page
KIT-ARC-10-C	KIT-ARC-10-C - OBSOLETE, REPLACED BY KIT-ARC-12-C-L Arc Flash	Open Product RFQ Page
KIT-ARC-12-C-L.	KIT-ARC-12-C-L. (Your Pos. 7 Catu KIT-ARC-12-C-L (replaces the obsolete version KIT-ARC-10-C); ARC FLASH KIT - 12 CAL . Weight: 4,45 kg/unit. Toll num	Open Product RFQ Page
KIT-ARC-25-B-L	KIT-ARC-25-B-L Catu KIT-ARC-25-B-L "Arc flash" protective kits 25 cal/cm², size L. Weight: 4,85 kg/unit. Toll number: 62104000. Country of origin: USA	Open Product RFQ Page
KIT-ARC-40-B-2XL	KIT-ARC-40-B-2XL Störlichtbogenschutz Anzug	Open Product RFQ Page
KIT-ARC-40-B-L	KIT-ARC-40-B-L (Störlichtbogenschutz Anzug Klasse 2 Gr. L nach EN 61482-1-2)	Open Product RFQ Page
KIT-HAUT-02-M	KIT-HAUT-02-M (ANTIFALL HARNESS KIT 02 M. Weight: 10,85 kg/unit. Toll number: 63072000.)	Open Product RFQ Page
LCM-50	LCM-50 (Your Pos. 2 Catu CM-50 MV static discharge stick (bis 50 kV). Length: 1.5m. Weight: 2,5 kg/unit. Toll number: 85359000. Country of origin: ARG	Open Product RFQ Page
LS-7088-B	LS-7088-B size 9 brown	Open Product RFQ Page
M0	M0 - 64502 HACKSAW	Open Product RFQ Page
M-24-150-S	M-24-150-S CU CABLE 150MM². Weight: 1,63 kg/unit. Toll number: 85389099. Country of origin: FR. Gefahrgut für Luft- oder Seefracht: Nein.	Open Product RFQ Page
M78665	M78665 EMPTY PLASTIC CASE FOR EARTHING EQUIPMENT	Open Product RFQ Page
M-87-295	M-87-295 Cable Bag Sizes: 550x300x300 mm	Open Product RFQ Page
M-87-370	M-87-370 Original Spare Part	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
M-881956	M-881956 Face shield	Open Product RFQ Page
M-952120	M-952120 ,	Open Product RFQ Page
M952160	M952160	Open Product RFQ Page
M952170	M952170	Open Product RFQ Page
M-95-864	M-95-864 (HOOKS FOR HELMET (SET=4 PCES). Weight: 0,01 kg/set. Toll number: 85139000. Country of origin: ITA. Gefahrgut für Luft- oder Seefracht: Nein.	Open Product RFQ Page
MC29635D	MC29635D nfc low voltage earthing kit	Open Product RFQ Page
MF-62	MF-62 Catu MF-62 Spare fuse wire of cable-launcher projector (spool of 30m). this is required for use with wire projector (model CATU MF 60) to check	Open Product RFQ Page
MG-103-S	MG-103-S (HOT LINE CLAMPSTICK 3.80M.)	Open Product RFQ Page
MG-163/1	MG-163/1 (MG-163/1 ; WIRE HOLDING POLE TYPE 2.)	Open Product RFQ Page
MG-603	MG-603 (SHORT AUXILIARY ARM 1.15 M)	Open Product RFQ Page
MG-603/1	MG-603/1 (MG-603/1 ; LONG AUXILIARY ARM 2.60 M.)	Open Product RFQ Page
MIT-6613	MIT-6613 Original Spare Part	Open Product RFQ Page
MO	MO - 72102 UNIVERSAL PLIER ,180MM L , 2.5 DIA , 255g ,	Open Product RFQ Page
MO-11010	MO-11010 (COLORLESS UV OVERGLASSES.)	Open Product RFQ Page
MO-131/1	MO-131/1 M0-131/1 Advanced gas mask 240 St. - - - Gewicht (kg)/ Einheit 0,090	Open Product RFQ Page
MO-132	MO-132 (COVERALL, WATERPROOF, COLOUR WHITE,SIZE XL.)	Open Product RFQ Page
MO-156	MO-156 M0-156 High level of protection against noise headset 120 Team - - - Gewicht (kg)/ Einheit 0,054	Open Product RFQ Page
MO-180-ARC12	MO-180-ARC12 helmet	Open Product RFQ Page
MO-180-ARC4	MO-180-ARC4	Open Product RFQ Page
MO-182/1-J	MO-182/1-J M0-182/1-J High-Level Proof Helmet 120 St. - - - Gewicht (kg)/ Einheit 0,353	Open Product RFQ Page
MO-185-BL	MO-185-BL Weißer Gesichtsschutzhelm mit integriertem Visier.	Open Product RFQ Page
MO-187	MO-187 (FACE SHIELD 12 CAL/CM2.)	Open Product RFQ Page
MO-510-03	MO-510-03	Open Product RFQ Page
MO-56009	MO-56009 Original Spare Part	Open Product RFQ Page
MO-61001	MO-61001 M0-61001 Cable knife 24 Set - - - Gewicht (kg)/ Einheit 0,110	Open Product RFQ Page
MO-61002	MO-61002 (INSULATING STRIPPING KNIFE)	Open Product RFQ Page
MO-64502	MO-64502 M0-64502 Hacksaw blade Handle Slot 36 St. - - - Gewicht (kg)/ Einheit 0,740	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
MO-65211	MO-65211 M0-65211 Screwdriver - 12 " 60 St. - - - Gewicht (kg)/ Einheit 0,220	Open Product RFQ Page
MO-67103	MO-67103 M0-67103 torque W rench 12 Set - - - Gewicht (kg)/ Einheit 0,330	Open Product RFQ Page
MO-67302	MO-67302 (INSULATED END STRIPPING PLIERS)	Open Product RFQ Page
MO-67601	MO-67601 M0-67601 Copper Cable Cutter, AAAC / ACSR Conductor & guy wire 48 St. - - - Gewicht (kg)/ Einheit 1,000	Open Product RFQ Page
MO-68013	MO-68013 M0-68013 Nut W rench (single open mouth) - 13 mm 6 Set - - - Gewicht (kg)/ Einheit 0,070	Open Product RFQ Page
MO-68017	MO-68017 M0-68017 Nut W rench (single open mouth) - 17 mm 6 Set - - - Gewicht (kg)/ Einheit 0,120	Open Product RFQ Page
MO-68019	MO-68019 M0-68019 Nut W rench (single open mouth) - 19 mm 6 Set - - - Gewicht (kg)/ Einheit 0,170	Open Product RFQ Page
MO-68113	MO-68113 M0-68113 Nut W rench (single ring type) - 13 mm 6 Set - - - Gewicht (kg)/ Einheit 0,110	Open Product RFQ Page
MO-68117	MO-68117 M0-68117 Nut W rench (single ring type) - 17 mm 6 Set - - - Gewicht (kg)/ Einheit 0,200	Open Product RFQ Page
MO-68119	MO-68119 M0-68119 Nut W rench (single ring type) - 19 mm 6 Set - - - Gewicht (kg)/ Einheit 0,320	Open Product RFQ Page
MO-68701	MO-68701 M0-68701 4-spoke bite 30 St. - - - Gewicht (kg)/ Einheit 0,250	Open Product RFQ Page
MO-68702	MO-68702 4-spM0-68702 4-spoke bite 30 St. - - - Gewicht (kg)/ Einheit 0,270	Open Product RFQ Page
MO-68703	MO-68703 M0-68703 4-spoke bite 30 St. - - - Gewicht (kg)/ Einheit 0,240	Open Product RFQ Page
MO-68704	MO-68704 M0-68704 4-spoke bite 30 St. - - - Gewicht (kg)/ Einheit 0,285	Open Product RFQ Page
MO-69050	MO-69050 M0-69050 torque W rench 12 Set - - - Gewicht (kg)/ Einheit 0,820	Open Product RFQ Page
MO-69T40	MO-69T40 TORX isolierter Steckschlüsseinsatz	Open Product RFQ Page
MO■71	MO■71 Original Spare Part	Open Product RFQ Page
MO-72005	MO-72005 M0-72005 Heavy-Duty Screwdriver - 4 mm 8 Set - - - Gewicht (kg)/ Einheit 0,058	Open Product RFQ Page
MO-72006	MO-72006 M0-72006 Heavy-Duty Screwdriver - 5.5 mm 8 Set - - - Gewicht (kg)/ Einheit 0,077	Open Product RFQ Page
MO-72007	MO-72007 M0-72007 Heavy-Duty Screwdriver - 6.5 mm 8 Set - - - Gewicht (kg)/ Einheit 0,112	Open Product RFQ Page
MO-72162	MO-72162 M0-72162 Side Cutter Pliers 24 Set - - - Gewicht (kg)/ Einheit 0,225	Open Product RFQ Page
MO-834	MO-834 obsolete, replaced by MO-630 OG FUSE REPLACEMENT TOOL	Open Product RFQ Page
MO-852	MO-852 PULL STOCKING, 10 TO 30 KV	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
MP	MP 609-2/I 2 sections extension ladders rope and pulley oper.	Open Product RFQ Page
MP-100/02-10	MP-100/02-10 Standortisoliermatte nach IEC/EN 61111	Open Product RFQ Page
MP-100/03-10	MP-100/03-10 Insulating mats	Open Product RFQ Page
MP-100/05-10	MP-100/05-10 Insulating mats	Open Product RFQ Page
MP-100/05-5	MP-100/05-5 ISOLATING DIELECTRIC RUG	Open Product RFQ Page
MP-100/10-5	MP-100/10-5 Insulating mats	Open Product RFQ Page
MP-100/310	MP-100/310 Electrical mat;	Open Product RFQ Page
MP-123	MP-123 Original Spare Part	Open Product RFQ Page
MP-22	MP-22 Original Spare Part	Open Product RFQ Page
MP-32-10	MP-32-10 Gummi-Abdeckleiste 1 m	Open Product RFQ Page
MP-42/11	MP-42/11 (INSULATING RUBBER MAT 3MM, 1X1M, CLASS 3 (26.5 KV))	Open Product RFQ Page
MP-510/2	MP-510/2 Échelle en fibre de verre ou en bois de 6m double	Open Product RFQ Page
MP-514/2	MP-514/2 Insulating slide ladders	Open Product RFQ Page
MP-60/05-10	MP-60/05-10 Standortisoliermatte nach IEC/EN 61111.Klasse 4	Open Product RFQ Page
MP-607/2-I	MP-607/2-I Échelle en fibre de verre ou en bois de 4m double	Open Product RFQ Page
MP-700-2	MP-700-2 INSULATING STEPLADDER	Open Product RFQ Page
MP-700-3	MP-700-3 Insulating stepladders	Open Product RFQ Page
MP-700-4	MP-700-4 Isolierter Stufenstehleiter mit Werkzeugablage, einseitig begehbar, 3 Stufen. Nach EN131	Open Product RFQ Page
MS	MS - 125 HEADLAMP ; LED'S CAN BE CARRIED EITHER ON THE HEAD OR ANY KIND OF HELMET . IPX6 SEALING WIDTH ; 80g, POWERED BY 1 BATTERY FOR 30HOURS	Open Product RFQ Page
MS-118	MS-118 Headlamp	Open Product RFQ Page
MS-920	MS-920 (LOW VOLTAGE TESTER)	Open Product RFQ Page
MT-1910	MT-1910 max 66 nominal 36kV	Open Product RFQ Page
MT-1910-D-3X150KS 250	MT-1910-D-3X150KS250 only the wiring	Open Product RFQ Page
MT-1920	MT-1920 MT-1920 & M-78665 Portable three-phase grounding kit 12 St. - - - Gewicht (kg)/ Einheit 18,250	Open Product RFQ Page
MT-3025	MT-3025 Earthing Kit	Open Product RFQ Page
MT-406	MT-406 AG GROUND OCTOPUS	Open Product RFQ Page
MT-4804	MT-4804	Open Product RFQ Page
MT-508/46	MT-508/46 Element Telescopic Earthing Kit with Earth Rod	Open Product RFQ Page
MT-5805	MT-5805	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
MT613/DR3.5	MT613/DR3.5 GROUNDING EQUIPMENT ELECTROSTATIC CONTROL	Open Product RFQ Page
MT-615/2-7.5	MT-615/2-7.5 Lowlock system	Open Product RFQ Page
MT-650	MT-650 (HEXAGONAL GALVANIZED EARTH ROD)	Open Product RFQ Page
MT-6613	MT-6613	Open Product RFQ Page
MT-6613/1	MT-6613/1	Open Product RFQ Page
MT-731-E	MT-731-E HV Line Fixing Clamp Rating 40 kA Cable Size: 150 mm ² Max M12 Screw Hole Diameter: 5-60 mm	Open Product RFQ Page
MT-814/2	MT-814/2 ROTATING CLAMP 5-28MM 14.5KA	Open Product RFQ Page
MT-8407	MT-8407 MISE EN COURT CIRCUIT	Open Product RFQ Page
MT-853	MT-853 EARTH CLAMP FOR FIXED POINT. Weight: 1,08 kg/unit. Toll number: 82057000. Country of origin: FR. Gefahrgut für Luft- oder Seefracht: Nein.	Open Product RFQ Page
MT890	MT890 WALL BRACKETS FOR 3 CLAMPS	Open Product RFQ Page
MT891	MT891 WALL BRACKET FOR EARTH CLAMP	Open Product RFQ Page
MT893	MT893 WALL BRACKET FOR CABLE	Open Product RFQ Page
MT895	MT895 EARTHING KIT SUPPORT	Open Product RFQ Page
MT-9801	MT-9801	Open Product RFQ Page
MV	MV - 131 - 43 SAFETY BOOTS : EXPOSURE TO OILS ,HYDROCARBONS WORK INVOLVING OIL. THICK SOLES AVOIDING , RISK OF SLIPS AND STRAINS . HEAVY DUTY	Open Product RFQ Page
MV-135	MV-135 44 IS OBSOLETE REPLACED BY MV-137/44 (INSULATING BOOTS,20000 V, ACC. TO EN50321,SIZE 44. Weight: 2,5 kg/unit. Toll number: 64029110.)	Open Product RFQ Page
MV-135-43	MV-135-43 obsolete, replaced by MV-137/43	Open Product RFQ Page
MV-137/41	MV-137/41 BOOT, INSULATING, VERY FLEXIBLE& RESISTANT, CATU, MV135 (414243), ELASTOMER CANVAS SUPPORT.for size 41	Open Product RFQ Page
MV-137/43	MV-137/43 INSULATING BOOTS	Open Product RFQ Page
MV-137/44	MV-137/44 Isolierstiefel	Open Product RFQ Page
MV-137/45	MV-137/45	Open Product RFQ Page
MX-701	MX-701 MX-701 portable multimeter 24 St. - - - Gewicht (kg)/ Einheit 0,354	Open Product RFQ Page
MX-704	MX-704 MX-704 Portable Infrared Thermometer 12 Set - - - Gewicht (kg)/ Einheit 0,400	Open Product RFQ Page
NG	NG 920 - obsolete (replaced by MS-920) DETEXTM Voltage Detector and Tester	Open Product RFQ Page
PREL-CE-5-90K	PREL-CE-5-90K Original Spare Part	Open Product RFQ Page
PREL-CF390K	PREL-CF390K Original Spare Part	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
RFG	RFG TR01 (REGARD DE VISITE EN FONTE HT: 105MM. Weight: 4,96 kg/unit. Toll number: 73251050)	Open Product RFQ Page
SEAWARD,	SEAWARD, 109A912 HV PHASING UNITS, UNIT PR/15D, VOLTAGE-15kV MAX	Open Product RFQ Page
SFETV10	SFETV10 obsolete/replaced by CATU CG-117 PNEUMATIC TESTER	Open Product RFQ Page
SLB-K2-HVWP/L	SLB-K2-HVWP/L -	Open Product RFQ Page
SUPPLY/59	SUPPLY/59	Open Product RFQ Page
TCG38(OBSOLETE)	TCG38(OBSOLETE) Insulated gloves TESTER	Open Product RFQ Page
TCG70(OBSOLETE)	TCG70(OBSOLETE) MV PHASE MARKER 10-30KV	Open Product RFQ Page
T■P:CL.	T■P:CL. 4-42/2 5-40KV is not known by their manufacturer VOLTAGE DETECTOR	Open Product RFQ Page
TIPPER	TIPPER TIE CLIPPER 621R Thickness : 3.8 +/- 1 mm Height : 30 +/- 1 mm Width : 23 +/- 1 mm	Open Product RFQ Page

Axiparts Offices

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten Pl #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates