

Kaneko Sangyo Industrial Parts Catalog

Axiparts Global Industrial RFQ Platform

Email: info@axiparts.com

Website: <https://axiparts.com>

Premium RFQ catalog for Kaneko Sangyo industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

Brand: Kaneko Sangyo

Listed Products in This PDF: 107

Catalog URL: <https://axiparts.com/catalogs/brands/kaneko-sangyo.pdf>

| Part Number | Product Description | Live RFQ Link |
|--------------------------|--|---------------------------------------|
| 10A | 10A SUS-S .#208 D11 Solenoid Valve Volt:220VDC .AMP:0.13A , Press:13.7 kgf/cm2 ,Fluid :OIL | Open Product RFQ Page |
| 12030105obsolete, | 12030105obsolete, replacement (Solenoid valve for MB15G Assy_AC 220V / 50 · 60) | Open Product RFQ Page |
| 120V,M15DG-10-AE1 2PRS-M | 120V,M15DG-10-AE12PRS-M VALVE | Open Product RFQ Page |
| 1/2B | 1/2B SUS316L 3 WAY Solenoid VALVE | Open Product RFQ Page |
| 15A | 15A SUS 304 – S#208 D11 – TF | Open Product RFQ Page |
| 43201403 | 43201403 O Ring for 3 Way Solenoid Valve,Part No, 2,5,11,13 | Open Product RFQ Page |
| 619607100 | 619607100 solenoid coil | Open Product RFQ Page |
| 67E236 | 67E236 / P77049 Solenoid Valve Pipe size: 1/4 inch Orifice diameter: 1/16 inch Electrical rating: 110 V AC, 60 Hz, 0.15 A Configuration: 3-way Connect | Open Product RFQ Page |
| BZ10G-8-B59-11 | BZ10G-8-B59-11 Solenoid Valve | Open Product RFQ Page |
| CAC703 | CAC703 VACUUM BREAKER SIZE 1-1/2" RATINGANSI 150#, SET PRESSURE: 300 MMAQ | Open Product RFQ Page |
| COIL | COIL FOR M30D-15-D44-SF12 110VDC , 0.34A | Open Product RFQ Page |
| d2G4 | d2G4 Solenoid valve 220VAC | Open Product RFQ Page |
| D66 | D66 Solenoid | Open Product RFQ Page |
| DRAWING: | DRAWING: DS00-1859E(H), ITEM 17 elbow, type: solenoid, size: 1/2" x 6mm MNPT x QUICK IN, material: brs, 90°, radius: short | Open Product RFQ Page |
| GU-10-BBE-H | GU-10-BBE-H Connection Size: 1" 150# RF Gas Seal Unit | Open Product RFQ Page |
| GUIDE | GUIDE , ITEM NO: 10 for M15G-8N-DE12PU GUIDE , ITEM NO: 10 | Open Product RFQ Page |
| K1-150-B | K1-150-B DISC:GUIDE (-),SUS 304/PTFE,MODEL DISC: TYPE: GUIDE (-) MATERIAL: SUS 304/PTFE FREE FLOW TEXT: MODEL: K1-150-B SPARE PARTS FOR: BREATHER VALV | Open Product RFQ Page |

| Part Number | Product Description | Live RFQ Link |
|---------------------------------|--|---------------------------------------|
| K3-100A | K3-100A Breather valve (Blizzard valve) pressure setting - 3.1/+21 mbar, disc rating -5/+25 mbar, Inlet Flange: 4" class 150# RF, Outlet: 4" Class 1 | Open Product RFQ Page |
| KL-100-4LT | KL-100-4LT GAUGE,DIRECT PURCHASE:0 ~ 1347.7MM,OIL L | Open Product RFQ Page |
| KL-300 | KL-300 DRAWING NKM-ND-1123 Type "S" Range 0-1200mm Level Indicator | Open Product RFQ Page |
| KL-600-4L | KL-600-4L Oil Level Gauge | Open Product RFQ Page |
| LIP | LIP PACKING , ITEM NO: 6 for M15G-8N-DE12PU LIP PACKING , ITEM NO: 6 | Open Product RFQ Page |
| LTDM15DG-10-AE12 PRS-M/2-9.9BAR | LTDM15DG-10-AE12PRS-M/2-9.9BAR M VALVE,SOLENOID: PIPE SIZE:3/8" | Open Product RFQ Page |
| M00C-8N-644-T-M | M00C-8N-644-T-M VALVE M00C8N644TM,3W,1/4"NPT | Open Product RFQ Page |
| M00DU-10-AE12PRS -M-01 | M00DU-10-AE12PRS-M-01 Solenoid Valve | Open Product RFQ Page |
| M00U-10-DE12PU | M00U-10-DE12PU 3 WAY SELENOID VALVE | Open Product RFQ Page |
| M00U-8N-AE12PU-B | M00U-8N-AE12PU-B | Open Product RFQ Page |
| M00U-8N-D12PG-01-TF | M00U-8N-D12PG-01-TF Solenoid valve,3 way. 1/4" NPT-100# ,Size 8 ¼" NPT | Open Product RFQ Page |
| M00U-8N-D12PG-TF _DC24V | M00U-8N-D12PG-TF_DC24V | Open Product RFQ Page |
| M15DG-10- | M15DG-10- AE12PRS-M/1-9.9 VALVE,SOLENOID | Open Product RFQ Page |
| M15DG-10-AE12PRS -M | M15DG-10-AE12PRS-M Kaneko 4 – way Solenoid valve | Open Product RFQ Page |
| M15DG-10N-DE12P RS-M | M15DG-10N-DE12PRS-M 4-way double latch solenoid valve | Open Product RFQ Page |
| M15DG-8-A12PRS-M -TF | M15DG-8-A12PRS-M-TF VALVE | Open Product RFQ Page |
| M15DG-8DE12 | M15DG-8DE12 PRST-M olenoid valves, 1/4" NPT, 48V DC, NC, explosion proof | Open Product RFQ Page |
| M15DG-8-DE12PRS- | M15DG-8-DE12PRS- M Original Spare Part | Open Product RFQ Page |
| M15G-10-A12PG-TF | M15G-10-A12PG-TF 4 ways solenoid valve | Open Product RFQ Page |
| M15G-10AE12-PU | M15G-10AE12-PU solenoid, 100 TO 120 V | Open Product RFQ Page |
| M15G-10-D12PG-T | M15G-10-D12PG-T WITH NPT CONNECTION DC24 | Open Product RFQ Page |
| M15G-10N-D12PG-T F/TF-60(SS) | M15G-10N-D12PG-TF/TF-60(SS) (solenoid, Power supply:DC110V, Power consumption:8.8W,Conduit Connection Size: 1/2 NPTF, Max. pressure:10.0 barg., max. t | Open Product RFQ Page |
| M15G-8-644-T | M15G-8-644-T 3/2 way Solenoid valve with Manual Override c/w coil 500057GW11UP1-6005 | Open Product RFQ Page |
| M15G-8-D12PG-TF | M15G-8-D12PG-TF | Open Product RFQ Page |
| M15G-8-DE12PU. | M15G-8-DE12PU. VALV.SOLENOIDE | Open Product RFQ Page |

| Part Number | Product Description | Live RFQ Link |
|----------------------------|---|---------------------------------------|
| M15G-8N-D12PG-TF/TF-60(SS) | M15G-8N-D12PG-TF/TF-60(SS) Power supply: DC110V, Power Consumption:8,8W, Conduit Connection Size: 1/2"NPTF Max. pressure: 10.0 barg, max.temperature: | Open Product RFQ Page |
| M15G-8N-DE12PU | M15G-8N-DE12PU 4WAY SOLENOID VALVE | Open Product RFQ Page |
| M15G-8N-E22POL-DL-B | M15G-8N-E22POL-DL-B Original Spare Part | Open Product RFQ Page |
| M15WG-8-6014-T | M15WG-8-6014-T P=0,1 -0,99 MPa ,t= -20+800 C ,Ambient temperature= -20+600 C | Open Product RFQ Page |
| M20C-20-AE12PU-03S | M20C-20-AE12PU-03S | Open Product RFQ Page |
| M20C-20-AE12PU-2S | M20C-20-AE12PU-2S obsolete, repalced by M20C-20-AE12PU-03S Solenoid Valve | Open Product RFQ Page |
| M28D-15-A55-01 | M28D-15-A55-01 | Open Product RFQ Page |
| M28D-15-A55-01-TF | M28D-15-A55-01-TF | Open Product RFQ Page |
| M28D-15-A55-1 | M28D-15-A55-1 VALVE,SOLENOID | Open Product RFQ Page |
| M28D-15-AE55-01 | M28D-15-AE55-01 | Open Product RFQ Page |
| M30C-20-A44-BS11-TF | M30C-20-A44-BS11-TF 2WAY SOLENOID VALVE.SIZE : RC 3/4" FLUID : TURBINE OIL PRESSURE : 2KGF/CM2 TEMPERATURE : 50-60■■■■■ INSULATION CLASS : B POWER SUPP | Open Product RFQ Page |
| M30C-50-AE66-BF11-00 | M30C-50-AE66-BF11-00 | Open Product RFQ Page |
| M30-C50-D66-S-F-1-3-TF | M30-C50-D66-S-F-1-3-TF 2 ways solenoid valve | Open Product RFQ Page |
| M30C-50-D66-SF53 | M30C-50-D66-SF53 2 way solenoid valve | Open Product RFQ Page |
| M30D-15-D44-SF12-TF | M30D-15-D44-SF12-TF 2VAY SOLENOID VALVE | Open Product RFQ Page |
| M30D-20-D44-BS11-TF | M30D-20-D44-BS11-TF Voltage: DC125V; Pressure: 0.8MPa; Fluid: Turbine Oil; Temperature: AMB; Insulation Class B | Open Product RFQ Page |
| M55C-10-D12PG-TF | M55C-10-D12PG-TF TAMIR KITI Original Spare Part | Open Product RFQ Page |
| M55C-25-D12PG-TF | M55C-25-D12PG-TF | Open Product RFQ Page |
| M65DG10-AE12PRS-M | M65DG10-AE12PRS-M Solenoid Valve | Open Product RFQ Page |
| M65DG-10-DE12PRS-M | M65DG-10-DE12PRS-M 110VDC, 0,067A,PRESSURE 4-7 kg/cm2 | Open Product RFQ Page |
| M65DG-15-D(A)12PU-T | M65DG-15-D(A)12PU-T | Open Product RFQ Page |
| M65G-10-D12PG-T | M65G-10-D12PG-T | Open Product RFQ Page |
| M65G-15-D12PG-T | M65G-15-D12PG-T Coil is 24VDC | Open Product RFQ Page |
| M65G-15-D12PG-TF | M65G-15-D12PG-TF Kaneko Solenoid valve | Open Product RFQ Page |

| Part Number | Product Description | Live RFQ Link |
|-------------------------|--|---------------------------------------|
| M65G-19-D12FG-T | M65G-19-D12FG-T solenoid valve | Open Product RFQ Page |
| M65WG-15-6014-T | M65WG-15-6014-T REPLACED BY M65DG-15-D(A)12PU-T solenoid valve with coil and coupling | Open Product RFQ Page |
| M65WG-8-6014-T | M65WG-8-6014-T Solenoid valve | Open Product RFQ Page |
| MB15G, | MB15G, 21093 SOLENOID VALVE | Open Product RFQ Page |
| MB15G-8-DE12PU | MB15G-8-DE12PU SOLENOID VALVE | Open Product RFQ Page |
| MB15G-8-Y01 | MB15G-8-Y01 Original Spare Part | Open Product RFQ Page |
| MB15G-A3P | MB15G-A3P AC220V | Open Product RFQ Page |
| MB17G-10-DE12PU | MB17G-10-DE12PU DC48V VALVE,SOLN,1/4 IN PS,#MB17G10DE12PU48VDC,VALVE,SOLENOID: PIPE SIZE:, 1/4 IN; ORIFICE DIAMETER: 25/64 IN; ELECTRICAL RATING: 48 V | Open Product RFQ Page |
| MB17G-10-DE12PU/48 | MB17G-10-DE12PU/48 V DC 0.15 A VALVE,SOLENOID | Open Product RFQ Page |
| MB17G10DE12PUT | MB17G10DE12PUT (OEM) VALVE,SOLN | Open Product RFQ Page |
| MK15DG-8-DE12PRS-M--DMI | MK15DG-8-DE12PRS-M--DMI DC24V | Open Product RFQ Page |
| MK15DG-8-DE12PRS-M-DMI | MK15DG-8-DE12PRS-M-DMI | Open Product RFQ Page |
| MODEL | MODEL NUMBER : GU-10-BBE GAS SEAL UNIT,Inlet End Connection : FLANGED, RF ,Material : BODY :SCS 13 ,Material : TRIM : SUS 304 ,Size Outlet : 1 IN, CL | Open Product RFQ Page |
| MOODU10-D12PRS-M01 | MOODU10-D12PRS-M01 SOLENOID VALVE,PRESS 0-4 Kg/cm2 110V | Open Product RFQ Page |
| MOODU8-D12PRS-M-01-T | MOODU8-D12PRS-M-01-T Valve | Open Product RFQ Page |
| MOODU8-D12P-T | MOODU8-D12P-T valve | Open Product RFQ Page |
| MOODU-8-DE12PRST | MOODU-8-DE12PRST SOLENOID VALVE | Open Product RFQ Page |
| MOOU-10N-D12PG-T | MOOU-10N-D12PG-T obosolete replacement M00U-8N-D12PG-TF_DC24V Solenoid valve | Open Product RFQ Page |
| MOOU-15N-A12PG-TF-S | MOOU-15N-A12PG-TF-S Solenoid Valve | Open Product RFQ Page |
| MOOU-8-A12PG-01-TF | MOOU-8-A12PG-01-TF Solenoid Valve | Open Product RFQ Page |
| MOOU-8-D12PG-01-T | MOOU-8-D12PG-01-T 3 way Solenoid valve | Open Product RFQ Page |
| MOOU-8-D12PG-01-TF | MOOU-8-D12PG-01-TF Original Spare Part | Open Product RFQ Page |
| MOOU-8N-D12PG-01-TF | MOOU-8N-D12PG-01-TF Original Spare Part | Open Product RFQ Page |

| Part Number | Product Description | Live RFQ Link |
|-------------------------------|---|-----------------------|
| MOOU-8N-D12PG-01 TF/TF-60(SS) | MOOU-8N-D12PG-01TF/TF-60(SS) | Open Product RFQ Page |
| MOOU-8N-DE12PUT-01 | MOOU-8N-DE12PUT-01 | Open Product RFQ Page |
| MOOU-8N-E12POL-DL-B | MOOU-8N-E12POL-DL-B Solenoid Valve | Open Product RFQ Page |
| MOOU-8N-E12POL-DL-C | MOOU-8N-E12POL-DL-C Solenoid Valve | Open Product RFQ Page |
| MZ2855D-20-AE22F | MZ2855D-20-AE22F | Open Product RFQ Page |
| MZ285D-20-D17PM | MZ285D-20-D17PM Original Spare Part | Open Product RFQ Page |
| O-RING | O-RING , ITEM NO: 16 for M15G-8N-DE12PU O-RING , ITEM NO: 16 | Open Product RFQ Page |
| P1305C1499 | P1305C1499 SOLENOID VALVE FOR TURBINE TRIP | Open Product RFQ Page |
| PACKING | PACKING , ITEM NO: 12 for M15G-8N-DE12PU PACKING , ITEM NO: 12 | Open Product RFQ Page |
| PCV-1860C | PCV-1860C valve,gas seal unit | Open Product RFQ Page |
| PISTON | PISTON "A" , ITEM NO: 11 for M15G-8N-DE12PU PISTON "A" , ITEM NO: 11 | Open Product RFQ Page |
| RA04A1R-111-1 | RA04A1R-111-1 SOFT PARTS,VLV | Open Product RFQ Page |
| SEAL | SEAL RING AND LIP PACKING SPARE KIT PART NO:2,4,6,12,15,16 *for Solenoid valve:M15G-8-AE1 | Open Product RFQ Page |
| SOLENOID | SOLENOID ASSEMBLY , ITEM NO: 17 for SOLENOID ASSEMBLY , ITEM NO: 17 | Open Product RFQ Page |
| SP565 | SP565 A SOLENOID VALVE | Open Product RFQ Page |
| SPACER | SPACER "A" , ITEM NO: 8 for M15G-8N-DE12PU SPACER "A" , ITEM NO: 8 | Open Product RFQ Page |
| SPARE | SPARE PARTS FOR M15G-8-644-M Body Material : Brass,Seal Material : NBR ,Pressure Range 0 to 10bar | Open Product RFQ Page |
| SPOOL | SPOOL "A" , ITEM NO: 9 for M15G-8N-DE12PU SPOOL "A" , ITEM NO: 9 | Open Product RFQ Page |

Axiparts Offices

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten Pl #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates