

# Leser Industrial Parts Catalog

## Axiparts Global Industrial RFQ Platform

Email: [info@axiparts.com](mailto:info@axiparts.com)

Website: <https://axiparts.com>

Premium RFQ catalog for Leser industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

**Brand:** Leser

**Listed Products in This PDF:** 102

**Catalog URL:** <https://axiparts.com/catalogs/brands/leser.pdf>

Part Number	Product Description	Live RFQ Link
1GRS-PSV-002	1GRS-PSV-002 API Series Sicherheitsventil, Type 526, Orifice H, geschlossene Federhaube, gasdichte Anlüftung H4, für Dämpfe, Gase und Flüssigkeiten	<a href="#">Open Product RFQ Page</a>
200.0539.9000	200.0539.9000 Teller	<a href="#">Open Product RFQ Page</a>
200.0639.9000	200.0639.9000 Teller	<a href="#">Open Product RFQ Page</a>
207.3769.9000	207.3769.9000	<a href="#">Open Product RFQ Page</a>
207.4069.9000	207.4069.9000	<a href="#">Open Product RFQ Page</a>
220.1739.9000	220.1739.9000 Teller	<a href="#">Open Product RFQ Page</a>
225.2669.9000	225.2669.9000	<a href="#">Open Product RFQ Page</a>
225.3269.9000	225.3269.9000	<a href="#">Open Product RFQ Page</a>
241.1739.0000	241.1739.0000 Spindel	<a href="#">Open Product RFQ Page</a>
244.5549.0000	244.5549.0000 Spindel	<a href="#">Open Product RFQ Page</a>
245.0349.0000	245.0349.0000 Spindel	<a href="#">Open Product RFQ Page</a>
4312.8515	4312.8515 Modulate Action Sicherheitsventil, Type 431, offene Federhaube, Anlüftung H3, für Dämpfe, Gase und Flüssigkeiten + H01 + H03 + M33	<a href="#">Open Product RFQ Page</a>
4331.4024	4331.4024 Modulate Action Sicherheitsventil	<a href="#">Open Product RFQ Page</a>
4332.4154	4332.4154 VALVE	<a href="#">Open Product RFQ Page</a>
4332.4174	4332.4174 (TYP 433) Modulate Action Sicherheitsventil,	<a href="#">Open Product RFQ Page</a>
4332.4184	4332.4184 Modulate Action Sicherheitsventil, Type 433	<a href="#">Open Product RFQ Page</a>
4332.4194	4332.4194 Modulate Action Sicherheitsventil, Type 433,	<a href="#">Open Product RFQ Page</a>
4332.8574	4332.8574 Sicherheitsventil Original Spare Part	<a href="#">Open Product RFQ Page</a>
4334.4304	4334.4304 (Type 433) Modulate Action Sicherheitsventil,	<a href="#">Open Product RFQ Page</a>
4334.4314	4334.4314 Modulate Action Sicherheitsventil, Type 433	<a href="#">Open Product RFQ Page</a>
437	437 SAFETY VALVE DN25	<a href="#">Open Product RFQ Page</a>
4373.2604	4373.2604 Original Spare Part	<a href="#">Open Product RFQ Page</a>

Part Number	Product Description	Live RFQ Link
4374.3142	4374.3142 Safety valve DN20	<a href="#">Open Product RFQ Page</a>
4374.3144	4374.3144	<a href="#">Open Product RFQ Page</a>
4384.2982	4384.2982 Compact Performance Sicherheitsventil, Type 438, Weichdichtung, geschlossene Federhaube, gasdichte Kappe H2, für Dämpfe, Gase und Flüssigkei	<a href="#">Open Product RFQ Page</a>
4393.2882	4393.2882 Compact Performance Sicherheitsventil, Type 439, für höchste Dichtheit, geschlossene Federhaube, gasdichte Kappe H2, für Dämpfe, Gase und FI	<a href="#">Open Product RFQ Page</a>
4411.4372	4411.4372 Safety valve	<a href="#">Open Product RFQ Page</a>
4411.4434	4411.4434	<a href="#">Open Product RFQ Page</a>
4412.1314	4412.1314 TYPE 441 ANSI High Performance Sicherheitsventil, Type 441 ANSI Full Nozzle, geschlossene Federhaube, gasdichte Anlüftung H4, für Dämpfe, Ga	<a href="#">Open Product RFQ Page</a>
4412.4502	4412.4502 High Performance Sicherheitsventil, Type 441 DIN, geschlossene Federhaube, gasdichte Kappe H2, für Dämpfe, Gase und Flüssigkeiten + H01 + H0	<a href="#">Open Product RFQ Page</a>
4412.4514	4412.4514	<a href="#">Open Product RFQ Page</a>
4412.4544	4412.4544 High Performance Sicherheitsventil	<a href="#">Open Product RFQ Page</a>
4412.4552	4412.4552 High Performance Sicherheitsventil, Type 441 DIN,	<a href="#">Open Product RFQ Page</a>
4412.4554	4412.4554 Safety Ventil	<a href="#">Open Product RFQ Page</a>
4412.4594	4412.4594 High Performance Sicherheitsventil, Type 441 DIN	<a href="#">Open Product RFQ Page</a>
4412.4832	4412.4832 High Performance Sicherheitsventil	<a href="#">Open Product RFQ Page</a>
4415.7382	4415.7382 Sicherheitsventil	<a href="#">Open Product RFQ Page</a>
4421.4395	4421.4395	<a href="#">Open Product RFQ Page</a>
4421.4405	4421.4405 valve	<a href="#">Open Product RFQ Page</a>
4422.4515	4422.4515 High Performance Sicherheitsventil	<a href="#">Open Product RFQ Page</a>
4422.4525	4422.4525 (High Performance Sicherheitsventil, Type 442 DIN, offene Federhaube, Anlüftung H3, für Dämpfe, Gase und Flüssigkeiten)	<a href="#">Open Product RFQ Page</a>
4422.4535	4422.4535 Type 442 DIN, offene Federhaube, Anlüftung H3, für Dämpfe, Gase und Flüssigkeiten	<a href="#">Open Product RFQ Page</a>
455,458	455,458 455/456 100barlik olarak yok	<a href="#">Open Product RFQ Page</a>
456	456 P75 TUY SY LESER TYPE 456 P75 93-934 da.2.0 D/G 0,16 F 0,18 04.24105 1/2 03 96 1/1 DN 25 - 25/50 75 Bar - PN 160 1412450 GGG40 GL107 1420 - 10619	<a href="#">Open Product RFQ Page</a>
4562.6034	4562.6034 High Performance Sicherheitsventil	<a href="#">Open Product RFQ Page</a>
4562.6044	4562.6044 Safety valve DN100 PN100	<a href="#">Open Product RFQ Page</a>
4572.6115	4572.6115 Original Spare Part	<a href="#">Open Product RFQ Page</a>
459	459 P:80 92-909 safety valve	<a href="#">Open Product RFQ Page</a>

Part Number	Product Description	Live RFQ Link
4592.2472	4592.2472	<a href="#">Open Product RFQ Page</a>
4592.2484	4592.2484	<a href="#">Open Product RFQ Page</a>
4592.2492	4592.2492	<a href="#">Open Product RFQ Page</a>
4592.2493	4592.2493 Compact Performance Sicherheitsventil	<a href="#">Open Product RFQ Page</a>
4593.2514	4593.2514 Compact Performance Sicherheitsventil	<a href="#">Open Product RFQ Page</a>
4593.2522	4593.2522	<a href="#">Open Product RFQ Page</a>
4594.2162	4594.2162 Compact Performance Sicherheitsventil	<a href="#">Open Product RFQ Page</a>
4594.2172	4594.2172 Compact Performance Sicherheitsventil	<a href="#">Open Product RFQ Page</a>
4594.2174	4594.2174	<a href="#">Open Product RFQ Page</a>
4623.2902	4623.2902 Compact Performance Sicherheitsventil	<a href="#">Open Product RFQ Page</a>
4623.2912	4623.2912 Compact Performance Sicherheitsventil	<a href="#">Open Product RFQ Page</a>
4624.2194	4624.2194 Compact Performance Sicherheitsventil	<a href="#">Open Product RFQ Page</a>
4624.2952	4624.2952 Compact Performance Sicherheitsventil, Type 462, Weichdichtung, geschlossene Federhaube, gasdichte Kappe H2, für Dämpfe, Gase und Flüssigkei	<a href="#">Open Product RFQ Page</a>
4624.2964	4624.2964 alternative 4624.2194 SAFETY VALVE	<a href="#">Open Product RFQ Page</a>
4624.2972	4624.2972 Compact Performance Sicherheitsventil, Type 462, Weichdichtung, geschlossene Federhaube, gasdichte Kappe H2, für Dämpfe, Gase und Flüssigkei	<a href="#">Open Product RFQ Page</a>
4814.7698	4814.7698 Clean Service Sicherheitsventil, Type 481, für kleine Leistung, geschlossene Federhaube, pneumatische	<a href="#">Open Product RFQ Page</a>
4834.7712	4834.7712	<a href="#">Open Product RFQ Page</a>
500.1907.0000	500.1907.0000 Dichtring	<a href="#">Open Product RFQ Page</a>
500.2107.0000	500.2107.0000 (500.2107.0000, für Art. 4577.6345) Dichtring	<a href="#">Open Product RFQ Page</a>
5012.1136	5012.1136	<a href="#">Open Product RFQ Page</a>
5012.1163	5012.1163	<a href="#">Open Product RFQ Page</a>
5012.1234	5012.1234	<a href="#">Open Product RFQ Page</a>
502.0139.2681	502.0139.2681	<a href="#">Open Product RFQ Page</a>
510.0405.0000	510.0405.0000	<a href="#">Open Product RFQ Page</a>
5262.0012	5262.0012	<a href="#">Open Product RFQ Page</a>
5262.0014	5262.0014	<a href="#">Open Product RFQ Page</a>
5262.1444	5262.1444	<a href="#">Open Product RFQ Page</a>
5263.5032	5263.5032	<a href="#">Open Product RFQ Page</a>
5264.0142	5264.0142	<a href="#">Open Product RFQ Page</a>
5264.0242	5264.0242	<a href="#">Open Product RFQ Page</a>
5264.0422	5264.0422	<a href="#">Open Product RFQ Page</a>

Part Number	Product Description	Live RFQ Link
540.4994.0000	540.4994.0000	<a href="#">Open Product RFQ Page</a>
540.5892.0000	540.5892.0000 Druckfeder	<a href="#">Open Product RFQ Page</a>
540.5982.0000	540.5982.0000	<a href="#">Open Product RFQ Page</a>
540.9534.0000	540.9534.0000	<a href="#">Open Product RFQ Page</a>
540.9552.0000	540.9552.0000 Druckfeder	<a href="#">Open Product RFQ Page</a>
540.9962.0000	540.9962.0000	<a href="#">Open Product RFQ Page</a>
540.9982.0205	540.9982.0205 (DRUCKFEDER V100-2 Feder 2 540.9982.0205, für Art. 4577.6345) Druckfeder	<a href="#">Open Product RFQ Page</a>
8112.0820	8112.0820 REPAIR KIT	<a href="#">Open Product RFQ Page</a>
8113.0760	8113.0760	<a href="#">Open Product RFQ Page</a>
DN	DN 50 - 50/80 13,5 Bar	<a href="#">Open Product RFQ Page</a>
EN	EN 10204-3.2	<a href="#">Open Product RFQ Page</a>
LASERSPEED	LASERSPEED 4000-303 Original Spare Part	<a href="#">Open Product RFQ Page</a>
M33	M33	<a href="#">Open Product RFQ Page</a>
SIV	SIV H4 (Typ 4412.4514) Sicherheitsventil	<a href="#">Open Product RFQ Page</a>
Typ	Typ 4422.4545 High Performance Sicherheitsventil	<a href="#">Open Product RFQ Page</a>
Type	Type 447 Safety Valve	<a href="#">Open Product RFQ Page</a>
Type:4594.2562,	Type:4594.2562, SN:10717185 obsolete, replacement 4594.2172 safety valve	<a href="#">Open Product RFQ Page</a>
V06	V06 Flanschanschluss	<a href="#">Open Product RFQ Page</a>
V18	V18 Flanschanschluss	<a href="#">Open Product RFQ Page</a>
V52	V52 Gewindeanschluss	<a href="#">Open Product RFQ Page</a>
V66	V66 Gewindeanschluss	<a href="#">Open Product RFQ Page</a>
V75	V75 Gewindeanschluss	<a href="#">Open Product RFQ Page</a>
V88	V88 Gewindeanschluss	<a href="#">Open Product RFQ Page</a>

### Axiparts Offices

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten Pl #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates