

Mecalectro Industrial Parts Catalog

Axiparts Global Industrial RFQ Platform

Email: info@axiparts.com

Website: <https://axiparts.com>

Premium RFQ catalog for Mecalectro industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

Brand: Mecalectro

Listed Products in This PDF: 118

Catalog URL: <https://axiparts.com/catalogs/brands/mecalectro.pdf>

| Part Number | Product Description | Live RFQ Link |
|--------------|---|---------------------------------------|
| . | . 8.10.BM.28 | Open Product RFQ Page |
| 08-083-26239 | 08-083-26239 | Open Product RFQ Page |
| 1.510 | 1.510 380V50HZ BOB 58-6-Z-380 (Solenoid) | Open Product RFQ Page |
| 1510XX | 1510XX – 3030 – 11 No:29399775 Brake | Open Product RFQ Page |
| 16593 | 16593 (OEM) COMPLETE KIT FOR SOLENOID FSL/FSO TH790 | Open Product RFQ Page |
| 283316/0 | 283316/0 - 80W 24 Vcc | Open Product RFQ Page |
| 283316/003 | 283316/003 OEM TRIPPING/CLOSING COIL | Open Product RFQ Page |
| 283316/006 | 283316/006 | Open Product RFQ Page |
| 283316/010, | 283316/010, B003416 | Open Product RFQ Page |
| 283316/016, | 283316/016, B103830 | Open Product RFQ Page |
| 283316/019 | 283316/019 - 80 W 125 Vcc | Open Product RFQ Page |
| 324536-02 | 324536-02 OEM ELECTROAIMANT CABLE | Open Product RFQ Page |
| 5.11.05 | 5.11.05 electromagnet | Open Product RFQ Page |
| 56 | 56 10 Z 24 complete item not available, only coil | Open Product RFQ Page |
| 5.80.05 | 5.80.05 P.A Solenoid valve | Open Product RFQ Page |
| 5.81.01 | 5.81.01 Holding magnet | Open Product RFQ Page |
| 58-10-Z-110 | 58-10-Z-110 Coil | Open Product RFQ Page |
| 58-11-Z-48 | 58-11-Z-48 coil | Open Product RFQ Page |
| 5.82.01 | 5.82.01 | Open Product RFQ Page |
| 5.83.01 | 5.83.01 24Vdc-10W-100%ED | Open Product RFQ Page |
| 5.85.01 | 5.85.01 Diamètre : 90 mmEffort de maintien (daN) : 294 daNPuissance consommée : 20 WMasse totale : 2200 gIndice de protection / Classe thermique : IP | Open Product RFQ Page |
| 58-6-Z-110 | 58-6-Z-110 Coil | Open Product RFQ Page |
| 58-6-Z-380 | 58-6-Z-380 Coil | Open Product RFQ Page |

| Part Number | Product Description | Live RFQ Link |
|------------------|--|-----------------------|
| 8 | 8 13 43 29 | Open Product RFQ Page |
| 802,55.62L5 | 802,55.62L5 Original Spare Part | Open Product RFQ Page |
| 80490 | 80490 GS HUBMAGNET VORMONTIERT 12MM 24VCC 16W F91300 MASSY | Open Product RFQ Page |
| 8.10-.11.64 | 8.10-.11.64 | Open Product RFQ Page |
| 8.10-.11.83 | 8.10-.11.83 Solenoid | Open Product RFQ Page |
| .8.10-.AB.64L5 | .8.10-.AB.64L5 Solenoid | Open Product RFQ Page |
| 8.10.BA.83 | 8.10.BA.83 | Open Product RFQ Page |
| 8.13 | 8.13 .43.29L5 Solenoid | Open Product RFQ Page |
| 8.13-.11.64 | 8.13-.11.64 Solenoid | Open Product RFQ Page |
| 8.13.11.73 | 8.13.11.73 | Open Product RFQ Page |
| 8.13.11.83 | 8.13.11.83 110Vcc Solenoid | Open Product RFQ Page |
| 8.13-.1183L10 | 8.13-.1183L10 (Solenoid 205Vcc-15% 70W) | Open Product RFQ Page |
| 8.13-.43.29 | 8.13-.43.29 Electro magnet | Open Product RFQ Page |
| .8.13-.AT.83 | .8.13-.AT.83 | Open Product RFQ Page |
| 8.13.AU.83 | 8.13.AU.83 | Open Product RFQ Page |
| 8.19-.11.73T | 8.19-.11.73T coil | Open Product RFQ Page |
| 8.19-.11.83 | 8.19-.11.83 Solenoid | Open Product RFQ Page |
| 8.23-.01.41 | 8.23-.01.41 Solenoid 24VCC 100% 23W | Open Product RFQ Page |
| 8.23.01.62 | 8.23.01.62 48 VCC Bobine | Open Product RFQ Page |
| 8.23-.01.64 | 8.23-.01.64 Solenoid | Open Product RFQ Page |
| 8.23.54.62T | 8.23.54.62T (48VCC) oem for Schneider Electric (Macon - France) SOLENOID | Open Product RFQ Page |
| 8.23-.AB.62 | 8.23-.AB.62 110VDC 100% 23W Solenoid type | Open Product RFQ Page |
| 8.23-.AB.62T | 8.23-.AB.62T Solenoid | Open Product RFQ Page |
| 8.23D01.62 | 8.23D01.62 230VAC-50 HZ-23W-100% Electromagnet , 230vac 50 Hz F.M. 100% | Open Product RFQ Page |
| 8.23D.AB.62T | 8.23D.AB.62T 220Vcc | Open Product RFQ Page |
| 8.30.40.26.00.08 | 8.30.40.26.00.08 SPRING, USED ON ELECTRO-MAGNET ASSEMBLY OF HIGH SPEED CIRCUIT BREAKER | Open Product RFQ Page |
| 8.30.40.26.00.10 | 8.30.40.26.00.10 SPRING, USED ON ELECTRO-MAGNET ASSEMBLY OF HIGH SPEED CIRCUIT BREAKER | Open Product RFQ Page |
| 854AA62 | 854AA62 Hubmagnet | Open Product RFQ Page |
| 8.55-.61.29 | 8.55-.61.29 OEM for SOCOMEC COIL SWITCH | Open Product RFQ Page |
| .8.56-.24.29T | .8.56-.24.29T - 220Vca - SI Electric magnet | Open Product RFQ Page |
| 8.56.24.6212 | 8.56.24.6212 | Open Product RFQ Page |

| Part Number | Product Description | Live RFQ Link |
|-----------------|--|---------------------------------------|
| 8.56.24.62L2 | 8.56.24.62L2 | Open Product RFQ Page |
| .8.56-.24.62T | .8.56-.24.62T | Open Product RFQ Page |
| 856AA52 | 856AA52 solenoid without shockabsorber | Open Product RFQ Page |
| 8.56.AA.62 | 8.56.AA.62 48 VCC Bobine | Open Product RFQ Page |
| 8.M.13.02.62 | 8.M.13.02.62 220VDC 80 WATT SOLENOID Original Spare Part | Open Product RFQ Page |
| 8.MB30.02.19 | 8.MB30.02.19 ELECTRO AIMANT | Open Product RFQ Page |
| 8.P27.40.02 | 8.P27.40.02 | Open Product RFQ Page |
| 8.P41.41.01 | 8.P41.41.01 no longer available (Solenoid 24VDC 70W) | Open Product RFQ Page |
| 9.28.20.04 | 9.28.20.04 motor | Open Product RFQ Page |
| A805408 | A805408 OEM for GUNNEBO | Open Product RFQ Page |
| AE | AE P41 4104-OP A603618 motor | Open Product RFQ Page |
| AE.P41.41.01 | AE.P41.41.01 (B512000571) OEM | Open Product RFQ Page |
| B | B 8 28 86 29 Solenoid | Open Product RFQ Page |
| B-.8.31-.41.66U | B-.8.31-.41.66U Original Spare Part | Open Product RFQ Page |
| C-.8.25-.AJ.38 | C-.8.25-.AJ.38 Original Spare Part | Open Product RFQ Page |
| Closing | Closing Coil 220 VSC For 8.23.54.62T | Open Product RFQ Page |
| Coil | Coil 56 10 Z 24 | Open Product RFQ Page |
| D8 | D8 458 13 110V 60HZ | Open Product RFQ Page |
| D.8.468.45.54 | D.8.468.45.54 P960.1340 | Open Product RFQ Page |
| ELECTRODYNAMIC | ELECTRODYNAMIC ACTUATOR TYPE 8.P41.01.01 24VCC 70W Original Spare Part | Open Product RFQ Page |
| F | F 91300 | Open Product RFQ Page |
| HAFTMAGNET | HAFTMAGNET TYP 5.80.11 24VDC-1,6W-100%ED (NACH S/N PA404250). magnet | Open Product RFQ Page |
| K1 | K1 8 25 AR 78 | Open Product RFQ Page |
| K4.8.458.44.24 | K4.8.458.44.24 | Open Product RFQ Page |
| K-.8.458.46.24 | K-.8.458.46.24 SELENOID | Open Product RFQ Page |
| KCC8450 | KCC8450 Z.8.15D.46.18(203386) | Open Product RFQ Page |
| Manschette | Manschette für (F91300 Massy) Manschette | Open Product RFQ Page |
| P- | P- 5 12 D 44 | Open Product RFQ Page |
| P.7.40.33.05 | P.7.40.33.05 Electro-Magnet Bistable | Open Product RFQ Page |
| P-.7.40-.43.05 | P-.7.40-.43.05 Solenoid | Open Product RFQ Page |
| P9806358 | P9806358 - OEM / not available Under voltage tripping coil | Open Product RFQ Page |
| S | S 8 25 BY 57 | Open Product RFQ Page |

| Part Number | Product Description | Live RFQ Link |
|---------------------------|--|---------------------------------------|
| S4 | S4 8 25 DA 57 | Open Product RFQ Page |
| S4.8.25-.BY.57 | S4.8.25-.BY.57 Original Spare Part | Open Product RFQ Page |
| S8 | S8 458 BM02 24 VCC | Open Product RFQ Page |
| S-.8.25-.CY- | S-.8.25-.CY- 18 | Open Product RFQ Page |
| S.8.25.DA.57 | S.8.25.DA.57 Original Spare Part | Open Product RFQ Page |
| S-8.458.BM.02 | S-8.458.BM.02 Shotbolt locking power on 24VCC 18W | Open Product RFQ Page |
| S.9.28.42.05 | S.9.28.42.05 12VCC (Shotbolt 12VCC 110W 40%) | Open Product RFQ Page |
| S-.9.28-.44.04 | S-.9.28-.44.04 Shotbolt | Open Product RFQ Page |
| S/N | S/N A711785 Locking solenoid type S.8.25.CY.18 24Vcc-32W-100% | Open Product RFQ Page |
| SOLENOID | SOLENOID 8.13.11.83 voltage and duty cycle to define / attached drawing pc-Z815AM83 | Open Product RFQ Page |
| Tripping | Tripping coil For 8.23.54.62T | Open Product RFQ Page |
| TRK | TRK 5457 900 101 OEM for ALSTOM-SEMEAC | Open Product RFQ Page |
| TYPE: | TYPE: 8P400107/003 oem | Open Product RFQ Page |
| UNDERLOA | UNDERLOA D RELEASE COIL Original Spare Part | Open Product RFQ Page |
| W815266380111 | W815266380111 | Open Product RFQ Page |
| XS.8.25.BY | XS.8.25.BY Original Spare Part | Open Product RFQ Page |
| XS.8.25.DA | XS.8.25.DA Original Spare Part | Open Product RFQ Page |
| XV18-2515 | XV18-2515 Atex electromagnet 24VDC 50 daN 1,6W | Open Product RFQ Page |
| Z.8.15.11.83 | Z.8.15.11.83 Original Spare Part | Open Product RFQ Page |
| Z8.15.83.83 | Z8.15.83.83 Solenoid | Open Product RFQ Page |
| Z-.8.15-.AB.83 | Z-.8.15-.AB.83 | Open Product RFQ Page |
| Z.8.15.AK.83 | Z.8.15.AK.83 LOCKING MAGNET Volt : 24 16-8201013 | Open Product RFQ Page |
| Z-.8.15-.AM.83 | Z-.8.15-.AM.83 Original Spare Part | Open Product RFQ Page |
| Z.8.15.AM.835.83.01 | Z.8.15.AM.835.83.01 24Vdc-10W-100%ED | Open Product RFQ Page |
| Z-.8.15-.AQ.33 | Z-.8.15-.AQ.33 OEM Coil | Open Product RFQ Page |
| Z-.8.15-.AS.66 | Z-.8.15-.AS.66 OEM for WEMHONER Solenoid | Open Product RFQ Page |
| Z.8.15.AS.S6 | Z.8.15.AS.S6 Original Spare Part | Open Product RFQ Page |
| Z.8.15.AU.25 | Z.8.15.AU.25 | Open Product RFQ Page |
| Z-.8.15D.46.18 | Z-.8.15D.46.18 40VCA SI 37W Solenoid type | Open Product RFQ Page |
| Z-.8.15D.46.18/40VCa a | Z-.8.15D.46.18/40VCa | Open Product RFQ Page |
| Z8.56.BW.62UL | Z8.56.BW.62UL (Solenoid type,24V 100% 10W) | Open Product RFQ Page |

| Part Number | Product Description | Live RFQ Link |
|------------------------------|------------------------------------|---------------------------------------|
| Z-8.56-.BW.62UL-24 V-100% | Z-.8.56-.BW.62UL-24V-100% Solenoid | Open Product RFQ Page |

Axiparts Offices

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten Pl #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates