

Nuova Fima Industrial Parts Catalog

Axiparts Global Industrial RFQ Platform

Email: info@axiparts.com

Website: <https://axiparts.com>

Premium RFQ catalog for Nuova Fima industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

Brand: Nuova Fima

Listed Products in This PDF: 119

Catalog URL: <https://axiparts.com/catalogs/brands/nuova-fima.pdf>

Part Number	Product Description	Live RFQ Link
001-050-D-DIVERS	001-050-D-DIVERS (Bourdon tube pressure gauge acc. to EN 837-1 Type 01.01.A-B-23M Case diameter: NG 50 Process connection 1/4" NPT male in brass Range	Open Product RFQ Page
010-063-D-DIVERS	010-063-D-DIVERS MANOMETER	Open Product RFQ Page
010.1.063.0250.0	010.1.063.0250.0 pressure gauge	Open Product RFQ Page
010.6.100.0250.0	010.6.100.0250.0 Pressure Gauge	Open Product RFQ Page
011.1.063.0400.0	011.1.063.0400.0 Glycerine filled bourdon tube pressure gauge acc. to EN 837-1 Diameter DN 63 (2 1/2") Connection: 1/4 BSP bottom in brass Range: 0 -	Open Product RFQ Page
01.20.2.A.E	01.20.2.A.E + API FLNG PRESSURE GAUGE	Open Product RFQ Page
01.20.2.A.E.43M	01.20.2.A.E.43M + 05 48 PRESSURE GAUGE	Open Product RFQ Page
01.21.2.A.E.43M	01.21.2.A.E.43M PRESSURE GAUGE	Open Product RFQ Page
0-160	0-160 BAR MTOM Original Spare Part	Open Product RFQ Page
018-100-D-DIVERS	018-100-D-DIVERS (Execution: all st.st. bourdon tube pressure gauge Mounting: direct Diameter: DN 100 Connection: 1/2" NPT male in st.st. AISI 316L (3	Open Product RFQ Page
018.1.100.0005.0	018.1.100.0005.0 PRESSUR GAUGE,EN 837 ,1/2 INC BSP MALE PROCESS CONNECTION	Open Product RFQ Page
018.1.100.0006.0	018.1.100.0006.0 PRESSUR GAUGE,EN 837,1/2 INC BSP MALE PROCESS CONNECTION	Open Product RFQ Page
018.1.100.0009.0	018.1.100.0009.0 Bourdon Tube Pressure Gauge as per EN 837-1 All stainless steel heavy duty version Case diameter: DS 100 Connection: 1/2" BSP male in	Open Product RFQ Page
018.1.100.0010.0	018.1.100.0010.0 PRESSUR GAUGE, EN 837,1/2 INC BSP FEMALE PROCESS CONNECTION,0...10 BAR,	Open Product RFQ Page
018.1.100.0015.0	018.1.100.0015.0 PRESSUR GAUGE,EN 837,1/2 INC BSP FEMALE PROCESS CONNECTION	Open Product RFQ Page
018.1.100.0016.0	018.1.100.0016.0 PRESSUR GAUGE,EN 837,1/2 INC BSP FEMALE PROCESS CONNECTION	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
018-160-D-DIVERS	018-160-D-DIVERS (Pressure gauge Type: 01.18.1.A.G.43M.T01 Execution: all st.st. bourdon tube pressure gauge Mounting: direct Diameter: DN 150 (6") Co	Open Product RFQ Page
03.30.AAFV.A.1.23F.	03.30.AAFV.A.1.23F. (DRUSCHA-D-DIVERS,Pressure switch Type 03.30.AAFV.A.1.23F.,1 microswitch Type A, single standard,setting range: 6-250 bar,cable ex	Open Product RFQ Page
0-400	0-400 BAR MTOM Original Spare Part	Open Product RFQ Page
04.R00	04.R00 Diaphragm Seal In line Type R00	Open Product RFQ Page
06-TB-899-E-43M-S6-150MM	06-TB-899-E-43M-S6-150MM TEMP .GAUGE	Open Product RFQ Page
06-TB-899-E-43M-S6-270MM	06-TB-899-E-43M-S6-270MM TEMP .GAUGE	Open Product RFQ Page
06-TB-899-E-43M-S6-290MM	06-TB-899-E-43M-S6-290MM TEMP .GAUGE	Open Product RFQ Page
06-TB-899-E-43M-S6-320MM	06-TB-899-E-43M-S6-320MM TEMP .GAUGE	Open Product RFQ Page
06-TB-899-E-43M-S6-570MM	06-TB-899-E-43M-S6-570MM TEMP .GAUGE	Open Product RFQ Page
06-TB-899-E-43M-S6-800MM	06-TB-899-E-43M-S6-800MM TEMP .GAUGE	Open Product RFQ Page
1.10.2.D.C---.ACFZ.23M	1.10.2.D.C---.ACFZ.23M	Open Product RFQ Page
1.18.2.A.E.41M.F01	1.18.2.A.E.41M.F01 DRUMI-D-DIVERS Execution: all st.st. bourdon tube pressure gauge MGS 18/2 Mounting: direct diameter: DN 100 Range: 0- 100 bar (AAFP	Open Product RFQ Page
1.18.2.A.G---.AAFJ.43M.L02.T32	1.18.2.A.G---.AAFJ.43M.L02.T32 PRESSURE GAUGE	Open Product RFQ Page
1.18.2.A.G---.AAFV.43M.L02.T32	1.18.2.A.G---.AAFV.43M.L02.T32 PRESSURE GAUGE	Open Product RFQ Page
1.18.2.D.C---.AAFE.23M.T32.S63	1.18.2.D.C---.AAFE.23M.T32.S63 PRESSURE GAUGE	Open Product RFQ Page
1.18.3.A.C.	1.18.3.A.C. Original Spare Part	Open Product RFQ Page
1.18.3.A.E.-.DCE5.41M.T32	1.18.3.A.E.-.DCE5.41M.T32 ALL ST. ST. PRESSURE GAUGE	Open Product RFQ Page
1.20.1.A.E.43M	1.20.1.A.E.43M Execution: all st.st. pressure gauge, MGS 20/A "SOLID FRONT" safety execution Mounting: direct Diameter: DN 100 Connection: 1/2" NPT ma	Open Product RFQ Page
1.20.1.A.E.97M	1.20.1.A.E.97M Execution: all st.st. pressure gauge, MGS 20/A "SOLID FRONT" safety execution Mounting: direct Diameter: DN 100 Connection: M20 X 1,5 R	Open Product RFQ Page
1.20.3.A.G.-ABFD.41M.L02	1.20.3.A.G.-ABFD.41M.L02 0-10 PSIG Pressure Gauge 6" Dial size. Range 0-10 PSIG, 1/2" Bottom Con.	Open Product RFQ Page
128-100-D-DIVERS	128-100-D-DIVERS Pressure gauge Type: 02.42.1.A.E.0/250mbar.41M Execution: all st.st. diaphragm pressure gauge Mounting: direct Diameter: DN 100 Conne	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
1303AF---.ACFB.43M.S10.T32	1303AF---.ACFB.43M.S10.T32 BOURDON TUBE PRESSURE GAUGE	Open Product RFQ Page
1303AF---.ACFE.43M.S10.T32	1303AF---.ACFE.43M.S10.T32 BOURDON TUBE PRESSURE GAUGE	Open Product RFQ Page
183-063-D-DIVERS	183-063-D-DIVERS (as 183-063-D-DIVERS but range 0/160 psi/bar)	Open Product RFQ Page
183-100-D-DIVERS	183-100-D-DIVERS	Open Product RFQ Page
183.1.063.0010.0	183.1.063.0010.0 Original Spare Part	Open Product RFQ Page
183.1.063.0040.0	183.1.063.0040.0 Original Spare Part	Open Product RFQ Page
183.1.100.0100.0	183.1.100.0100.0 Pressure gauge Original Spare Part	Open Product RFQ Page
183.1.100.0250.0	183.1.100.0250.0 Pressure gauge Original Spare Part	Open Product RFQ Page
183.1.160.0006.0	183.1.160.0006.0 Statistische Warennummer: 90262040 Glycerin-Rohrfedermanometer nach EN 837-1 1.18.3.A.G.0/6 bar.41M.T32 Robuste CHEMIE-Ausführung, ko	Open Product RFQ Page
183-160-D-DIVERS	183-160-D-DIVERS Manometer - 0 to 250 Bar 160mm	Open Product RFQ Page
20	20 2 A E API FLANGE 1 13/16" API 10000 PRESSURE GAUGE	Open Product RFQ Page
2028P	2028P Digital Portable Manometer Series 2000 Type 2028P (Extended Version) For Pressure, Vacuum and Differential pressure Battery operated Hand-Held w	Open Product RFQ Page
20.2.A.E.+	20.2.A.E.+ 04 500 / 1.20.2.A.E.-AAFV.41M.SQ2.C40.L02 + MGS9/5/A, Model code: F13-1250 PRESSURE GAUGE	Open Product RFQ Page
203-063-D-DIVERS	203-063-D-DIVERS 1203DC Original Spare Part	Open Product RFQ Page
203-160-D-DIVERS	203-160-D-DIVERS Pressure Gauge 6" Dial size. Range 0-15 PSIG, 1/2" Bottom Con.	Open Product RFQ Page
2.15.1.A.E.---.AAFB.43M.QPL.SQ1.C	2.15.1.A.E.---.AAFB.43M.QPL.SQ1.C Differential Pressure Gauge	Open Product RFQ Page
2171AG---.ADFJ.41M.E	2171AG---.ADFJ.41M.E	Open Product RFQ Page
220V	220V 20W 20VA compound gauge	Open Product RFQ Page
3.30	3.30 - STANDARD MODEL pressure switch	Open Product RFQ Page
¾	¾ FEMALE TO ½ INCH MALE BSP ADAPTER Original Spare Part	Open Product RFQ Page
340---.AAFB.D.1.41M.2D2	340---.AAFB.D.1.41M.2D2	Open Product RFQ Page
52240251060000	52240251060000 00020 201071825 GAUGE:PRESS;0-10KG/CM2,1/8IN,NPT,2-1/2IN GAUGE: PRESSURE RANGE: 0-10 KILOGRAM PER SQUARE CENTIMETER CONNECTION SIZE: 1/	Open Product RFQ Page
6.TB819.E.ATFP.53M.9	6.TB819.E.ATFP.53M.9 BIMETALLIC THERMOMETER	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
6TB899E.ATFP.41M.7	6TB899E.ATFP.41M.7	Open Product RFQ Page
6TB899E.ATFZ.43M.6.E65.T01	6TB899E.ATFZ.43M.6.E65.T01 (TB-HW-D-DIVERS)	Open Product RFQ Page
6.TB8.9.9.F.ATF2.43M.7.E65.T32.T25	6.TB8.9.9.F.ATF2.43M.7.E65.T32.T25 Bimetal Thermometer	Open Product RFQ Page
6.TG8.1.8.E.ATFL.41F.S10.-	6.TG8.1.8.E.ATFL.41F.S10.- INERT GAS FILLED THERMOMETER	Open Product RFQ Page
850N157	850N157 Original Spare Part	Open Product RFQ Page
8.S18.---.AADZ.41M.1.FPM.A07	8.S18.---.AADZ.41M.1.FPM.A07	Open Product RFQ Page
8.S18.---.AAEY.41M.1.FPM.A07	8.S18.---.AAEY.41M.1.FPM.A07	Open Product RFQ Page
8S18---AAFBA1FPM---	8S18---AAFBA1FPM---	Open Product RFQ Page
8.SLV	8.SLV AFFV.1.I.FPM.A05 DMU-S-D-DIVERS Original Spare Part	Open Product RFQ Page
8.SMA.AAFV.41M.1.FPM	8.SMA.AAFV.41M.1.FPM (DMU-S-D-000865) Pressure transmitter with flush diaphragm	Open Product RFQ Page
8.ST1-.AAFV.41M.1.12G.FPM.VS3	8.ST1-.AAFV.41M.1.12G.FPM.VS3 PRESSURE TRANSMITTER, MODEL ST1	Open Product RFQ Page
8ST2---.AAFS.21M.1.FPM.12G.VS3	8ST2---.AAFS.21M.1.FPM.12G.VS3	Open Product RFQ Page
8X18---.AAFG.43M.1.2GD.T6B.FPM	8X18---.AAFG.43M.1.2GD.T6B.FPM PRESSURE TRANSMITTER	Open Product RFQ Page
940541-2690	940541-2690 (0-160C) TEMPERATURE GAUGE, RANGE 0-160C, APPLICABLE SERIAL NO 2758/02	Open Product RFQ Page
940680-2700(0-200C)	940680-2700(0-200C) TEMPERATURE GAUGE, RANGE 0-200C, APPLICABLE SERIAL NO 2758/06	Open Product RFQ Page
A.O	A.O 7852 thermostat	Open Product RFQ Page
CC1	CC1 (Test- und Konformitätserklärung 3.1 von NUOVA FIMA)	Open Product RFQ Page
DDM-DM-D-DIVERS	DDM-DM-D-DIVERS PRESSURE GAUGE	Open Product RFQ Page
DDPP-10	DDPP-10 Driver Card	Open Product RFQ Page
DMU-S-D-001002	DMU-S-D-001002 Pressure sensor Type: 08.S18 Execution: pressure sensor with ceramic cell Accuracy: 0,5% F.S.V acc. to IEC 60770-Limit point Electrical	Open Product RFQ Page
DMU-S-D-001009	DMU-S-D-001009 08.S18 08 / S18 AAFE = 0-16 BAR 23M 1 = OUTPUT: 4...20 MA- 2 WIRES , SUPPLY: 8...30 Pressure sensor Execution: pressure sensor with cer	Open Product RFQ Page
DMU-S-D-DIVERS	DMU-S-D-DIVERS Pressure sensor Type: 08.S18 Execution: pressure sensor with ceramic cell Accuracy: 0,25 % F.S.V acc. to IEC 60770-Limit point Electric	Open Product RFQ Page
DRUMI-D-	DRUMI-D- DIVERS	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
DRUMI-D-000266	DRUMI-D-000266 Statistische Warennummer: 90262040 Pressure transmitter with local readout for homogenizer Type: 08.MOM.3.A.E.AAFZ (0...400 bar).422.1.	Open Product RFQ Page
DRUMI-D-DIVERS	DRUMI-D-DIVERS 08.MOM.1.A.E (Pressure transmitter with local readout for homogenizer Mounting: direct, bottom connection Dial diameter: 100 mm Process	Open Product RFQ Page
E04400.0001	E04400.0001 KAMERA	Open Product RFQ Page
EN	EN 8371 manometer	Open Product RFQ Page
EN837	EN837 Manometer	Open Product RFQ Page
FM-KL01-D-000008	FM-KL01-D-000008 01.27.1.A.I Master gauge (10" dial size), 30 Bar: 1 nos Accuracy +/- 0.1%	Open Product RFQ Page
FM-KL01-D-DIVERS	FM-KL01-D-DIVERS Master gauge (10" dial size), 250 Bar: 1 nos , Accuracy +/- 0.1%	Open Product RFQ Page
GAUGE	GAUGE MODEL MGS 18 (VERSION "ALL STAINLESS STEEL": DN 63) 1.18.3.DC0/25 BAR.21M Original Spare Part	Open Product RFQ Page
I00	I00 Saddle Welded	Open Product RFQ Page
KM-D-DIVERS	KM-D-DIVERS (Pressure gauge Type: 01.M2.3-D-E-0/400 bar-41M-04D.BM2.E Execution: all st.st. bourdon tube pressure gauge MCE18/3/E oil filled with doub	Open Product RFQ Page
MANO-ZUB-D-DIVERS	MANO-ZUB-D-DIVERS Over pressure protection MP 4/8A in st.st. AISI 316 5.48A.5.41M.41F setting: 3....15 psi process connection : 1/2" BSP male gauge co	Open Product RFQ Page
MCE10	MCE10 DN100 Pressure gauges with electric contacts DS 4" (100m	Open Product RFQ Page
MGS18	MGS18 1.18.2.D.E-.AAFB.43M.C40.T32	Open Product RFQ Page
MGS20	MGS20 / MGS9/R Manometer	Open Product RFQ Page
MGS21	MGS21	Open Product RFQ Page
MGS9/AL	MGS9/AL	Open Product RFQ Page
MGS9/R	MGS9/R In Line diaphragm seal	Open Product RFQ Page
MODEL	MODEL MGS20/2/A ALL ST. ST. SAFETY PRESSURE GAUGE	Open Product RFQ Page
MP4/7	MP4/7	Open Product RFQ Page
MP5-22	MP5-22 A 106 GR B carbon steel process connection 1/2" BSP male gauge connection: 1/2" BSP female	Open Product RFQ Page
Packing	Packing Card For DVPP-10	Open Product RFQ Page
RHH1	RHH1 VD U180 o. 3/20800420/10 Flow: 23,000 Nm3 H: 760 mbar	Open Product RFQ Page
RTO27488	RTO27488 Thermometer	Open Product RFQ Page
S.P.S	S.P.S 6.TB8.9.9.E.---.ATFV.41M.7 (■ - 150)	Open Product RFQ Page
ST18	ST18 8S18-AAFEA1FPM PRESS. TRANSMITTER	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
STMA	STMA M27X1.5 transmitter	Open Product RFQ Page
SVTM32D115-10-A-4-0-60	SVTM32D115-10-A-4-0-60 Step Motor	Open Product RFQ Page
SVTM42D150-15,8-A-4-0-60	SVTM42D150-15,8-A-4-0-60 Step Motor	Open Product RFQ Page
SVTM43D200-15,4-A-4-0-60	SVTM43D200-15,4-A-4-0-60 Step Motor	Open Product RFQ Page
TB+143	TB+143 350 700 M.65 Thermometer, ½" Q: 100 0-150	Open Product RFQ Page
TB899	TB899 Temperature gauge / 0-100°C	Open Product RFQ Page
TB-HW-D-899	TB-HW-D-899 Gauge	Open Product RFQ Page
TB-HW-D-DIVERS	TB-HW-D-DIVERS 6.TB.819 Temperature Gauge(for oil cooler),Range:0-100 Bar Stem Diameter:8 mm Stem Length:170 mm Connection :Lower connection Mounting	Open Product RFQ Page
TT-XD	TT-XD GE297A559-004 Thermocouple	Open Product RFQ Page
TYPE	TYPE 03.30.AAFV.A.1.23F. - Setting range 50 ÷ 150 bar; - Relay outputs (dry contact) 250VAC / 1.5A, 125VDC / 0.5A; - Connection thread - internal three	Open Product RFQ Page
VA-ADAPTER-G14-N14	VA-ADAPTER-G14-N14 Original Spare Part	Open Product RFQ Page

Axiaparts Offices

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten Pl #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates