

Pedrollo Water Pumps Industrial Parts Catalog

Axiparts Global Industrial RFQ Platform

Email: info@axiparts.com

Website: <https://axiparts.com>

Premium RFQ catalog for Pedrollo Water Pumps industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

Brand: Pedrollo Water Pumps

Listed Products in This PDF: 126

Catalog URL: <https://axiparts.com/catalogs/brands/pedrollo-water-pumps.pdf>

Part Number	Product Description	Live RFQ Link
0900	0900 31 K/K/N Gleitringdichtung	Open Product RFQ Page
1	1 X 860GRPK65 IMPELLER IMPELLER	Open Product RFQ Page
114600	114600 CIRCLIP Mechanical seal / gasket set complete	Open Product RFQ Page
114700P	114700P WASHER Original Spare Part	Open Product RFQ Page
11514201361	11514201361 BODY O RING Original Spare Part	Open Product RFQ Page
11514201546	11514201546 O RING Original Spare Part	Open Product RFQ Page
11516121401	11516121401 MECH SEAL 14MM Original Spare Part	Open Product RFQ Page
11516461204	11516461204 MECH SEAL Original Spare Part	Open Product RFQ Page
14	14 VN075 MEC71 Pump cooling fan	Open Product RFQ Page
16	16 MYF KONDENSATOR – MIT STECKER – 976 05 condensator	Open Product RFQ Page
164GRJSW3A	164GRJSW3A Messingscheibe	Open Product RFQ Page
2	2 CP 32-210A GG – Blockkreiselpumpe	Open Product RFQ Page
20	20 1/2 "EXTERNAL THREAD ADAPTER U-PVC FOR F 65/12 5A Original Spare Part	Open Product RFQ Page
2CP	2CP 25/14A 2-stufige Grauguss Block-Kreiselpumpe	Open Product RFQ Page
3	3 CR 60	Open Product RFQ Page
32/160	32/160 Original Spare Part	Open Product RFQ Page
3CR	3CR M80 (MONOPHASE) 230v/1/50hz	Open Product RFQ Page
3CRm	3CRm 80-N Original Spare Part	Open Product RFQ Page
■■■■■80	■■■■■80	Open Product RFQ Page
4	4 SR 12 / 22 Unterwassermotorpumpe – Bauart 4“ Fördermenge = m ³ /h – Förderhöhe = m NWd = 2“ iG – max Ø 98 mm – Werkstoff : Gehäuse in VA - Laufrad in	Open Product RFQ Page
4BLOCKM	4BLOCKM 6/4 Brunnenpumpe	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
4BLOCKm4/9	4BLOCKm4/9 (Unterwassermotorpumpe – Bauart 4“ – Fördermenge = o.A. m ³ /h – Förderhöhe = o.A. m Nwd = 1 1/4“ iG – max Ø 99,5 mm – Werkstoff : Gehäuse +	Open Product RFQ Page
4SR8/17-P	4SR8/17-P	Open Product RFQ Page
50L/M	50L/M 3450 RPM 0.7HP pump	Open Product RFQ Page
6	6 SR 18/26 PD submersible pump	Open Product RFQ Page
6203ZZ	6203ZZ bearing for CP158 hot water circulatng pump	Open Product RFQ Page
6/90	6/90 (DREIPHASIG) PluriJet	Open Product RFQ Page
6SR18/26	6SR18/26 PD control box Original Spare Part	Open Product RFQ Page
8"	8" B34/5R (153 M3/H A 64 M, 37KW) pump	Open Product RFQ Page
ALL	ALL SEALS (FOR MCM 10/50 H MAX=12 M H MIN:2 M V:220-240 KW:0.75 HP:1 A:5.2 PUMP) Original Spare Part	Open Product RFQ Page
AR-14	AR-14 mechanical seal for CP158 hot water circulatng pump	Open Product RFQ Page
ASSMDR110P	ASSMDR110P Schalter mit Kabel für Pumpe Pedrollo MCM 15/45	Open Product RFQ Page
BMF15M/V	BMF15M/V OIL PUMP	Open Product RFQ Page
casing	casing gasket for 3CR-05A16S	Open Product RFQ Page
CK	CK 90-E Selbstansaugende Seitenkanalpumpe	Open Product RFQ Page
CK50	CK50	Open Product RFQ Page
CK80	CK80 PUMP 400/3/50 pump unit Kerosine restistant, complete with motor 0.6 KW 415 V = Sonderspannung 3 Phase 50 Hz TEFC IP 44 2900 RPM for Cellar Pumps	Open Product RFQ Page
CKm	CKm 80-E Selbstansaugende Seitenkanalpumpe	Open Product RFQ Page
CKM80	CKM80 Original Spare Part	Open Product RFQ Page
CKM90	CKM90 Original Spare Part	Open Product RFQ Page
CKRm	CKRm 90-E	Open Product RFQ Page
CP	CP 190 GG Blockkreiselpumpe	Open Product RFQ Page
CPM	CPM 158 Blockkreiselpumpe in GG	Open Product RFQ Page
CPM-660	CPM-660 Centrifuga Electric Pump	Open Product RFQ Page
DHL	DHL 25/65-180 G = 3,5 cbm/Std, ■ = 3 m	Open Product RFQ Page
DHL25/65-180	DHL25/65-180 pump	Open Product RFQ Page
DHL32/70-180	DHL32/70-180 Pumpe Gnom=4,0 cbm/Std, ■nom=4m Wassersäule;N=1,0 KW, montiert auf einem Gestell mit E-Motor	Open Product RFQ Page
DM10	DM10 230V/1/50HZ pump	Open Product RFQ Page
Ersatzteile	Ersatzteile für Baugröße CP 158 Laufrad Original Spare Part	Open Product RFQ Page
F	F 65 / 125 B Pumpe	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
F50/200B	F50/200B 380V Pump	Open Product RFQ Page
F65-	F65- 125 / B	Open Product RFQ Page
Fan	Fan wheel zur 4CRm 80-N	Open Product RFQ Page
GEHÄUSE	GEHÄUSE O-RING FUR BAUGROÖE : PK 65 / PKM 65 NBR Original Spare Part	Open Product RFQ Page
GG	GG – BLOCKKREISELPUMPE CP 130 (Werkstoff : Gehäuse in GG – Laufrad in VA GLRD in K / K / NBR Drehstrommotor 230/400 V – 50 Hz – n = 2850 u/min - Pm =	Open Product RFQ Page
GLEITRINGDICHTUNG	GLEITRINGDICHTUNG FUR BAUGROÖE : PK 65 / PKM 65 K / K / N ART.-NR. 0900 01 pump	Open Product RFQ Page
GLRD	GLRD FKB 13 _ K/K/N	Open Product RFQ Page
Handgriff	Handgriff mit 5m Kabel für Top Floor1	Open Product RFQ Page
HF	HF 6 A GG – Spiralgehäusepumpe HF 6 A Fördermenge = o.A. m³/h – Förderhöhe = o.A. m NWs / NWd = 3" / 3" Werkstoff : Gehäuse in GG – Laufrad in GG GLRD	Open Product RFQ Page
HF30A	HF30A GG – Blockkreiselpumpe	Open Product RFQ Page
HFm6B	HFm6B Original Spare Part	Open Product RFQ Page
Impeller	Impeller for CP158 Impeller for CP158 hot water circulatng pump	Open Product RFQ Page
JCR	JCR 15 M (Selbstansaugende Kreiselpumpe Drehstrommotor 230/400 V - 50 Hz - IP 44 - n= 2850 u/min –Pm = 1,1 kW Ø)	Open Product RFQ Page
JSW	JSW 3CL -N Original Spare Part	Open Product RFQ Page
KOMPLETTEN	KOMPLETTEN MOTOR FUR PQ 60 Drehstrom 230/400 V – 50 Hz -	Open Product RFQ Page
Kugellager	Kugellager für NGA 1B Kugellager	Open Product RFQ Page
LAUFRAD	LAUFRAD FUR BAUGROÖE : PK 65 / PKM 65 MS Original Spare Part	Open Product RFQ Page
Main	Main Air Compressor for pump type:lp44 / NGA 1AX Main Compressor Cooling p/p motor couple Power: 0.75 KwPhase: 3phaseH.P. 1 horse powerFreq. 60 Hz Vol	Open Product RFQ Page
MC	MC 40/50 -X	Open Product RFQ Page
MC15/50	MC15/50 Tek Fazl■	Open Product RFQ Page
MC20/50	MC20/50 3 Fazl■	Open Product RFQ Page
MC30/50	MC30/50 Tek Fazl■	Open Product RFQ Page
MC30/70	MC30/70 3 Fazl■	Open Product RFQ Page
MC40/50	MC40/50 3 Fazl■	Open Product RFQ Page
MC40/70	MC40/70 3 Fazl■	Open Product RFQ Page
MCM	MCM 15/50 Pump	Open Product RFQ Page
MCM15/45	MCM15/45 Fäkalienpumpe MCM15/45	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
MG	MG 1 S2/14 Gleitringdichtung	Open Product RFQ Page
MK5/6	MK5/6 pump	Open Product RFQ Page
Motor	Motor shaft for CP158 Motor shaft for CP158 hot water circulatng pump	Open Product RFQ Page
MUFF	MUFF Original Spare Part	Open Product RFQ Page
MULTI-STAGE	MULTI-STAGE - BLOCK CENTRIFUGAL PUMP 3 CRM 80 Flow = o.A. m ³ / h - Head = o.A. m NWs / NWD = 1 "female / 1" female Material: Body in stainless steel -	Open Product RFQ Page
MXVB210	MXVB210 MXV-B 25-210 2 HP - 1,5 kW	Open Product RFQ Page
MXVB27	MXVB27 MXV-B 25-207 1,5 HP - 1,1 kW pump	Open Product RFQ Page
MXVB28	MXVB28 MXV-B 25-208 2 HP - 1,5 kW	Open Product RFQ Page
NBR	NBR Gehäuse O-Ring	Open Product RFQ Page
NF	NF 130 A - NICHT MEHR LIEFERBAR. ERSETZT DURCH HF 6 A. Centrifugal pump	Open Product RFQ Page
NGA	NGA 1B Blockkreiselpumpe in GG	Open Product RFQ Page
NGAm	NGAm 1B 0.55kw, 0.75hp, 110V, 60hz, single phase.	Open Product RFQ Page
NOZZLE	NOZZLE FOR F65/125A Original Spare Part	Open Product RFQ Page
Obsolete	Obsolete CKRm100 replaced by CKRm 90-E	Open Product RFQ Page
PA-60-B2	PA-60-B2 pump	Open Product RFQ Page
PED1031	PED1031	Open Product RFQ Page
PERIPHERAL	PERIPHERAL PUMP PK65 Booster Pump	Open Product RFQ Page
PERIPHERALPUMP E	PERIPHERALPUMPE PQ 65 Fördermenge = bis 3 m ³ /h – Förderhöhe = bis 55 m NWs / NWd = G 1"iG / G 1"iG Werkstoff : Gehäuse in GG – Laufrad in MS GLRD in K	Open Product RFQ Page
PK	PK 60 Peripheralpumpe	Open Product RFQ Page
PK-65	PK-65 capacity 5-50 l/min Power 0,5 kWt Rotation 2900 rpm Electricity Delta connection 220-230V, 3A Star connection 380-400 V, 1,7A Circulating Pump,	Open Product RFQ Page
PK80/	PK80/ 0502 04 -x Peripheral-Kreiselpumpe	Open Product RFQ Page
PKm	PKm 60 - BZ Peripheral-Kreiselpumpe	Open Product RFQ Page
PKm60	PKm60 (220-440V /60hz)	Open Product RFQ Page
Plurijet	Plurijet 5/130 Selbstansaugende Kreiselpumpe	Open Product RFQ Page
PMC	PMC 30/70 pump	Open Product RFQ Page
PQ	PQ 81 Peripheral-Kreiselpumpe	Open Product RFQ Page
PQ60	PQ60 400/3/50 cast iron pump	Open Product RFQ Page
PQ65	PQ65 CAST IRON PUMP 400/3/50 Q 5+40/5+50 l/min H 44+5/54+5m Hmax 60m , KW 0,50	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
PQ80	PQ80 (Peripheralpumpe, Werkstoff : Gehäuse in GG – Laufrad in MS, Drehstrommotor, 230/400 V – 50 Hz – n = 2850 u/min - Pm = 0,75 kW)	Open Product RFQ Page
PQA	PQA 70 Peripheral-Kreiselpumpe	Open Product RFQ Page
PQAM	PQAM 70 WECHSELSTROMMOTOR 230 V – 50 HZ – PM = 0,55 KW Ø (Peripheralpumpe)	Open Product RFQ Page
PQm	PQm 60 y Peripheral-Kreiselpumpe	Open Product RFQ Page
PRO-NGA1A	PRO-NGA1A 400V/3/50HZ 2pole Pump & Motor	Open Product RFQ Page
PVXC	PVXC 30/70 pump	Open Product RFQ Page
QAR2T	QAR2T QAR2T Control Box	Open Product RFQ Page
RXM3/20	RXM3/20 pump	Open Product RFQ Page
SELBSTANSAUGEN DE	SELBSTANSAUGENDE PERIPHERALPUMPE CK 80 E - X Drehstrommotor 415 V – 50 Hz – n = 2900 u/min - Pm = 0,6 kW ■ Sonderspannung	Open Product RFQ Page
Small	Small 3 PVC – mit Kabel 3 m Schwimmer	Open Product RFQ Page
SPARE	SPARE PARTS FOR PQ65 Original Spare Part	Open Product RFQ Page
Tauchmotorpumpe	Tauchmotorpumpe MCm 10 / 50 Tauchmotorpumpe	Open Product RFQ Page
TOP	TOP 5 N-GM Tauchmotorpumpe f. Klarwasser	Open Product RFQ Page
Turbine	Turbine for F 65/200A part for watter pump	Open Product RFQ Page
U-PVC	U-PVC PIPE Original Spare Part	Open Product RFQ Page
V4A	V4A Laufrad	Open Product RFQ Page
VXC	VXC 30/70 VXC 30/70	Open Product RFQ Page
VXCm	VXCm 15/45 M pump with vortex fan, capacity: 4mss – 30m ³ /h, SOLID TRANSMISSION: 50mm, ENGINE POWER: 1,5 HP , VOLTAGE: 220 V MONOFAZE, 2", PUMP MATERI	Open Product RFQ Page
VXM	VXM 8/35 Freistromrad-Tauchmoterpumpe	Open Product RFQ Page
ZDM	ZDM 1A - E Fördermenge = bis 15 m ³ /h – Förderhöhe = bis 10,5 m NWd = G 1 ½"iG – Werkstoff : Gehäuse in GG - Laufrad in Kunststoff GLRD in K / K / NBR	Open Product RFQ Page
ZIRKULIER-PUMPE	ZIRKULIER-PUMPE FUR WASSERZULEITUNG G=4cbm/Std, kompl mit E-Motor, N = 1 KW Type von Ihnen festzulegen!	Open Product RFQ Page

Axiparts Offices

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten Pl #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates