

# R.Stahl Industrial Parts Catalog

## Axiparts Global Industrial RFQ Platform

Email: [info@axiparts.com](mailto:info@axiparts.com)

Website: <https://axiparts.com>

Premium RFQ catalog for R.Stahl industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

**Brand:** R.Stahl

**Listed Products in This PDF:** 388

**Catalog URL:** <https://axiparts.com/catalogs/brands/r-stahl.pdf>

| Part Number | Product Description   | Live RFQ Link                         |
|-------------|---|---------------------------------------|
| (           | ( 3310019) for ST 2010-8/2 2/1 Kette  | <a href="#">Open Product RFQ Page</a> |
| 00          | 00 501 069/2 LANS WINCH   | <a href="#">Open Product RFQ Page</a> |
| 0443057650  | 0443057650 Bremsrotor H71   | <a href="#">Open Product RFQ Page</a> |
| 103929      | 103929 Original Spare Part  | <a href="#">Open Product RFQ Page</a> |
| 104164      | 104164 Original Spare Part  | <a href="#">Open Product RFQ Page</a> |
| 104170      | 104170 Original Spare Part  | <a href="#">Open Product RFQ Page</a> |
| 104195      | 104195 Original Spare Part  | <a href="#">Open Product RFQ Page</a> |
| 10794591    | 10794591 044 button   | <a href="#">Open Product RFQ Page</a> |
| 108951      | 108951 Zweistift-Leuchtstoffl. T8 36W/840   | <a href="#">Open Product RFQ Page</a> |
| 11          | 11 09 05  | <a href="#">Open Product RFQ Page</a> |
| 111768      | 111768 SEALING RING 16X1,5 RUBBER .CCT No.: 39269097 DE Net weigth: 0,002 KG                  | <a href="#">Open Product RFQ Page</a> |
| 111771      | 111771 SEALING RING M25X1.5 RUBBER .CCT No.: 39269097 DE Net weigth: 0,001 KG                 | <a href="#">Open Product RFQ Page</a> |
| 114205      | 114205 SPECIAL KEY, SIZE M25 WIDTH ACR. FLATS 29MM .CCT No.: 82041100 DE Net weigth: 0,163 KG | <a href="#">Open Product RFQ Page</a> |
| 114207      | 114207 SPECIAL KEY, SIZE M16 WIDTH ACR. FLATS 20MM .CCT No.: 82041100 DE Net weigth: 0,120 KG | <a href="#">Open Product RFQ Page</a> |
| 1147798/010 | 1147798/010 obsolete, replacement 205191  | <a href="#">Open Product RFQ Page</a> |
| 115719      | 115719 Mounting rail accessories  | <a href="#">Open Product RFQ Page</a> |
| 115826      | 115826 Erdungsplatte Einschubplatte   | <a href="#">Open Product RFQ Page</a> |
| 117596      | 117596 Obsolete!! Replaced by 258199 (6042/243-21)  | <a href="#">Open Product RFQ Page</a> |
| 120438      | 120438 Schutzglas   | <a href="#">Open Product RFQ Page</a> |
| 126667      | 126667 Stecker  | <a href="#">Open Product RFQ Page</a> |
| 128250      | 128250 Control Switches   | <a href="#">Open Product RFQ Page</a> |

| Part Number | Product Description  | Live RFQ Link         |
|-------------|--|-----------------------|
| 130176      | 130176 8030/51-035 Installation switch Installationsschalter Reihe 8030/51, explosion protected Version: Changeover switch Number of poles: 2-pole Mat | Open Product RFQ Page |
| 130929      | 130929 Original Spare Part   | Open Product RFQ Page |
| 130954      | 130954   | Open Product RFQ Page |
| 131253      | 131253 Positionsschalter explosionsgeschützt   | Open Product RFQ Page |
| 131288      | 131288 Positionsschalter explosionsgeschützt   | Open Product RFQ Page |
| 131303      | 131303 Limit switch  | Open Product RFQ Page |
| 131818      | 131818 Adjustable roller lever   | Open Product RFQ Page |
| 131847      | 131847 Position switch   | Open Product RFQ Page |
| 131868      | 131868 , type 8070/1-3-ZB Sicherheitspositionsschalter   | Open Product RFQ Page |
| 132338      | 132338 Positionsschalter aus Metall - explosionsgeschützt  | Open Product RFQ Page |
| 132530      | 132530 1NC+1NO snap action contact,with spring   | Open Product RFQ Page |
| 134698      | 134698 8125/1061-2 (Terminal box Ex e Technical data: Gas - Explosion protection: Ex II 2 G Ex e II T6 Gb Dust - Explosion protection: Ex II 2 D Ex tb | Open Product RFQ Page |
| 137051      | 137051 . 8146/1051 TERMINAL BOX EX E Including: Cable Glands: Side A:8161/5-M16-9-2 pc(s),8161/5-M25-17-1 pc(s) Side B: 8161/5-M16-9-2 pc(s) ,8161/5-M | Open Product RFQ Page |
| 138382      | 138382 BLANKING PLUGS F. CABLE GLANDS M25.....25PCS .CCT No.: 39269097 DE Net weighth: 0,130 KG  | Open Product RFQ Page |
| 138383      | 138383 NUT M16 BRASS NICKEL PLATED 50PCS .Locknut, metric brass, nickel plated Internal thread d: M16 x 1.5 Width across flats [mm]: 19 Packing unit:  | Open Product RFQ Page |
| 138395      | 138395 NUT M25 BRASS NICKEL PLATED 50PCS .Locknut, metric brass, nickel plated Internal thread d: M25 x 1.5 Width across flats [mm]: 29 Packing unit:  | Open Product RFQ Page |
| 138406      | 138406 BLANKING PLUGS F. CABLE GLANDS PG9 /M16.....50PCS .CCT No.: 74153300 IN Net weighth: 0,061 KG   | Open Product RFQ Page |
| 138474      | 138474 8161/5-M25-96 .Cable gland Ex e polyamide, 4x4-6mm, 50 pcs Cable Glands Series 8161, explosion protected Version: 8161/5 Ex e (black) Thread si | Open Product RFQ Page |
| 138772      | 138772 8163/2-20-A2F-M20 CABLE GLAND .Cable Glands Ex d and Ex e for Unarmoured Cables Series 8163/2-A2F, explosion protected Thread size C: M20 x 1.5 | Open Product RFQ Page |
| 1432400220  | 1432400220 3117773 TAMPON EN EPOUGE POUR ST10 STAHL  | Open Product RFQ Page |
| 143524      | 143524 8290/3-M25 STOPPING PLUG M25X1,5 .Stopping Plugs Series 8290, explosion protected Thread size: M25 x 1.5 Material: Polyamide Colour: black For  | Open Product RFQ Page |
| 143554      | 143554 8290/3-M16 STOPPING PLUG M16X1,5 .Stopping Plugs Series 8290, explosion protected Thread size: M16 x 1.5 Material: Polyamide Colour: black For  | Open Product RFQ Page |

| Part Number | Product Description   | Live RFQ Link                         |
|-------------|---|---------------------------------------|
| 143707      | 143707 TYPE : 8295/1R1 REDUCTION EXPLOSION-PROTECTED  | <a href="#">Open Product RFQ Page</a> |
| 150577      | 150577 (Flange socket explosion-protected, Rated oper.voltage / Frequency: 200-250 V 50/60 Hz Rated operational current : 16 A Detailed number of poles | <a href="#">Open Product RFQ Page</a> |
| 150578      | 150578 Schaltersteckdose  | <a href="#">Open Product RFQ Page</a> |
| 150579      | 150579 Stecker  | <a href="#">Open Product RFQ Page</a> |
| 151103      | 151103 Flange socket  | <a href="#">Open Product RFQ Page</a> |
| 155.382     | 155.382 10.8-30VDC/■ with green cap   | <a href="#">Open Product RFQ Page</a> |
| 155463      | 155463  | <a href="#">Open Product RFQ Page</a> |
| 155525      | 155525 Drucktaster  | <a href="#">Open Product RFQ Page</a> |
| 155689      | 155689  | <a href="#">Open Product RFQ Page</a> |
| 155897      | 155897 Tastenschild   | <a href="#">Open Product RFQ Page</a> |
| 155901      | 155901 Tastenschild   | <a href="#">Open Product RFQ Page</a> |
| 155914      | 155914  | <a href="#">Open Product RFQ Page</a> |
| 155940      | 155940  | <a href="#">Open Product RFQ Page</a> |
| 1632030640  | 1632030640 Supply Of Clutch for STAHL Crane   | <a href="#">Open Product RFQ Page</a> |
| 168882      | 168882 Halterung für Kontakte 2fach   | <a href="#">Open Product RFQ Page</a> |
| 202152      | 202152 Original Spare Part  | <a href="#">Open Product RFQ Page</a> |
| 202153      | 202153 Original Spare Part  | <a href="#">Open Product RFQ Page</a> |
| 205191      | 205191  | <a href="#">Open Product RFQ Page</a> |
| 210794      | 210794 Befestigungsset Zubehör  | <a href="#">Open Product RFQ Page</a> |
| 211124      | 211124 Batterie 6148 6V 4,5Ah replacement set   | <a href="#">Open Product RFQ Page</a> |
| 212333      | 212333 Diffusing lens clear accessories   | <a href="#">Open Product RFQ Page</a> |
| 217915      | 217915 Befehlsgeräte explosionsgeschützt  | <a href="#">Open Product RFQ Page</a> |
| 217918      | 217918 Befehlsgeräte explosionsgeschützt  | <a href="#">Open Product RFQ Page</a> |
| 218552      | 218552  | <a href="#">Open Product RFQ Page</a> |
| 218553      | 218553  | <a href="#">Open Product RFQ Page</a> |
| 222363      | 222363 Dichtring  | <a href="#">Open Product RFQ Page</a> |
| 222364      | 222364 Dichtring  | <a href="#">Open Product RFQ Page</a> |
| 222365      | 222365 Dichtring  | <a href="#">Open Product RFQ Page</a> |
| 222366      | 222366 Dichtring  | <a href="#">Open Product RFQ Page</a> |
| 222459      | 222459 Rohrschelle  | <a href="#">Open Product RFQ Page</a> |
| 223692      | 223692 Drucktaster  | <a href="#">Open Product RFQ Page</a> |
| 224997      | 224997 Mounting bracket for 6121/1  | <a href="#">Open Product RFQ Page</a> |

| Part Number        | Product Description  | Live RFQ Link                         |
|--------------------|--|---------------------------------------|
| 227750             | 227750 Tastenschild  | <a href="#">Open Product RFQ Page</a> |
| 229893             | 229893 Floodlight explosion-protected<br>6121/1322-2401-1111-111-511-1 | <a href="#">Open Product RFQ Page</a> |
| 230045             | 230045 Impact protection grid with accessories                         | <a href="#">Open Product RFQ Page</a> |
| 236504             | 236504 Original Spare Part   | <a href="#">Open Product RFQ Page</a> |
| 236527             | 236527 Original Spare Part   | <a href="#">Open Product RFQ Page</a> |
| 236528             | 236528 Original Spare Part   | <a href="#">Open Product RFQ Page</a> |
| 239822             | 239822 Original Spare Part   | <a href="#">Open Product RFQ Page</a> |
| 241519             | 241519   | <a href="#">Open Product RFQ Page</a> |
| 241520             | 241520   | <a href="#">Open Product RFQ Page</a> |
| 241561             | 241561   | <a href="#">Open Product RFQ Page</a> |
| 241562             | 241562   | <a href="#">Open Product RFQ Page</a> |
| 249239             | 249239 Leistungsschalter für den Motorschutz                           | <a href="#">Open Product RFQ Page</a> |
| 252215             | 252215 Notlichtleuchte für Leuchtstofflampen                           | <a href="#">Open Product RFQ Page</a> |
| 258199             | 258199 (6042/243-21)   | <a href="#">Open Product RFQ Page</a> |
| 2727000640         | 2727000640 Umbauset Bremsrotor   | <a href="#">Open Product RFQ Page</a> |
| 2-8162/1-25-1ZM    | 2-8162/1-25-1ZM Original Spare Part                                    | <a href="#">Open Product RFQ Page</a> |
| 2/8A04/501         | 2/8A04/501 3433076119  | <a href="#">Open Product RFQ Page</a> |
| 32                 | 32 320 00 57 0   | <a href="#">Open Product RFQ Page</a> |
| 3232090300         | 3232090300 Brems-Rutschkupp-Einheit 9 Tellerf. ***0906                 | <a href="#">Open Product RFQ Page</a> |
| 3232096300         | 3232096300 ZB Kettentrieb  | <a href="#">Open Product RFQ Page</a> |
| 351020003          | 351020003 C-3 Profile  | <a href="#">Open Product RFQ Page</a> |
| 3-9182/10-51-11S   | 3-9182/10-51-11S Temperature Transmitter                               | <a href="#">Open Product RFQ Page</a> |
| 4.0                | 4.0 V; 3.2 W; BA 15D Hauptlampe (Xenon - Glühlampe)                    | <a href="#">Open Product RFQ Page</a> |
| 502                | 502 Ex Original Spare Part   | <a href="#">Open Product RFQ Page</a> |
| 532                | 532 – 09601003 Ball bearing grease                                     | <a href="#">Open Product RFQ Page</a> |
| 6000               | 6000 1/2x36W 6042/2 1xDC 230V  | <a href="#">Open Product RFQ Page</a> |
| 6000/222-4011-no   | 6000/222-4011-no longer available Original Spare Part                  | <a href="#">Open Product RFQ Page</a> |
| 6000/521-8011-3130 | 6000/521-8011-3130 (114779) Light fitting for fluorescent lamps        | <a href="#">Open Product RFQ Page</a> |
| 6000/522/9008      | 6000/522/9008  | <a href="#">Open Product RFQ Page</a> |
| 6000/522-9011-0130 | 6000/522-9011-0130 Light fitting for fluorescent lamps                 | <a href="#">Open Product RFQ Page</a> |
| 6000/522-9511-0150 | 6000/522-9511-0150 (114888) Light fitting for fluorescent lamps        | <a href="#">Open Product RFQ Page</a> |

| Part Number                   | Product Description  | Live RFQ Link                         |
|-------------------------------|--|---------------------------------------|
| 6000/542-9011-0130            | 6000/542-9011-0130 Light fitting for fluorescent lamps explosion-protected                                 | <a href="#">Open Product RFQ Page</a> |
| 6000/542-9511-0150            | 6000/542-9511-0150 Light fitting for fluorescent lamps explosion-protected                                 | <a href="#">Open Product RFQ Page</a> |
| 6000/542-alternative:         | 6000/542-alternative: 6000/542-9011-0130 and 6000/542-9511-0150 Original Spare Part                        | <a href="#">Open Product RFQ Page</a> |
| 6000/561-8511-0150            | 6000/561-8511-0150 Original Spare Part   | <a href="#">Open Product RFQ Page</a> |
| 6001/522-9510-15-131          | 6001/522-9510-15-131 / 220897 Linear luminaire for fluorescent lamps explosion-protected                   | <a href="#">Open Product RFQ Page</a> |
| 6001/542-9510-15-131          | 6001/542-9510-15-131   | <a href="#">Open Product RFQ Page</a> |
| 6009/542-9017-2622-81         | 6009/542-9017-2622-81  | <a href="#">Open Product RFQ Page</a> |
| 6014/7122-8011-1230           | 6014/7122-8011-1230 obsolete Ex armature   | <a href="#">Open Product RFQ Page</a> |
| 6042                          | 6042 / 943 - 21 Balast   | <a href="#">Open Product RFQ Page</a> |
| 6042/243-21                   | 6042/243-21 (pack 10 pcs.)   | <a href="#">Open Product RFQ Page</a> |
| 6042/742-2                    | 6042/742-2 Obsolete!! Replaced by 6000 1/2x36W 6042/21xDC 230V Ballast                                     | <a href="#">Open Product RFQ Page</a> |
| 6042/923-21                   | 6042/923-21 obsolete, replaced by 6042/243-21 elektronisches Vorschaltgerät                                | <a href="#">Open Product RFQ Page</a> |
| 6042/943-2                    | 6042/943-2 Obsolete!! Replaced by 6042/243-21  | <a href="#">Open Product RFQ Page</a> |
| 6050/1121-11510-000-1         | 6050/1121-11510-000-1 (118360) Pendant light fitting   | <a href="#">Open Product RFQ Page</a> |
| 6121/1312-2251-1111-311-513-1 | 6121/1312-2251-1111-311-513-1 Scheinwerfer explosionsgeschützt   | <a href="#">Open Product RFQ Page</a> |
| 6121/1322-2401-1111-111-511-1 | 6121/1322-2401-1111-111-511-1 Floodlight explosion-protected   | <a href="#">Open Product RFQ Page</a> |
| 6121/5312-640-11              | 6121/5312-640-11 Floodlight explosion-protected  | <a href="#">Open Product RFQ Page</a> |
| 6147/2-2                      | 6147/2-2 Hand lamp Wire guard galv   | <a href="#">Open Product RFQ Page</a> |
| 6148/1111-111                 | 6148/1111-111 LED - Portable Lamp with charging unit   | <a href="#">Open Product RFQ Page</a> |
| 6149/2-3211-                  | 6149/2-3211- 5010 LED Inspektionsleuchte explosionsgeschützt   | <a href="#">Open Product RFQ Page</a> |
| 6149/2-3211-5011              | 6149/2-3211-5011 LED Inspektionsleuchte explosionsgeschützt  | <a href="#">Open Product RFQ Page</a> |
| 6149/2-3411-5010              | 6149/2-3411-5010 Inspection light LED explosion-protected  | <a href="#">Open Product RFQ Page</a> |
| 6400/542,                     | 6400/542, replaced by 6401/542-8508-1511   | <a href="#">Open Product RFQ Page</a> |
| 6401/542-8508-1511            | 6401/542-8508-1511 Langfeldleuchte   | <a href="#">Open Product RFQ Page</a> |
| 6600/522-8010-2230            | 6600/522-8010-2230 (Leuchte für Leuchtstofflampen Reihe ECOLUX 6600, explosionsgeschützt Lampenbestückung) | <a href="#">Open Product RFQ Page</a> |

| Part Number        | Product Description  | Live RFQ Link                         |
|--------------------|--|---------------------------------------|
| 6600/542-8010-2230 | 6600/542-8010-2230 (Leuchte für Leuchtstofflampen Reihe ECOLUX 6600, explosionsgeschützt Lampenbestückung)                         | <a href="#">Open Product RFQ Page</a> |
| 7070/1-1-ZB        | 7070/1-1-ZB Position switch - explosion-proof  | <a href="#">Open Product RFQ Page</a> |
| 734/160-016        | 734/160-016 SELECTOR SWITCH  | <a href="#">Open Product RFQ Page</a> |
| 7570/12-306        | 7570/12-306 Stecker  | <a href="#">Open Product RFQ Page</a> |
| 7MC3060-1PC20      | 7MC3060-1PC20 PYROMETER  | <a href="#">Open Product RFQ Page</a> |
| 8003/111-001       | 8003/111-001   | <a href="#">Open Product RFQ Page</a> |
| 8003/111-010       | 8003/111-010 Red obsolete, replacement 8003/111-010S Mushroom push button  | <a href="#">Open Product RFQ Page</a> |
| 8003/111-010S      | 8003/111-010S  | <a href="#">Open Product RFQ Page</a> |
| 8003/111-726-2-r   | 8003/111-726-2-r   | <a href="#">Open Product RFQ Page</a> |
| 8003/141-726-2-R   | 8003/141-726-2-R Steuerschalter für Schalttafeleinbau Bemessungsbetriebsspannung: max. 550 V Kontaktbestückung: Öffner / Schließer | <a href="#">Open Product RFQ Page</a> |
| 8003/2             | 8003/2 Emergency Stop Button   | <a href="#">Open Product RFQ Page</a> |
| 8006/3-004-00      | 8006/3-004-00 MOTOR AND LOAD SWITCH  | <a href="#">Open Product RFQ Page</a> |
| 8006/3-056-00      | 8006/3-056-00 MOTOR AND LOAD SWITCH  | <a href="#">Open Product RFQ Page</a> |
| 8008-1178          | 8008-1178 3 position switch  | <a href="#">Open Product RFQ Page</a> |
| 8008/2-027         | 8008/2-027 Steuerschalter  | <a href="#">Open Product RFQ Page</a> |
| 8008/2-038         | 8008/2-038 Steuerschalter explosionsgeschützt  | <a href="#">Open Product RFQ Page</a> |
| 8008/2-1149        | 8008/2-1149 CONTROL SWITCH   | <a href="#">Open Product RFQ Page</a> |
| 8008/2-163         | 8008/2-163 CONTROL SWITCH  | <a href="#">Open Product RFQ Page</a> |
| 8010-02-WS         | 8010-02-WS white diode indicator   | <a href="#">Open Product RFQ Page</a> |
| 8010/2-01          | 8010/2-01 LED Leuchtmelder   | <a href="#">Open Product RFQ Page</a> |
| 8010/2-01-ws       | 8010/2-01-ws LED Indica.lamp Ex de -20°C   | <a href="#">Open Product RFQ Page</a> |
| 8010/3-02-WS       | 8010/3-02-WS LED Indicator Lamp  | <a href="#">Open Product RFQ Page</a> |
| 8013/311-al        | 8013/311-al Explosion-Proof Signal Lamp  | <a href="#">Open Product RFQ Page</a> |
| 8018/3113-al-6     | 8018/3113-al-6 (129769)  | <a href="#">Open Product RFQ Page</a> |
| 8030/51-033        | 8030/51-033 Installation Switch  | <a href="#">Open Product RFQ Page</a> |
| 8030/51-036        | 8030/51-036 obsolete, repaced by 8040/1180Z-32E99XF19 key  | <a href="#">Open Product RFQ Page</a> |
| 8040/              | 8040/ 1380-740-086/40/80A old code, new code 8040/1280Z-40XXXXN99  | <a href="#">Open Product RFQ Page</a> |
| 8040/11            | 8040/11 CONTROL AND SIGNAL STATIONion  | <a href="#">Open Product RFQ Page</a> |
| 8040/114-02MN1-UL  | 8040/114-02MN1-UL Original Spare Part  | <a href="#">Open Product RFQ Page</a> |
| 8040/114-O2MN1-UL  | 8040/114-O2MN1-UL (Befehlsgerätesystem Reihe ConSig 8040 gemäß Auftrag explosionsgeschützt)  | <a href="#">Open Product RFQ Page</a> |

| Part Number                         | Product Description  | Live RFQ Link                         |
|-------------------------------------|--|---------------------------------------|
| 8040/114-U016                       | 8040/114-U016 LOCAL PUSH BOTTOM FOR FIELD MOUNTING   | <a href="#">Open Product RFQ Page</a> |
| 8040/114-U018                       | 8040/114-U018 LOCAL PUSH BOTTOM FOR FIELD MOUNTING   | <a href="#">Open Product RFQ Page</a> |
| 8040/114-U100                       | 8040/114-U100 LOCAL PUSH BOTTOM FOR FIELD MOUNTING   | <a href="#">Open Product RFQ Page</a> |
| 8040/114-Y100-UL                    | 8040/114-Y100-UL Befehls- und Meldegeraet  | <a href="#">Open Product RFQ Page</a> |
| 8040/1170X-10L07BA05                | 8040/1170X-10L07BA05 Befehlsgerätesystem Reihe ConSig 8040 gemäß Auftrag Typ : 8040/ Technische Daten: Gas - Explosionschutz: Ex II 2 G Ex de IIC T6 | <a href="#">Open Product RFQ Page</a> |
| 8040/1180.010-060                   | 8040/1180.010-060  | <a href="#">Open Product RFQ Page</a> |
| 8040/1180.08M.AW                    | 8040/1180.08M.AW   | <a href="#">Open Product RFQ Page</a> |
| 8040/1180X-03L24BA05                | 8040/1180X-03L24BA05 (Befehlsgerätesystem Reihe ConSig 8040 explosionsgeschützt)   | <a href="#">Open Product RFQ Page</a> |
| 8040/1180X-09XXXBA05                | 8040/1180X-09XXXBA05 Original Spare Part   | <a href="#">Open Product RFQ Page</a> |
| 8040/1180X-10L07BA05                | 8040/1180X-10L07BA05 Ex-proof obsolete, replacement 8040/1180.010-060 Emergency Stop Button Command Box  | <a href="#">Open Product RFQ Page</a> |
| 8040/1180X-10L07BA08                | 8040/1180X-10L07BA08 Control device system   | <a href="#">Open Product RFQ Page</a> |
| 8040/1180X-10L07SA05                | 8040/1180X-10L07SA05   | <a href="#">Open Product RFQ Page</a> |
| 8040/1180X-15L07SA05                | 8040/1180X-15L07SA05   | <a href="#">Open Product RFQ Page</a> |
| 8040/1180X-23D01BA05                | 8040/1180X-23D01BA05 Control device system   | <a href="#">Open Product RFQ Page</a> |
| 8040/1180Z-26M01SA35                | 8040/1180Z-26M01SA35 SELECTOR SWITCH   | <a href="#">Open Product RFQ Page</a> |
| 8040/1180Z-31G99SF20                | 8040/1180Z-31G99SF20   | <a href="#">Open Product RFQ Page</a> |
| 8040/1180Z-32E99XF19                | 8040/1180Z-32E99XF19 Original Spare Part   | <a href="#">Open Product RFQ Page</a> |
| 8040/11-V30-033-B                   | 8040/11-V30-033-B  | <a href="#">Open Product RFQ Page</a> |
| 8040/12                             | 8040/12 Control and signal station   | <a href="#">Open Product RFQ Page</a> |
| 8040/124-U011-UL                    | 8040/124-U011-UL Befehls- und Meldegeraet  | <a href="#">Open Product RFQ Page</a> |
| 8040/1280.001                       | 8040/1280.001  | <a href="#">Open Product RFQ Page</a> |
| 8040/1280.001+I/GN-060.001+0/RT-060 | 8040/1280.001+I/GN- 060.001+0/RT-060 EEX ED IIC T6 IP66 correspond 8040/1280X-01L13SA02-01L08SA01 EX LOCAL CONTROL BOX                               | <a href="#">Open Product RFQ Page</a> |
| 8040/1280-726                       | 8040/1280-726 Control and signalling station   | <a href="#">Open Product RFQ Page</a> |
| 8040/1280X-01L13SA02-01L08SA01      | 8040/1280X-01L13SA02-01L08SA01   | <a href="#">Open Product RFQ Page</a> |

| Part Number                                | Product Description  | Live RFQ Link                         |
|--|--|---------------------------------------|
| 8040/1280Z-40XXXX N99                      | 8040/1280Z-40XXXXN99   | <a href="#">Open Product RFQ Page</a> |
| 8040/13                                    | 8040/13 PTB 01ATEX1105 50/1 A Circuit breaker  | <a href="#">Open Product RFQ Page</a> |
| 8040/1380-731-OF-0-ON-160+38               | 8040/1380-731-OF-0-ON-160+38 old code, new code 8040/1180Z-31G99SF20   | <a href="#">Open Product RFQ Page</a> |
| 8040/1380X-54C06X XXX-23D01BA05-09 XXXBA05 | 8040/1380X-54C06XXXX-23D01BA05-09XXXBA05 - alternative 8040/1390X-23D01SA05-09XXXSA05 Control device system Series ConSig 8040 explosion-protected | <a href="#">Open Product RFQ Page</a> |
| 8040/1390X-23D01SA05-09XXXSA05             | 8040/1390X-23D01SA05-09XXXSA05   | <a href="#">Open Product RFQ Page</a> |
| 8060/1-1-AR                                | 8060/1-1-AR Positionsschalter  | <a href="#">Open Product RFQ Page</a> |
| 8060/1-1-R                                 | 8060/1-1-R POSITION SWITCH   | <a href="#">Open Product RFQ Page</a> |
| 8060/1-1-V                                 | 8060/1-1-V Original Spare Part   | <a href="#">Open Product RFQ Page</a> |
| 8060/1-2-F                                 | 8060/1-2-F Original Spare Part   | <a href="#">Open Product RFQ Page</a> |
| 8060/1-3-R                                 | 8060/1-3-R Obsolete!! Replaced by 8060/2-3-D-60 Limit switch   | <a href="#">Open Product RFQ Page</a> |
| 8060/2-1-D-60.                             | 8060/2-1-D-60.   | <a href="#">Open Product RFQ Page</a> |
| 8060/2-3-D-                                | 8060/2-3-D- 60   | <a href="#">Open Product RFQ Page</a> |
| 8064/21                                    | 8064/21 obsolete   | <a href="#">Open Product RFQ Page</a> |
| 8064/21-120-30-000                         | 8064/21-120-30-000 obsolete Micro limit switch explosion-protected   | <a href="#">Open Product RFQ Page</a> |
| 8064/21-330-30-163                         | 8064/21-330-30-163 Micro limit switch  | <a href="#">Open Product RFQ Page</a> |
| 8074/1-1-S                                 | 8074/1-1-S   | <a href="#">Open Product RFQ Page</a> |
| 8080/1-2                                   | 8080/1-2   | <a href="#">Open Product RFQ Page</a> |
| 8082.                                      | 8082. THREE-POSITION SELECTOR FOR CONTROL ROOM   | <a href="#">Open Product RFQ Page</a> |
| 8082/1-1-00                                | 8082/1-1-00 Kontaktelement   | <a href="#">Open Product RFQ Page</a> |
| 8102/21-32                                 | 8102/21-32   | <a href="#">Open Product RFQ Page</a> |
| 8102/21-32-C995                            | 8102/21-32-C995  | <a href="#">Open Product RFQ Page</a> |
| 8118/121-805                               | 8118/121-805   | <a href="#">Open Product RFQ Page</a> |
| 8118/122                                   | 8118/122 limit switch  | <a href="#">Open Product RFQ Page</a> |
| 8118/131-814                               | 8118/131-814   | <a href="#">Open Product RFQ Page</a> |
| 8118/222-199                               | 8118/222-199 Therminal box Exi   | <a href="#">Open Product RFQ Page</a> |
| 8125/1051-2                                | 8125/1051-2 Art.Nr.134694, Klemmenkästen Bemessungsbetriebsspannung: bis 1000 V  | <a href="#">Open Product RFQ Page</a> |
| 8125/1063-1                                | 8125/1063-1 (134701) Terminal box Ex e   | <a href="#">Open Product RFQ Page</a> |
| 8125/1073-2                                | 8125/1073-2 Art. Nr.134710, Klemmenkästen Bemessungsbetriebsspannung: bis 1000 V   | <a href="#">Open Product RFQ Page</a> |

| Part Number               | Product Description  | Live RFQ Link                         |
|---------------------------|--|---------------------------------------|
| 8125/1083-2               | 8125/1083-2 Art.Nr.134718, Klemmenkästen Bemessungsbetriebsspannung: bis 1000 V  | <a href="#">Open Product RFQ Page</a> |
| 8125/5073.2A              | 8125/5073.2A Original Spare Part   | <a href="#">Open Product RFQ Page</a> |
| 8146/.052                 | 8146/.052 Terminal box   | <a href="#">Open Product RFQ Page</a> |
| 8146/1000-C923            | 8146/1000-C923 (136158) Terminal box Ex e  | <a href="#">Open Product RFQ Page</a> |
| 8146/2061                 | 8146/2061 Terminal box Ex i  | <a href="#">Open Product RFQ Page</a> |
| 8146/5041-3A              | 8146/5041-3A SWITCH,LOCAL HAND,8146/5041-3A,R-STAHL  | <a href="#">Open Product RFQ Page</a> |
| 8146/5051                 | 8146/5051 Original Spare Part  | <a href="#">Open Product RFQ Page</a> |
| 8146/5052-C796            | 8146/5052-C796   | <a href="#">Open Product RFQ Page</a> |
| 8146/5052/C7961           | 8146/5052/C7961 - obsolete replaced by 8146/5052-C796  | <a href="#">Open Product RFQ Page</a> |
| 8146/5061                 | 8146/5061 Control box Type   | <a href="#">Open Product RFQ Page</a> |
| 8146/5073                 | 8146/5073 Original Spare Part  | <a href="#">Open Product RFQ Page</a> |
| 8146/5083                 | 8146/5083 BATTERY ISOLATION SWITCH CONSTRUCTION ACC. TO: IEC/EN 60079-0, 60079-1, 60079-7 GAS EXPLOSION PROTECTION: E II 2G EX DE IICT6 ENCLOSURE MATE | <a href="#">Open Product RFQ Page</a> |
| 8146/5-V37-301-50-1090-9  | 8146/5-V37-301-50-1090-9 Sicherheitsschalter   | <a href="#">Open Product RFQ Page</a> |
| 8146/5-V37-304-50-1010    | 8146/5-V37-304-50-1010 Sicherheitsschalter   | <a href="#">Open Product RFQ Page</a> |
| 8146/5-V37-304-50-1090-9  | 8146/5-V37-304-50-1090-9 Sicherheitsschalter   | <a href="#">Open Product RFQ Page</a> |
| 8146/5-V37-305-51-1090-K  | 8146/5-V37-305-51-1090-K Sicherheitsschalter   | <a href="#">Open Product RFQ Page</a> |
| 8146/5-V37-306-51-1090-K  | 8146/5-V37-306-51-1090-K Sicherheitsschalter   | <a href="#">Open Product RFQ Page</a> |
| 8146/5-V37-308-51-1090-K  | 8146/5-V37-308-51-1090-K Sicherheitsschalter   | <a href="#">Open Product RFQ Page</a> |
| 8146/5-V37-604-60-1090-9  | 8146/5-V37-604-60-1090-9 Sicherheitsschalter   | <a href="#">Open Product RFQ Page</a> |
| 8146/5-V37-605-51-1090-K  | 8146/5-V37-605-51-1090-K Sicherheitsschalter   | <a href="#">Open Product RFQ Page</a> |
| 8146606660                | 8146606660 ISOLATOR,LOAD BREAK   | <a href="#">Open Product RFQ Page</a> |
| 8150/1-0236-0176-091-3311 | 8150/1-0236-0176-091-3311 Terminal box Ex e  | <a href="#">Open Product RFQ Page</a> |
| 8161/7-M12-0603           | 8161/7-M12-0603  | <a href="#">Open Product RFQ Page</a> |
| 8161/7-M16-0902           | 8161/7-M16-0902 Cable gland  | <a href="#">Open Product RFQ Page</a> |
| 8161/7-M16-0905           | 8161/7-M16-0905  | <a href="#">Open Product RFQ Page</a> |
| 8161/7-M20-1304           | 8161/7-M20-1304  | <a href="#">Open Product RFQ Page</a> |

| Part Number          | Product Description  | Live RFQ Link                         |
|----------------------|--|---------------------------------------|
| 8161/7-M20-1307      | 8161/7-M20-1307  | <a href="#">Open Product RFQ Page</a> |
| 8161/7-M25-1707      | 8161/7-M25-1707 Cable Gland  | <a href="#">Open Product RFQ Page</a> |
| 8161/7-M25-1710      | 8161/7-M25-1710  | <a href="#">Open Product RFQ Page</a> |
| 8161/7-M32-2113      | 8161/7-M32-2113  | <a href="#">Open Product RFQ Page</a> |
| 8163/2-20S-A2F-M20   | 8163/2-20S-A2F-M20 Kabeleinführung                                       | <a href="#">Open Product RFQ Page</a> |
| 8166/11-01-NE        | 8166/11-01-NE (139082) Conduit Hub 1/2 inch NPT with O-ring and earthing | <a href="#">Open Product RFQ Page</a> |
| 8290/3-M16           | 8290/3-M16   | <a href="#">Open Product RFQ Page</a> |
| 8290/3-M20           | 8290/3-M20   | <a href="#">Open Product RFQ Page</a> |
| 8290/3-M25           | 8290/3-M25   | <a href="#">Open Product RFQ Page</a> |
| 8290/3-M32           | 8290/3-M32   | <a href="#">Open Product RFQ Page</a> |
| 8292/12-BS-M20x1,5   | 8292/12-BS-M20x1,5 Verschlussstopfen                                     | <a href="#">Open Product RFQ Page</a> |
| 8405/2-0,02/0,04-.   | 8405/2-0,02/0,04- ( 8402A)   | <a href="#">Open Product RFQ Page</a> |
| 8431/1-8             | 8431/1-8 Heater Controller   | <a href="#">Open Product RFQ Page</a> |
| 8455/4-4,7kOhm-0/10  | 8455/4-4,7kOhm-0/10 Potentiometer für Schalttafeleinbau                  | <a href="#">Open Product RFQ Page</a> |
| 8455/4-4,7kOhm-0/100 | 8455/4-4,7kOhm-0/100 Potentiometer für Schalttafeleinbau                 | <a href="#">Open Product RFQ Page</a> |
| 8510/111-09-S05      | 8510/111-09-S05  | <a href="#">Open Product RFQ Page</a> |
| 8510/112-07-109-011  | 8510/112-07-109-011  | <a href="#">Open Product RFQ Page</a> |
| 8510/122-03-336-210  | 8510/122-03-336-210  | <a href="#">Open Product RFQ Page</a> |
| 8510/122-03-436-210  | 8510/122-03-436-210  | <a href="#">Open Product RFQ Page</a> |
| 8510/122-05-235-120  | 8510/122-05-235-120  | <a href="#">Open Product RFQ Page</a> |
| 8510/131-02-103-224  | 8510/131-02-103-224  | <a href="#">Open Product RFQ Page</a> |
| 8510/132-09-S50      | 8510/132-09-S50  | <a href="#">Open Product RFQ Page</a> |
| 8510/141-03-11-030   | 8510/141-03-11-030   | <a href="#">Open Product RFQ Page</a> |
| 8510/141-03-11-040   | 8510/141-03-11-040   | <a href="#">Open Product RFQ Page</a> |
| 8510/141-03-60-..0   | 8510/141-03-60-..0   | <a href="#">Open Product RFQ Page</a> |
| 8510/141-03-604-210  | 8510/141-03-604-210  | <a href="#">Open Product RFQ Page</a> |
| 8510/141-03-606-210  | 8510/141-03-606-210  | <a href="#">Open Product RFQ Page</a> |
| 8523/81-09-107       | 8523/81-09-107 Leistungsschalter für den Motorschutz                     | <a href="#">Open Product RFQ Page</a> |
| 8523/81-14-107       | 8523/81-14-107   | <a href="#">Open Product RFQ Page</a> |
| 8537/2-703-7001      | 8537/2-703-7001 replaced by 8146/5-V37-304-50-1010 Safety Switch 25A     | <a href="#">Open Product RFQ Page</a> |
| 8543/2               | 8543/2 Obsolete!! Replaced by 8544/1-41                                  | <a href="#">Open Product RFQ Page</a> |
| 8544/1-41            | 8544/1-41 (167240)   | <a href="#">Open Product RFQ Page</a> |

| Part Number      | Product Description  | Live RFQ Link                         |
|------------------|--|---------------------------------------|
| 8548/2           | 8548/2   | <a href="#">Open Product RFQ Page</a> |
| 8548.2.006.000   | 8548.2.006.000 144/006 Motor Switch  | <a href="#">Open Product RFQ Page</a> |
| 8560/51-4252     | 8560/51-4252 Fuse Links  | <a href="#">Open Product RFQ Page</a> |
| 8561/02-12       | 8561/02-12 Sicherungselement explosionsgeschützt   | <a href="#">Open Product RFQ Page</a> |
| 8562/52-2010-060 | 8562/52-2010-060 Leitungsschutzschalter  | <a href="#">Open Product RFQ Page</a> |
| 8562/53-3040-160 | 8562/53-3040-160 (215052)  | <a href="#">Open Product RFQ Page</a> |
| 8562/54-2050-160 | 8562/54-2050-160 Fehlerstrom Leitungsschutzschalter  | <a href="#">Open Product RFQ Page</a> |
| 8562/54-2070-060 | 8562/54-2070-060   | <a href="#">Open Product RFQ Page</a> |
| 8562/54-2070-200 | 8562/54-2070-200   | <a href="#">Open Product RFQ Page</a> |
| 8562/54-2070-320 | 8562/54-2070-320   | <a href="#">Open Product RFQ Page</a> |
| 8570/11-         | 8570/11- 306   | <a href="#">Open Product RFQ Page</a> |
| 8570/11-304      | 8570/11-304 Socket, 110V, 2P+E EX 3 POLE, 4 H, 100-130V, 50/60 HZ, 16 A CABLE ENTRY 1 NO. M25 CERTIFIED TO:EEXDE IIC T6 IP RATING 1P 65 Model: 8570/11 | <a href="#">Open Product RFQ Page</a> |
| 8570/12-         | 8570/12- 306   | <a href="#">Open Product RFQ Page</a> |
| 8570/12-304      | 8570/12-304  | <a href="#">Open Product RFQ Page</a> |
| 8570/12-306      | 8570/12-306 Original Spare Part  | <a href="#">Open Product RFQ Page</a> |
| 8570/12-506      | 8570/12-506 Stecker  | <a href="#">Open Product RFQ Page</a> |
| 8570/15-306      | 8570/15-306 Original Spare Part  | <a href="#">Open Product RFQ Page</a> |
| 8571/11-506      | 8571/11-506 POWER POINT  | <a href="#">Open Product RFQ Page</a> |
| 8571/12-506      | 8571/12-506 Plug   | <a href="#">Open Product RFQ Page</a> |
| 8579/12-506      | 8579/12-506  | <a href="#">Open Product RFQ Page</a> |
| 8579/12-507      | 8579/12-507 Stecker  | <a href="#">Open Product RFQ Page</a> |
| 8579/31-406      | 8579/31-406 Heavy Duty Weatherproof Interlocking Switch  | <a href="#">Open Product RFQ Page</a> |
| 8579/31-506      | 8579/31-506  | <a href="#">Open Product RFQ Page</a> |
| 8591/471-10-3002 | 8591/471-10-3002 Ex Plug Connector miniCLIX Series 8591  | <a href="#">Open Product RFQ Page</a> |
| 8591/481-10-3000 | 8591/481-10-3000 miniClix Plug Connector type 8591   | <a href="#">Open Product RFQ Page</a> |
| 8602802160AB     | 8602802160AB HANDLE, ROTARY  | <a href="#">Open Product RFQ Page</a> |
| 8602A0001-1      | 8602A0001-1  | <a href="#">Open Product RFQ Page</a> |
| 8602A0010-1-S    | 8602A0010-1-S  | <a href="#">Open Product RFQ Page</a> |
| 8602A0054-1-BI   | 8602A0054-1-BI Lenses for LED Indicator Lamp   | <a href="#">Open Product RFQ Page</a> |
| 8602A0054-1-GE   | 8602A0054-1-GE Lenses for LED Indicator Lamp   | <a href="#">Open Product RFQ Page</a> |
| 8602A0054-1-GN   | 8602A0054-1-GN Lenses for LED Indicator Lamp   | <a href="#">Open Product RFQ Page</a> |
| 8602A0054-1-RT   | 8602A0054-1-RT Lenses for LED Indicator Lamp   | <a href="#">Open Product RFQ Page</a> |

| Part Number           | Product Description  | Live RFQ Link                         |
|-----------------------|--|---------------------------------------|
| 8602A0054-1-WS        | 8602A0054-1-WS Lenses for LED Indicator Lamp   | <a href="#">Open Product RFQ Page</a> |
| 9001/01-252-060-141   | 9001/01-252-060-141 safety barrier 1-channel   | <a href="#">Open Product RFQ Page</a> |
| 9002/13-200-093-001   | 9002/13-200-093-001 electric protection  | <a href="#">Open Product RFQ Page</a> |
| 9103/13-22-11         | 9103/13-22-11 obsolete, replaced by 9160/13-11-10s Single-Channel Safety Barriers        | <a href="#">Open Product RFQ Page</a> |
| 9118/11-11-10         | 9118/11-11-10 mA Isolating Repeater  | <a href="#">Open Product RFQ Page</a> |
| 9118/12-11-10         | 9118/12-11-10 obsolete replaced by 9165/16-11-10s Galvanic Isolator                      | <a href="#">Open Product RFQ Page</a> |
| 9150/20-11-10         | 9150/20-11-10 obsolete replaced by 9170/21-11-11s Galvanic Isolator                      | <a href="#">Open Product RFQ Page</a> |
| 9160/13-10-11         | 9160/13-10-11 ISOLATOR   | <a href="#">Open Product RFQ Page</a> |
| 9160/13-11-10s        | 9160/13-11-10s Messumformerspeisegerät   | <a href="#">Open Product RFQ Page</a> |
| 9165/16-11-10s        | 9165/16-11-10s Trennübertrager   | <a href="#">Open Product RFQ Page</a> |
| 9170                  | 9170   | <a href="#">Open Product RFQ Page</a> |
| 9170/10-12-21S        | 9170/10-12-21S replaced by 9170/11-12-21s REPEATER                                       | <a href="#">Open Product RFQ Page</a> |
| 9170/11-12-21s        | 9170/11-12-21s   | <a href="#">Open Product RFQ Page</a> |
| 9170/21-11-11s        | 9170/21-11-11s Schaltverstärker  | <a href="#">Open Product RFQ Page</a> |
| 9172/21-11-00s        | 9172/21-11-00s   | <a href="#">Open Product RFQ Page</a> |
| 9182/10-51-11         | 9182/10-51-11  | <a href="#">Open Product RFQ Page</a> |
| 9185/11-35-10s        | 9185/11-35-10s Fieldbus Isolating repeater   | <a href="#">Open Product RFQ Page</a> |
| 9185/12-45-10s        | 9185/12-45-10s Fieldbus Isolating Repeater   | <a href="#">Open Product RFQ Page</a> |
| 9250/01-60            | 9250/01-60 - OBSOLETE, FOLLOWING MODEL 9170/10-12-21S relay                              | <a href="#">Open Product RFQ Page</a> |
| 9350/10-11/10         | 9350/10-11/10 obsolete no repl Switching repeater  | <a href="#">Open Product RFQ Page</a> |
| 9411/21-210-41        | 9411/21-210-41 Feldbustechnik ISbus  | <a href="#">Open Product RFQ Page</a> |
| 9440/12-01-11         | 9440/12-01-11 - obsolete, replaced by 9440/22-01-11-C1243 CPM DPV1 Z1 CPU / power supply | <a href="#">Open Product RFQ Page</a> |
| 9440/12-01-11(162242) | 9440/12-01-11(162242) module CPU & Power   | <a href="#">Open Product RFQ Page</a> |
| 9440/15-01-11-C1198   | 9440/15-01-11-C1198 CPU & power module   | <a href="#">Open Product RFQ Page</a> |
| 9440/15-01-11-C1243   | 9440/15-01-11-C1243  | <a href="#">Open Product RFQ Page</a> |
| 9440/22-01-11(162227) | 9440/22-01-11(162227) CPU & Powe module  | <a href="#">Open Product RFQ Page</a> |
| 9440/22-01-11-C1243   | 9440/22-01-11-C1243 CPM DPV1 Z1 Power Module   | <a href="#">Open Product RFQ Page</a> |
| 9460/12-08-11         | 9460/12-08-11  | <a href="#">Open Product RFQ Page</a> |
| 9460/12-08-11(168660) | 9460/12-08-11(168660) digital module   | <a href="#">Open Product RFQ Page</a> |

| Part Number           | Product Description   | Live RFQ Link         |
|-----------------------|---|-----------------------|
| 9461/12-08-11(168665) | 9461/12-08-11(168665) analog module   | Open Product RFQ Page |
| 9465/12-08-11         | 9465/12-08-11   | Open Product RFQ Page |
| 9465/12-08-11(168668) | 9465/12-08-11(168668) module  | Open Product RFQ Page |
| 9468/33-08-10         | 9468/33-08-10 Analog Universal Modul HART   | Open Product RFQ Page |
| 9470/22-16-11         | 9470/22-16-11   | Open Product RFQ Page |
| 9470/22-16-11(168682) | 9470/22-16-11(168682) digital module  | Open Product RFQ Page |
| 9475/12-04-21(168734) | 9475/12-04-21(168734) Remote I/O IS1 Digital Output Module explosion-protected Type : 9475/12-04-21 Version : 4 channels Application range (Zone) : 1 | Open Product RFQ Page |
| 9475/12-08-51(168687) | 9475/12-08-51(168687) relay   | Open Product RFQ Page |
| 9475/12-08-61         | 9475/12-08-61 Original Spare Part   | Open Product RFQ Page |
| 9475/12-08-61(168688) | 9475/12-08-61(168688) analog module   | Open Product RFQ Page |
| 9477/12-08-12(162627) | 9477/12-08-12(162627) relay   | Open Product RFQ Page |
| 9477/15-08-12         | 9477/15-08-12 Digital Output Modul Relais   | Open Product RFQ Page |
| 9477/15-08-12(168694) | 9477/15-08-12(168694) digital relay   | Open Product RFQ Page |
| 9490002670            | 9490002670 Original Spare Part  | Open Product RFQ Page |
| 9490012670            | 9490012670 Original Spare Part  | Open Product RFQ Page |
| 9575/12-08-61         | 9575/12-08-61 not exist   | Open Product RFQ Page |
| AEAB-0002-6000        | AEAB-0002-6000 Bezel for indicating light (green)   | Open Product RFQ Page |
| AEAB-0002-7000        | AEAB-0002-7000 Bezel for indicating light (red)   | Open Product RFQ Page |
| Ballast               | Ballast Kit for EVG 2X18W   | Open Product RFQ Page |
| Bv.930                | Bv.930 obsolete Relay   | Open Product RFQ Page |
| Cable                 | Cable For SWH5302-063 ex  | Open Product RFQ Page |
| CBE                   | CBE 404015 Distribution Box   | Open Product RFQ Page |
| Circuit               | Circuit breaker for motor R.STAHL Type: 8527/22-■11--■0201 Original Spare Part  | Open Product RFQ Page |
| ConSig                | ConSig 8040 Type: 8040/2380Z-■54C06XXXX-■31F...F.. Control Station Equipped with: -3■position switch 8008; -white LED indicator 8010; -10.8■30VDC/■ w | Open Product RFQ Page |
| CONTROL               | CONTROL STATION SET   | Open Product RFQ Page |
| DXN6-2564017          | DXN6-2564017  | Open Product RFQ Page |
| ESband                | ESband PU 11 for STAHL K66/4 Hart size 2390 mm.(endless) width 20 mm belt   | Open Product RFQ Page |

| Part Number                 | Product Description  | Live RFQ Link                         |
|-----------------------------|--|---------------------------------------|
| Ex-proof                    | Ex-proof 8146/5041 Control Unit  | <a href="#">Open Product RFQ Page</a> |
| GE-S17,5.06                 | GE-S17,5.06 10025867 Gear Limit Switch   | <a href="#">Open Product RFQ Page</a> |
| Hotronix                    | Hotronix auto open clam 38 x 38 cm (Heat Press) Original Spare Part                  | <a href="#">Open Product RFQ Page</a> |
| HSG-MT-65-V4A               | HSG-MT-65-V4A Housing / Enclosure  | <a href="#">Open Product RFQ Page</a> |
| HUB,                        | HUB, NPT 1/2" 8166/11-01-NE m  | <a href="#">Open Product RFQ Page</a> |
| I/O                         | I/O IS1+ 9468/32-08-11   | <a href="#">Open Product RFQ Page</a> |
| M16x1,5                     | M16x1,5 4-9 Ex 8161/5-M16-9 obsolete, replaced by 8161/7-M16-0902 DISLI KABLO RAKORU | <a href="#">Open Product RFQ Page</a> |
| M25                         | M25 x 1.5 screw  | <a href="#">Open Product RFQ Page</a> |
| MAN:                        | MAN: KITO NOECP313 AC1 NOECP313 AC1 Motor  | <a href="#">Open Product RFQ Page</a> |
| MF10X106H189P85017D         | MF10X106H189P85017D MOTOR  | <a href="#">Open Product RFQ Page</a> |
| Model:                      | Model: 8570/11-306 plug  | <a href="#">Open Product RFQ Page</a> |
| MT-208-Tx-W00-DC-GL         | MT-208-Tx-W00-DC-GL Operator panel   | <a href="#">Open Product RFQ Page</a> |
| MT-65-RS422-MPI             | MT-65-RS422-MPI Operator panel   | <a href="#">Open Product RFQ Page</a> |
| Ord.nr:8040/1180X-10L07BA05 | Ord.nr:8040/1180X-10L07BA05 Mushroom Stay-put Button                                 | <a href="#">Open Product RFQ Page</a> |
| PN-8415/24-L-9              | PN-8415/24-L-9 obsolete alternative 8013/311-AI Green traffic sign                   | <a href="#">Open Product RFQ Page</a> |
| PN-8415/24-R-9              | PN-8415/24-R-9 obsolete alternative 8013/311-AI Signalman red                        | <a href="#">Open Product RFQ Page</a> |
| PTB                         | PTB 97 ATEX 1076 U electronic ballast  | <a href="#">Open Product RFQ Page</a> |
| PTB01                       | PTB01 ATEX 1129 SWITCH,CONTROL,MOTOR FOR YOHO YP IGC VENT FAN ENCLOSURE              | <a href="#">Open Product RFQ Page</a> |
| ROPE                        | ROPE GUIDE For:SH 4012-9-3/3-3L3   | <a href="#">Open Product RFQ Page</a> |
| SH                          | SH 4012-20 4/1 12  | <a href="#">Open Product RFQ Page</a> |
| SH40129333L3                | SH40129333L3 REDUCER   | <a href="#">Open Product RFQ Page</a> |
| SLE21                       | SLE21  | <a href="#">Open Product RFQ Page</a> |
| ST                          | ST 0502-8/2 2/1  | <a href="#">Open Product RFQ Page</a> |
| STH                         | STH 2209-00  | <a href="#">Open Product RFQ Page</a> |
| SWH5302-063                 | SWH5302-063 ex .   | <a href="#">Open Product RFQ Page</a> |
| Typ                         | Typ : 6001/522-9513-25-131 Langfeldleuchte für Leuchtstofflampen                     | <a href="#">Open Product RFQ Page</a> |
| Type                        | Type 8562/52-5030-010, Art N: 149824 Circuit breaker                                 | <a href="#">Open Product RFQ Page</a> |
| YL5                         | YL5 Alarm  | <a href="#">Open Product RFQ Page</a> |
| YL50/D50/R/RF/UL            | YL50/D50/R/RF/UL Original Spare Part   | <a href="#">Open Product RFQ Page</a> |

**Axiparts Offices**

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten Pl #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates