

Schischek Industrial Parts Catalog

Axiparts Global Industrial RFQ Platform

Email: info@axiparts.com

Website: <https://axiparts.com>

Premium RFQ catalog for Schischek industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

Brand: Schischek

Listed Products in This PDF: 95

Catalog URL: <https://axiparts.com/catalogs/brands/schischek.pdf>

Part Number	Product Description	Live RFQ Link
050.2000	050.2000 EXL-IRU-1 Ex - i - Schaltverstärker für passive brückung. 24 VAC/DC, Gehäuse	Open Product RFQ Page
050.3000	050.3000 EXL-IMU-1 EEx-i-Universal Messumformer.	Open Product RFQ Page
055.3035	055.3035 ExBin-P500-2 Differential pressure alarm Original Spare Part	Open Product RFQ Page
055.4030	055.4030 RedBin-P-5000 El.ex-geschützter Diff.-Druck Wächter,0-	Open Product RFQ Page
056.4010	056.4010 RedCos-P-500 EEx-Sensor für Diff-Druck (ATEX)	Open Product RFQ Page
056.4015	056.4015 RedCos-P-1250 EEx-Sensor für Diff-Druck (ATEX)	Open Product RFQ Page
056.4040	056.4040 RedCos-D EEx-Messumformer für °C und %rF (ATEX)	Open Product RFQ Page
057.1020	057.1020 TFFR-2G Raum - Feuchtesensor 0...1 kOhm und Medium Luft,	Open Product RFQ Page
057.1030	057.1030 TFFK-2G Kanal - Feuchtesensor 0...1 kOhm und	Open Product RFQ Page
057.1302	057.1302 DBK-2G-100-1000 Differenzdruckschalter.	Open Product RFQ Page
057.1910	057.1910 Installation-Kit-2-Cos	Open Product RFQ Page
057.6040	057.6040 ExPro-CTF-50 Temperatur-/Feuchtesensor steckbar,f.	Open Product RFQ Page
057.6055	057.6055 ExPro-CTF-200 Temperatur-/Feuchtesensor steckbar,f.	Open Product RFQ Page
5.10-YF	5.10-YF	Open Product RFQ Page
BETAFLAM	BETAFLAM 145 Safety Temperature Limiter	Open Product RFQ Page
CLT	CLT 22 Explosion Proof Clean Room Tube Light Fixture	Open Product RFQ Page
CTF-50	CTF-50 ExPro	Open Product RFQ Page
ExBin-FR6	ExBin-FR6 / 055.3005 El.ex-geschützter Frostschutzthermostat, 6m Kapillare, 24VAC/DC,IP66,-5 bis +15°C, Ausgang 1 Kontakt, Zone 1,2,21,22,ATEX 94/9/EG	Open Product RFQ Page
ExBin-P-500	ExBin-P-500 / 055.3020 El.ex-geschützter Diff.-Druck Wächter,0- 500Pa, 24VAC/DC,IP66,Display,1-stufig, Ausgang 1 Kontakt, Zone 1,2,21,22,ATEX 94/9/EG*	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
EXBOX-3P	EXBOX-3P / 090.5000 (EEx e Klemmkasten II2G/II2D EEx e IIC T6)	Open Product RFQ Page
ExCos-D	ExCos-D Original Spare Part	Open Product RFQ Page
ExCos-P	ExCos-P Temperature and humidity meter	Open Product RFQ Page
ExCos-P100	ExCos-P100 Pressure Sensor	Open Product RFQ Page
ExCos-P-1250	ExCos-P-1250	Open Product RFQ Page
EXCOS-P-500	EXCOS-P-500 / 056.3010 Explosion proof differential pressure sensor + / 500 Pa, 24VAC/DC, Output 0-10VDC, 4-20mA, IP66, display, Zone 1,2,21,22, ATEX	Open Product RFQ Page
EXC-T1	EXC-T1 / 065.5000 1NO+24VAC lamp LAMP START BUTTON	Open Product RFQ Page
EXL-IMU-1	EXL-IMU-1 Original Spare Part	Open Product RFQ Page
EXL-IRU-1	EXL-IRU-1 / 050.2000 Ex - i - Schaltverstärker für passive Sensoren	Open Product RFQ Page
EXM-2000	EXM-2000 Ex Holding magnet 2000N	Open Product RFQ Page
EXM-650	EXM-650 / 060.1010 Elektrischer, explosionsgeschützter Haftmagnet 650 N, 24 VDC (stabilisierte Spannung mit max. 20% Restwelligkeit) Inenn = 44 mA, 1	Open Product RFQ Page
ExMax-15.30	ExMax-15.30 Original Spare Part	Open Product RFQ Page
EXMAX-15-F	EXMAX-15-F / 090.1030 Elektrischer ex-geschuetzter Drehantrieb (ATEX) 15 Nm, 93 grad, 24... 230 VAC/DC Auf/Zu, 3-Pkt., Laufzeit 3/15/30/60/120 Sek./93	Open Product RFQ Page
ExMax-50-SF3	ExMax-50-SF3 ExMax-...-F3 Baugröße M mit Federrücklauf	Open Product RFQ Page
EXMAX-5.10	EXMAX-5.10 / 090.1000 Explosionsgeschützter elektrischer Drehantrieb. PTBzertifiziert nach ATEX Richtlinie 94/9/EG, höchste Schutzklasse, alle Gase, N	Open Product RFQ Page
ExMax-5.10-BF	ExMax-5.10-BF / 090.1055 Elektrischer Ex-Brandschutzantrieb	Open Product RFQ Page
EXMAX-5.10-YF	EXMAX-5.10-YF .Elektrischer ex-geschützter Drehantrieb	Open Product RFQ Page
ExMax-8-SF1	ExMax-8-SF1	Open Product RFQ Page
ExPro-BTF-50	ExPro-BTF-50 / 057.8040 Temperatur-/Feuchtesensor steckbar,f.	Open Product RFQ Page
EXPRO-CF-200	EXPRO-CF-200 Feuchtesensor steckbar, passend für ExCos-D o. RedCos-D, 0 bis 100 %rF, 200 mm, Raum- o. Kanalanwendung, Einbauort Zone 1,2,21,22*	Open Product RFQ Page
ExPro-CTF-100	ExPro-CTF-100 Original Spare Part	Open Product RFQ Page
EXPRO-CTF-200	EXPRO-CTF-200 / 057.6055 Temperatur-/Feuchtesensor steckbar,f. ExCos-D o. RedCos-D,-40 bis +125°C,0 bis 100%rF 200 mm, Raum- o. Kanal, Einbauort Zone	Open Product RFQ Page
ExPro-CTF-50	ExPro-CTF-50 Sensor	Open Product RFQ Page
ExPro-TT-72	ExPro-TT-72	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
ExRun-25.50-Y	ExRun-25.50-Y	Open Product RFQ Page
EXSWITCH	EXSWITCH Original Spare Part	Open Product RFQ Page
HV-SK	HV-SK Original Spare Part	Open Product RFQ Page
InBin-P-5000	InBin-P-5000	Open Product RFQ Page
InBox-BF	InBox-BF Klemmenkasten für InMax-...-BF	Open Product RFQ Page
InBox-BF-CT	InBox-BF-CT / 090.5630 InBox-BF-CT	Open Product RFQ Page
InBox-BF-CT-MKKM	InBox-BF-CT-MKKM Junction box for electric closing actuator	Open Product RFQ Page
InBox-Y/S	InBox-Y/S Klemmkasten für Max-...-Y or -S	Open Product RFQ Page
InCos-D	InCos-D Temperature/Humidity Transducer	Open Product RFQ Page
InCos-P-500	InCos-P-500 Elektrischer Differenzdrucksensor	Open Product RFQ Page
Inmax	Inmax -5,10-SF	Open Product RFQ Page
INMAX-15.30	INMAX-15.30 Drehantrieb 95°, 24-230VAC/DC,15 o.30 Nm, Auf-Zu, 3-Pkt, IP66, 3-120 Sek,	Open Product RFQ Page
InMax-15.30-Y	InMax-15.30-Y / 090.1315 Drehantrieb 95°	Open Product RFQ Page
InMax-15-BF-CTS	InMax-15-BF-CTS Electric closing vent actuator	Open Product RFQ Page
InMax-15-SF1	InMax-15-SF1 / 090.1339 Drehantrieb 95°,24-230VAC/DC, 15 Nm,	Open Product RFQ Page
InMax-30-BF	InMax-30-BF Electrical rotary actuator	Open Product RFQ Page
InMax-30-BF-CTM	InMax-30-BF-CTM Electric closing vent actuator	Open Product RFQ Page
INMAX-5.10-BF	INMAX-5.10-BF / 090.1355 Actuator for HVAC dampers Voltage: 24...230 Vac/Dc Motor 3/15/30/60/120 sec Spring return 3 to 10 sec:5nm/10nm:10..80 w Motor	Open Product RFQ Page
InPro-CT-100	InPro-CT-100 Temp sensor	Open Product RFQ Page
InPro-TT-72	InPro-TT-72 Temperature trigger 72C for InMax-...-BF	Open Product RFQ Page
Install	Install Kit 2	Open Product RFQ Page
Installation	Installation Kit 1.6	Open Product RFQ Page
Installation-Kit-1.6	Installation-Kit-1.6 - Bin-FR6 / 057.9002 Kapillarrohrdurchführung für Luftkanäle, mit 8 Montageklammern und -bügel	Open Product RFQ Page
INSTALLATION-KIT-2-COS/	INSTALLATION-KIT-2-COS/ BIN-P / 057.1910 2 pieces just plastic Connection nipple, 2 m PVC hose, inside and out smooth, shore hardness 75 ° A. Temperat	Open Product RFQ Page
INSTALLATION-KIT-2-COS-BIN	INSTALLATION-KIT-2-COS-BIN Installation-Kit-2-Cos-Bin	Open Product RFQ Page
Installationskit	Installationskit Original Spare Part	Open Product RFQ Page
Install-Kit	Install-Kit 1.6	Open Product RFQ Page
Install-Kit2	Install-Kit2	Open Product RFQ Page
InSwitch-CT	InSwitch-CT Junction box for electric closing actuator	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
InSwitch-Max-S-M-CT	InSwitch-Max-S-M-CT / 090.3160 Externer nachrüstbarer Hilfsschalter	Open Product RFQ Page
KB-S	KB-S Klemmbock für runde Klappenachsen-Optional	Open Product RFQ Page
Kupplung	Kupplung für InRun 25.50-Y	Open Product RFQ Page
MKK-M	MKK-M Montagekonsole für Max-Antriebe der Größe M	Open Product RFQ Page
MKK-M-VA	MKK-M-VA / 090.3036 Montagekonsole für VA Klemmenkasten	Open Product RFQ Page
MKK-S	MKK-S Montagekonsole für Antriebe der Baugröße S-Optional	Open Product RFQ Page
RedBin-FR6	RedBin-FR6	Open Product RFQ Page
RedBox-Y/S	RedBox-Y/S Ex Klemmenkasten.-Optional	Open Product RFQ Page
RedCos-P-1250	RedCos-P-1250 Original Spare Part	Open Product RFQ Page
RedCos-P-500	RedCos-P-500 Original Spare Part	Open Product RFQ Page
REDMAX	REDMAX 5.10-Y ACTUATOR	Open Product RFQ Page
REDMAX-15.30-Y	REDMAX-15.30-Y ACTUATOR,EL 24VDC	Open Product RFQ Page
RedMax-15-SF	RedMax-15-SF / 090.1136 Elektrischer ex-geschützter Drehantrieb	Open Product RFQ Page
REDMAX-5.10	REDMAX-5.10 / 090.1100 (Elektrischer ex-geschützter Drehantrieb (ATEX) 5 oder 10 Nm einstellbar, 93°, 24... 230 VAC/DC, Auf/Zu, 3-Pkt., Laufzeit 3/15/	Open Product RFQ Page
RedMax-5.10-BF	RedMax-5.10-BF / 090.1155 Elektrischer Ex-Brandschutzantrieb	Open Product RFQ Page
RedMax-5.10-S	RedMax-5.10-S	Open Product RFQ Page
redrun	redrun - 5.10-Y valve	Open Product RFQ Page
Safety	Safety temperature limiter for ExMax-BF/RedMax-BF	Open Product RFQ Page
servo	servo motor for redrun - 5.10-Y servo motor	Open Product RFQ Page
TFFK-2G	TFFK-2G / 057.1030	Open Product RFQ Page
TFFR-2G	TFFR-2G 4..20mA ROOM TYPE, temperature and humidity sensor	Open Product RFQ Page
TFR-2G	TFR-2G Original Spare Part	Open Product RFQ Page
TFR-2G3D	TFR-2G3D Room Temperature Sensor	Open Product RFQ Page

Axiparts Offices

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten Pl #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates