

Simco Industrial Parts Catalog

Axiparts Global Industrial RFQ Platform

Email: info@axiparts.com

Website: <https://axiparts.com>

Premium RFQ catalog for Simco industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

Brand: Simco

Listed Products in This PDF: 91

Catalog URL: <https://axiparts.com/catalogs/brands/simco.pdf>

Part Number	Product Description	Live RFQ Link
02.31.07.1284	02.31.07.1284 Sensor Bar IQ	Open Product RFQ Page
02.31.12.2049	02.31.12.2049 Sensor Bar IQ	Open Product RFQ Page
05.05.00.1003	05.05.00.1003 - ES-2J ES-2J with 3 m. metal shielded cable	Open Product RFQ Page
05.05.00.1006	05.05.00.1006 - ES-2J with 6 m. metal shielded cable	Open Product RFQ Page
05.06.20.	05.06.20. 0006	Open Product RFQ Page
05.06.20.0010	05.06.20.0010 05.06.20.0010 cobra static neutralizing gun with 12 m cable	Open Product RFQ Page
06.59.20.2000	06.59.20.2000 Benchtop Ionizer	Open Product RFQ Page
08.05.25.5700	08.05.25.5700	Open Product RFQ Page
08.05.25.7000	08.05.25.7000	Open Product RFQ Page
08.05.25.7900	08.05.25.7900 - A2A7BHR Power Unit	Open Product RFQ Page
09.30.07.6100	09.30.07.6100 PERFOMASTER	Open Product RFQ Page
09.32.80.0200	09.32.80.0200 Power K.CM LITE	Open Product RFQ Page
09.32.80.0210	09.32.80.0210 Cable	Open Product RFQ Page
09.71.90.4030	09.71.90.4030	Open Product RFQ Page
0985074000	0985074000 Simco-Ion CMM Easy	Open Product RFQ Page
10.30.00.0010	10.30.00.0010 Manager IQ Easy	Open Product RFQ Page
11020307	11020307 Aufladestab Typ HD-C aktive Länge 2300 mm totale Länge 2375 mm inkl. 8 m HS-Kabel mit PA-Schutzschlauch	Open Product RFQ Page
11020308	11020308 Aufladestab Typ HD-C aktive Länge 2250 mm totale Länge 2325 mm inkl. 14 m HS-Kabel mit PA-Schutzschlauch	Open Product RFQ Page
12010707	12010707 SIMCO-Ionensprühstab Type P-Sh-N Aktive Länge 229 mm Totale Länge 369 mm inkl. 3 m abg. HS-Kabel Ursprungsland: NL Nettogewicht: 1,2 kg	Open Product RFQ Page
12010766	12010766 TYP P-SH-N .,	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
12011403	12011403 SIMCO THUNDER ION ART NR: 1510001750 UNIT NR: 11240243 Uin: 24 VDC Imax: 0,7 A	Open Product RFQ Page
13040005	13040005 (SIMCO-Ionensprühpistole Typ Cobra Die Ionensprühpistole vom Typ Cobra eignet sich hervorragend für den härteren industriellen Einsatz. Sie h	Open Product RFQ Page
13040006	13040006 (SIMCO-Ionensprühpistole Typ Cobra Die Ionensprühpistole vom Typ Cobra eignet sich hervorragend für den härteren industriellen Einsatz. Sie h	Open Product RFQ Page
13200037	13200037 Kabelsatz 6 m abgeschirmt zu SIMCO-Ionensprühpistole Typ Cobra	Open Product RFQ Page
13200038	13200038 Kabelsatz 12 m abgeschirmt zu SIMCO-Ionensprühpistole Typ Cobra	Open Product RFQ Page
14-21570	14-21570 ION - Steckernetzteil Typ 14-21570 . prim. 230 V 50 Hz sek. 24 V AC inkl. IEC Netzzuleitung 230V Schuko Länge 2,5 m RJ11 Zuleitung zum Ionisi	Open Product RFQ Page
15.02.01.01.8100	15.02.01.01.8100	Open Product RFQ Page
17809.	17809. Original Spare Part	Open Product RFQ Page
23040001	23040001 (SIMCO-Ionensprühpistole Typ Cobra Die Ionensprühpistole vom Typ Cobra eignet sich hervorragend für den härteren industriellen Einsatz. Sie h	Open Product RFQ Page
23040002	23040002 (SIMCO-Ionensprühpistole Typ Cobra Die Ionensprühpistole vom Typ Cobra eignet sich hervorragend für den härteren industriellen Einsatz. Sie h	Open Product RFQ Page
25-R-1000	25-R-1000 Level Gauge	Open Product RFQ Page
29T1-1000	29T1-1000 Level Gauge	Open Product RFQ Page
32.31.00.0015	32.31.00.0015 Docking station Sensor bar	Open Product RFQ Page
32.31.00.0020	32.31.00.0020 Segment-unit for Sensor bar	Open Product RFQ Page
37-R-1000	37-R-1000 LEVEL GAUGE	Open Product RFQ Page
39.30.00.0200	39.30.00.0200 CONTROL KIT PERFOMASTER	Open Product RFQ Page
4002371	4002371 Dead End with cable	Open Product RFQ Page
4002997	4002997 Simco-Ion Power Supply G265	Open Product RFQ Page
4003007	4003007 Simc-Ion Cobra - 20' Cable	Open Product RFQ Page
4007005	4007005 Top Gun 3 Ionizing Blow-Off Gun	Open Product RFQ Page
400714801	400714801	Open Product RFQ Page
400916301	400916301 Valve	Open Product RFQ Page
4012474	4012474 LPS Power Supply	Open Product RFQ Page
4015703	4015703 obsolete replaced by 4016364 PerforMAX Static bar for 44" sheet	Open Product RFQ Page
4015707	4015707 obsolete replaced by 4016369 PerforMAX Static bar for 54" sheet	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
4016364	4016364 IQ EASY SPD-T STATIC BAR 1224MM (43.70X48.19IN)	Open Product RFQ Page
4016369	4016369 IQ EASY SPD-T STATIC BAR 1524MM (55.51X60.00IN)	Open Product RFQ Page
4050196	4050196 POWER SUPPLY	Open Product RFQ Page
4050658	4050658 perfomaster	Open Product RFQ Page
4050696	4050696 STBAR HD-C STR 1975X2050MM 3 METER CABLE	Open Product RFQ Page
4574	4574 obsolete replaced by FMX-004	Open Product RFQ Page
64-08.0525.7000	64-08.0525.7000 ALTERNAT■F ÜRÜN	Open Product RFQ Page
75.19.02.0365	75.19.02.0365 straight 5m for PERFORMASTER	Open Product RFQ Page
75.19.02.0392	75.19.02.0392 Cord device M12	Open Product RFQ Page
91-6115-	91-6115- NXFMR ION - Ionensprühpistole Typ 6115 AirForce 91-6115-NXFMR Ergonomisches Pistolengehäuse Wolfram Emitter mit Feinfilter in der Konsole, lo	Open Product RFQ Page
91-FMX-004	91-FMX-004 FMX-004 Digital Hand-Held Electrostatic Field Meter.	Open Product RFQ Page
A	A 2A5 G SIMCO-Netzteil 230 V / 50 Hz / 5 kV 2 x Geräteanschluß 5kV max. 2 COBRA Ionisierpistolen 1 x Hochspannungsanzeige 1 x Netzschalter mit Anzeige	Open Product RFQ Page
A1A7BHR	A1A7BHR 115 V Power Supply Unit	Open Product RFQ Page
A2A5G	A2A5G Simco-Ion Power Supply A2A5G	Open Product RFQ Page
A2A7BHR	A2A7BHR 230V 5-HZ 7KV Original Spare Part	Open Product RFQ Page
A2A7S	A2A7S 230v 50Hz 7 KV static electricity eliminator device	Open Product RFQ Page
A6C7S,ART.	A6C7S,ART. NR. : 08.05.60.7000 STATIC DEVICE, ■nput : 380-460 vac 50/60 hz. Autput : 7 kv	Open Product RFQ Page
AEROSTAT	AEROSTAT AS-10 Original Spare Part	Open Product RFQ Page
antistatic	antistatic for ■■■■ 60■ +60kV DC lenght 2250mm	Open Product RFQ Page
AS-10	AS-10 abg with 3-m high-voltage cable Motor 230V 50 Hz 0.23 A Working distance 50 - 1500 mm Working width 250 mm Optional air inlet filter Required po	Open Product RFQ Page
CHARGEMASTER	CHARGEMASTER VCM60-N STD DIS	Open Product RFQ Page
CM5	CM5 60 P HV generator,previous name was ECM 60 P	Open Product RFQ Page
DD-275	DD-275 liquid solids seperator	Open Product RFQ Page
DD-275/DL-275	DD-275/DL-275 Liquid / Solids Separator	Open Product RFQ Page
DL-275	DL-275 liquid solids seperator	Open Product RFQ Page
EL-10	EL-10 is obsolete, replacement by 09.30.07.6100	Open Product RFQ Page
ELECTRODE	ELECTRODE FOR A6C7S Electrode Height: 241 cm Cable length: 200 cm	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
EP-SH-N	EP-SH-N EFF.1791 MM/TOTAL 1921MM WIDTH 3 M	Open Product RFQ Page
FMX-002(discontinued)(replacement)FMX-004	FMX-002(discontinued)(replacement)FMX-004 static measurement device	Open Product RFQ Page
FMX-003	FMX-003 obsolete, replaced by FMX-004	Open Product RFQ Page
FMX-004	FMX-004 Electrostatic fieldmeter	Open Product RFQ Page
HD-C	HD-C PA-S 2050/2125MM 14MT Statik stick	Open Product RFQ Page
MEB	MEB antistatic bar 2210mm/2280mm bottom electrode	Open Product RFQ Page
PART	PART NO: 50422 obsolete, replaced by CHARGEMASTER VCM60-N STD DIS	Open Product RFQ Page
POWER	POWER 08.05.25.7000-A2A7S	Open Product RFQ Page
P-SH	P-SH THE UPPER ELECTRODE IS DOUBLE antistatic bar	Open Product RFQ Page
P-Sh-N	P-Sh-N top electrode	Open Product RFQ Page
PSH-N-EX	PSH-N-EX 2000 x 2160 mm	Open Product RFQ Page
Q400001	Q400001 HDR Charging Bar	Open Product RFQ Page
SIMCO-NETZTEIL	SIMCO-NETZTEIL TYP LB 2A4 D (prim. 230 V / 50 Hz sek. 4 kV / 50 Hz Bi-Phase (z.B. Conveyostat) 2 x 4 Kabelanschlüsse mit Ionenstromüberwachung Reset	Open Product RFQ Page
STBAR	STBAR HD-C STR 2100X2175 MM STR 7M CABLE Original Spare Part	Open Product RFQ Page
T780	T780 80X66 piston Seal	Open Product RFQ Page
THUNDERION	THUNDERION 2.0 Original Spare Part	Open Product RFQ Page
Type	Type 17, Series 2000 Valves	Open Product RFQ Page
VALVE	VALVE TYPE 16 OFFSET DESIGN, FEMALE NPT Original Spare Part	Open Product RFQ Page
WORKSURFACE	WORKSURFACE TESTER MODEL ST 4 a device for measuring the surface resistance,Scope of this unit is 10e3 to 10e13 ohm	Open Product RFQ Page

Axiparts Offices

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten PI #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates