

Vishay (VPG) Industrial Parts Catalog

Axiparts Global Industrial RFQ Platform

Email: info@axiparts.com

Website: <https://axiparts.com>

Premium RFQ catalog for Vishay (VPG) industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

Brand: Vishay (VPG)

Listed Products in This PDF: 161

Catalog URL: <https://axiparts.com/catalogs/brands/vishay-vpg.pdf>

Part Number	Product Description	Live RFQ Link
00355-050K-C3-01X	00355-050K-C3-01X	Open Product RFQ Page
00355-100K-C3-00X	00355-100K-C3-00X Wägezelle	Open Product RFQ Page
00355-200K-C3-00X	00355-200K-C3-00X Wägezelle	Open Product RFQ Page
00355-200K-C3-00Xhat	00355-200K-C3-00Xhat	Open Product RFQ Page
00355-200K-C3-05X	00355-200K-C3-05X	Open Product RFQ Page
00616-001T-G0-01X	00616-001T-G0-01X	Open Product RFQ Page
00ASC-040T-C4-00X	00ASC-040T-C4-00X	Open Product RFQ Page
00LPS-035K-C3-03F	00LPS-035K-C3-03F	Open Product RFQ Page
01040-005K-C3-06X	01040-005K-C3-06X	Open Product RFQ Page
01042-030K-C3-08X	01042-030K-C3-08X	Open Product RFQ Page
01042-050K-C3-09X	01042-050K-C3-09X	Open Product RFQ Page
01260-150K-C3-00X	01260-150K-C3-00X	Open Product RFQ Page
0240-0002-E070R	0240-0002-E070R	Open Product RFQ Page
0240-0020-G602R	0240-0020-G602R	Open Product RFQ Page
0302C3	0302C3 (SHBxR-200kg-C3-SC 3M/6W) R T E - WÄGEZELLE	Open Product RFQ Page
03410-001T-C3-02X	03410-001T-C3-02X Weight Sensor	Open Product RFQ Page
03510-005T-C3-01X	03510-005T-C3-01X old legacy P/N- 3510-5000-G300R load cell	Open Product RFQ Page
03510-500K-C3-01X	03510-500K-C3-01X	Open Product RFQ Page
0355-0050-G300	0355-0050-G300	Open Product RFQ Page
0355-0100-6300R	0355-0100-6300R loadcell	Open Product RFQ Page
0616-0100-G001R	0616-0100-G001R	Open Product RFQ Page
1002	1002 LOADCELL	Open Product RFQ Page
1010/1015	1010/1015 Single Point Load Cell	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
1010-15kg-G003	1010-15kg-G003 Original Spare Part	Open Product RFQ Page
1010-3kg	1010-3kg Single-Point Wägezelle	Open Product RFQ Page
1010-5kg	1010-5kg Single-Point Wägezelle	Open Product RFQ Page
1015	1015 Wägezelle	Open Product RFQ Page
1015-15KG-G005	1015-15KG-G005 load cell, cable length: 3m	Open Product RFQ Page
1015-30kg-G003R	1015-30kg-G003R T1015003G00 Original Spare Part	Open Product RFQ Page
1022	1022 10KG - C3 loadcell	Open Product RFQ Page
1040	1040 [15KG] Alluminium	Open Product RFQ Page
1040-0005-G306	1040-0005-G306	Open Product RFQ Page
1040-0005-G311	1040-0005-G311	Open Product RFQ Page
1040-10	1040-10 kg-C3 T104001C3 Original Spare Part	Open Product RFQ Page
1040-C3-50KG	1040-C3-50KG Messbereich : 0...50kg Genauigkeit : C3, eichamtlich Auflösung : 5g typisch (Genauigkeit ca. +/- 5g) Material : Aluminium Typ. Plattform :	Open Product RFQ Page
1042	1042 / Nennlast 30kg (1042-0030-G300)	Open Product RFQ Page
1042-0003-G303R	1042-0003-G303R Single Point Wägezelle 1042	Open Product RFQ Page
1042-0020-G303R-3M	1042-0020-G303R-3M EMAX :20 K■ GRADE :C3/30 YEAR :2007 NM■ :TC2949	Open Product RFQ Page
1042-3KG-C3	1042-3KG-C3 LOAD CELL	Open Product RFQ Page
1042-C3-100KG	1042-C3-100KG Messbereich : 0...100kg Genauigkeit : C3, eichamtlich Auflösung : 10g typisch (Genauigkeit ca. +/- 10g) Material : Aluminium Schutzart : I	Open Product RFQ Page
1042-C3-30KG	1042-C3-30KG Messbereich : 0...30kg Genauigkeit : C3, eichamtlich Auflösung : 5g typisch (Genauigkeit ca. +/- 5g) Material : Aluminium Schutzart : IP67	Open Product RFQ Page
1042-C3-50KG	1042-C3-50KG Messbereich : 0...50kg Genauigkeit : C3, eichamtlich Auflösung : 5g typisch (Genauigkeit ca. +/- 5g) Material : Aluminium Schutzart : IP67	Open Product RFQ Page
1130	1130	Open Product RFQ Page
1130-0010-G301	1130-0010-G301 Single Point Wägezelle 1130	Open Product RFQ Page
1250	1250 C3 Original Spare Part	Open Product RFQ Page
1250-100KG-C3	1250-100KG-C3 [Single point load cell 3000d approvable (OIML R60) IP 67 option]	Open Product RFQ Page
1250-C3-100KG	1250-C3-100KG Messbereich : 0...100kg Genauigkeit : C3, eichamtlich Auflösung : 10g typisch (Genauigkeit ca. +/- 10g) Material : Aluminium Schutzart : I	Open Product RFQ Page
1260	1260 CAPACIDAD 50	Open Product RFQ Page
1260-0300-G306R	1260-0300-G306R (C3) Wägezelle	Open Product RFQ Page
1263	1263 Loadcell	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
1263-100kg-C3	1263-100kg-C3 Plattform-Wägezelle 3000d eichfähig, Alu Schutzart IP 66 mit ATEX-Zulassung II2G EEx ia IIC T4 (T126301C33) 100kg single point ex-proof	Open Product RFQ Page
1263-500kg-C3	1263-500kg-C3 Single-Point-Wägezelle	Open Product RFQ Page
1263-50kg-C3	1263-50kg-C3 Original Spare Part	Open Product RFQ Page
1263-635kg-C3	1263-635kg-C3 Single-Point-Wägezelle	Open Product RFQ Page
1320	1320 High Capacity Single-Point Load Cell Capacities 1000–2000 kg	Open Product RFQ Page
1330	1330 Aluminum Single-Point Load Cell	Open Product RFQ Page
210	210 10KG LOADCELL	Open Product RFQ Page
240-10kg-C3	240-10kg-C3 Plattform-Wägezelle	Open Product RFQ Page
240-20kg-C3	240-20kg-C3 T2402C3 Original Spare Part	Open Product RFQ Page
240-50kg-C3	240-50kg-C3 T2405C3 Original Spare Part	Open Product RFQ Page
240-C3-STAHL-10KG	240-C3-STAHL-10KG Messbereich : 0...10kg Genauigkeit : C3, eichamtlich Auflösung : 1g typisch (Genauigkeit ca. +/- 1g) Material : Stahl, lackiert Typ. PI	Open Product RFQ Page
240-C3-STAHL-20KG	240-C3-STAHL-20KG Messbereich : 0...20kg Genauigkeit : C3, eichamtlich Auflösung : 2g typisch (Genauigkeit ca. +/- 2g) Material : Stahl, lackiert Typ. PI	Open Product RFQ Page
240-SS-10kg-C3	240-SS-10kg-C3 T2401C3V- alternativ Original Spare Part	Open Product RFQ Page
240-SS-20kg-C3	240-SS-20kg-C3 T2402C3V- alternative Original Spare Part	Open Product RFQ Page
240-SS-50kg-C3	240-SS-50kg-C3 T2405C3V- alternative Original Spare Part	Open Product RFQ Page
300kg-C3	300kg-C3 / T-End Version (T351003C3T) Scherstab, Modell 3510	Open Product RFQ Page
33068	33068 LoadCell	Open Product RFQ Page
3410	3410 S/N 60075965	Open Product RFQ Page
3410-0500-G500	3410-0500-G500 Wägezelle	Open Product RFQ Page
3410-1000-G308R-PLAIN	3410-1000-G308R-PLAIN Scherstab Wägezelle 3410 Nennlast 1000kg Genauigkeitsklasse "C3" Lasteinleitungsbohrung ohne Gewinde Material: vernickelter Stah	Open Product RFQ Page
3410-1000-G309-TE	3410-1000-G309-TE Scherstab Wägezelle 3410 Nennlast 1000kg Genauigkeitsklasse "C3" T-End Version Material: vernickelter Stahl Kabellänge: 3m	Open Product RFQ Page
3410-1000-G500R	3410-1000-G500R Scherstab Wägezelle Nennlast 1000kg Genauigkeitsklasse "C3" M12 Gewinde Material: vernickelter Stahl	Open Product RFQ Page
3410-1000LBS-C3,	3410-1000LBS-C3, T-END VERSION loadcell	Open Product RFQ Page
3410-C3-4000LBS	3410-C3-4000LBS Original Spare Part	Open Product RFQ Page
3410-C3-500kg	3410-C3-500kg Strain gauge	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
3410-G-1000	3410-G-1000 HUNTLEIGH LOADCELL	Open Product RFQ Page
3410T-C3	3410T-C3 Wägezelle	Open Product RFQ Page
3420-10.000	3420-10.000 lbs Wägezelle	Open Product RFQ Page
3510-C325T-0750	3510-C325T-0750 Original Spare Part	Open Product RFQ Page
355	355 27274 LOADCELL	Open Product RFQ Page
355-100kg-C3-SC	355-100kg-C3-SC 3M/6W LOADCELL	Open Product RFQ Page
355-100KG-C4-SC	355-100KG-C4-SC 3M/6W Original Spare Part	Open Product RFQ Page
355-20kg	355-20kg T355002C3 Original Spare Part	Open Product RFQ Page
355-5kg	355-5kg 99999 Original Spare Part	Open Product RFQ Page
355-5kg-C3	355-5kg-C3 99999 Original Spare Part	Open Product RFQ Page
355-C3-100KG	355-C3-100KG Messbereich : 0...100 kg Genauigkeit : C3, eichamtlich Auflösung : 10g typisch (Genauigkeit ca. +/- 10g) Material : Edelstahl Schutzart : I	Open Product RFQ Page
4158-40000	4158-40000 LBS-E LOAD CELL	Open Product RFQ Page
448664A1	448664A1 Bolzen Draft Sensing Pin	Open Product RFQ Page
505H	505H 1KG D2 [Single point load cell 2m cable]	Open Product RFQ Page
607803-06-R	607803-06-R	Open Product RFQ Page
614-300kg	614-300kg (99999)	Open Product RFQ Page
615	615 500 KG S-TYPE HUNTLEIGH 500 KG. S T P LOADCELL	Open Product RFQ Page
615-1t-G	615-1t-G load cell model 615 (steel)	Open Product RFQ Page
615-300kg-G	615-300kg-G WÄGEZELLE	Open Product RFQ Page
616	616 Loadcell	Open Product RFQ Page
616-100KG-G001R	616-100KG-G001R load cell	Open Product RFQ Page
AJB-04	AJB-04 Klemmenkasten (Junction Box)	Open Product RFQ Page
ART.NO.0125C3	ART.NO.0125C3 CSP-M-25T-C3-SC R T E - LOAD CELL	Open Product RFQ Page
AST-3	AST-3 P	Open Product RFQ Page
DC-2640	DC-2640 USB 3.0 Controller	Open Product RFQ Page
DXP-10	DXP-10 Original Spare Part	Open Product RFQ Page
DXP-40	DXP-40 Original Spare Part	Open Product RFQ Page
EA-06-062AQ-350/E	EA-06-062AQ-350/E (1 pack x 5 pcs) Dehnungsmessstreife	Open Product RFQ Page
HPS-12kg-C2	HPS-12kg-C2	Open Product RFQ Page
HSB	HSB 32928 loadcell	Open Product RFQ Page
KIS-1GD	KIS-1GD 50 kN	Open Product RFQ Page
KISD-6WL	KISD-6WL 50 kN Kraftmessaufnehmer	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
Kraftmessaufnehmer	Kraftmessaufnehmer KISD-6WL 200 kN	Open Product RFQ Page
LCP-100	LCP-100 Original Spare Part	Open Product RFQ Page
LCP-104	LCP-104 Original Spare Part	Open Product RFQ Page
MALE	MALE SOCKET FOR DSA-R	Open Product RFQ Page
Model	Model 220	Open Product RFQ Page
MODEL:0355	MODEL:0355 Biegestab-Wägezelle, 200kg-C3	Open Product RFQ Page
MODEL:0366	MODEL:0366 200 ,loadcell SN S/N 8353/002 GRADE:03 PTB009 9920	Open Product RFQ Page
Model:1040	Model:1040 Loadcell	Open Product RFQ Page
Modell	Modell 1022-3kg-C3 (T10220003C3)	Open Product RFQ Page
Nodel:3410	Nodel:3410 S.N.8105473 loadcell emax:250kg frade:c3	Open Product RFQ Page
SHBxR	SHBxR 0302C3- Alternativ Original Spare Part	Open Product RFQ Page
SHBXR-100KG-C3-SC	SHBXR-100KG-C3-SC Original Spare Part	Open Product RFQ Page
SHBXR-100KG-C4-SC	SHBXR-100KG-C4-SC 3M/6W R T E - WÄGEZELLE	Open Product RFQ Page
Sonicaid	Sonicaid Toko Sonde BD 300X / 400X Tokosonde	Open Product RFQ Page
T1004003C3	T1004003C3 Plattform-Wägezelle Modell 1004-0,3kg-C3 3000d eichfähig, Aluminium	Open Product RFQ Page
T1015001G0	T1015001G0 PPlattform-Wägezelle	Open Product RFQ Page
T1015003G00	T1015003G00 PPlattform-Wägezelle	Open Product RFQ Page
T10220007C3	T10220007C3 1022-7KG-C3 3000d verifiable, aluminum 3m cable length	Open Product RFQ Page
T1022001C3	T1022001C3 MODELL 1022 loadcell	Open Product RFQ Page
T1040015C3	T1040015C3 EDEA-HUNTLEIGH MODEL: 1040 S/N: 11540432 Emax: 15 Kg Grade: C3/30 Nm: TC2152	Open Product RFQ Page
T104001C3	T104001C3 1040-10 kg-C3 EMAX:10 Kg, GRADE:C3/30, YEAR:2011, Nm: TC2152, IP67	Open Product RFQ Page
T1040020C3	T1040020C3 Platform Load Cell Model 1040-20 kg-C3 3000d verifiable, aluminum	Open Product RFQ Page
T104003C3	T104003C3	Open Product RFQ Page
T10420001C3	T10420001C3 Model1042-1kg-G 3000d not verifiable, aluminum 3m cable	Open Product RFQ Page
T10420015C3	T10420015C3 1042-15KG-C3 Load cell	Open Product RFQ Page
T1042001C3	T1042001C3 Plattform-Wägezelle	Open Product RFQ Page
T1042003C3	T1042003C3	Open Product RFQ Page
T1042005C3	T1042005C3 Original Spare Part	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
T104201C3	T104201C3 MODEL 1042-100KG-C3 3000d verifiable, aluminum Cable length: 3m	Open Product RFQ Page
T11300015C3	T11300015C3	Open Product RFQ Page
T1130003C3	T1130003C3 1130-30kg-C3 Emax:0030KG,grade:C3,PTB:TC5703	Open Product RFQ Page
T126001C3	T126001C3 Original Spare Part	Open Product RFQ Page
T133005C3	T133005C3 Single-Point-Wägezelle	Open Product RFQ Page
T24015C3	T24015C3 Fluid-Damped Singel-Point Load Cell	Open Product RFQ Page
T2401C3	T2401C3 240-10kg-C3 Original Spare Part	Open Product RFQ Page
T2405C3	T2405C3 Plattform-Wägezelle	Open Product RFQ Page
T2405C3V	T2405C3V Original Spare Part	Open Product RFQ Page
T3410025C3T	T3410025C3T 3410-250kg-C3 / T-End Version EMAX:250 Kg GRADE:C3 YEAR:2002 Nm■:TC2353	Open Product RFQ Page
T341005C3M	T341005C3M Type: 3410-500kg-C3, M12 thread DMS-Aufnehmer \ strain gauge transducer	Open Product RFQ Page
T341005C3M1	T341005C3M1 (Typ: 3410-500kg-C3, M12 Gewinde)	Open Product RFQ Page
T341005C3P	T341005C3P (Typ: 3410-500kg-C3, Plain Version)	Open Product RFQ Page
T341005C3T	T341005C3T (Typ: 3410-500kg-C3, T-End Version)	Open Product RFQ Page
T34101C3T	T34101C3T model 3410 1000kg-C3 LOADCELL	Open Product RFQ Page
T34102C3M12	T34102C3M12 Scherstab - Wägezelle	Open Product RFQ Page
T351005C3T	T351005C3T MODEL 3510 500KG-C3 / T-END VERSION scale sensor	Open Product RFQ Page
T35501C3	T35501C3 Biegestab-Wägezelle	Open Product RFQ Page
T35502C3	T35502C3 (Modell 355-200kg-C3) Biegestab-Wägezelle	Open Product RFQ Page
T35505C3	T35505C3 355-500KG-C3 loadcell	Open Product RFQ Page
TEDEA	TEDEA 1260-300kg-C3	Open Product RFQ Page
TedeaHuntleigh	TedeaHuntleigh 3410 Shear Beam Load Cell	Open Product RFQ Page
Typ:	Typ: 9102-500lbs-C3-SC /227 kg (160500C3V)	Open Product RFQ Page
VI-DSA-R	VI-DSA-R 100KN+CABLE LOAD CELL	Open Product RFQ Page
V.T.	V.T. 1040 Single point load cell	Open Product RFQ Page
Wägezelle	Wägezelle 1004 (1004-01.5-HW00R)	Open Product RFQ Page

Axiparts Offices

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten Pl #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates