

Winkel Industrial Parts Catalog

Axiparts Global Industrial RFQ Platform

Email: info@axiparts.com

Website: <https://axiparts.com>

Premium RFQ catalog for Winkel industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

Brand: Winkel

Listed Products in This PDF: 112

Catalog URL: <https://axiparts.com/catalogs/brands/winkel.pdf>

Part Number	Product Description	Live RFQ Link
061.073.030	061.073.030 (shrink disc KBS 19 30 x 60)	Open Product RFQ Page
1022.550128/4/	1022.550128/4/ 2 grad/21 grad	Open Product RFQ Page
1022.550.130/4/	1022.550.130/4/ 2 grad/9 grad	Open Product RFQ Page
112.004.000	112.004.000 (12 m) Doppel-T-Profil 2912 NbV	Open Product RFQ Page
112.005.000	112.005.000 Double T-profile 3100 NbV External dimensions 152.4 x 83 mm Quantity 48 Läng■ 1,829.00 mm in bright rolled	Open Product RFQ Page
113.002.000	113.002.000	Open Product RFQ Page
113.010.000	113.010.000 Original Spare Part	Open Product RFQ Page
113.011.000	113.011.000 Original Spare Part	Open Product RFQ Page
113.012.001	113.012.001 rail lg 4500	Open Product RFQ Page
113.013.000	113.013.000 (3000,00 mm)	Open Product RFQ Page
113.014.000	113.014.000 4 NBV AUSSENMAßE 157,2 X 61,2 MM ANZAHL LÄNGE 4 1.000,00 MM SANDGESTRAHLT MIT STRAHL U-Profil Standard	Open Product RFQ Page
113.015.000	113.015.000 U profil	Open Product RFQ Page
113.015.001	113.015.001 U profil	Open Product RFQ Page
113.015.002	113.015.002 PRÄZISIONSPROFIL PR 5 NBV AUSSENMAßE 175 X 64 MM ANZAHL LÄNGE 4 1.000,00 MM Original Spare Part	Open Product RFQ Page
113.016.000	113.016.000 - 1 pcs = 8 m	Open Product RFQ Page
113.022.001	113.022.001 PG-PR 1 NbV U-Profil mit Gewinde, Länge 1.800,00 mm Bohrungsabstand = 580 mm Gewindeabstand C = 89,0 mm; Gewinde M10 x 18 tief	Open Product RFQ Page
1319.40.06-00-3	1319.40.06-00-3 (spur gear_M3_Z25_25 Modul 3 25 teeth Ø25 Stirnrad Modul 3; 25 Zähne;d=25)	Open Product RFQ Page
1319.40.08-00-4	1319.40.08-00-4 (spur gear_12B_1_Z15_25)	Open Product RFQ Page
19439.01.02-02-3	19439.01.02-02-3 PINION	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
200.001.000,	200.001.000, 4.054 WINKEL-ROLLE Ø 62,5 MM BEARING FLANGED	Open Product RFQ Page
200.002.000	200.002.000 WINKEL-Rolle Axialrolle fest	Open Product RFQ Page
200.003.000	200.003.000 4.056 WINKEL-Rolle Ø 77,7 mm WINKEL-Rolle Axialrolle fest	Open Product RFQ Page
200.007.000	200.007.000 4.060 WINKEL-Rolle Ø 107,7 mm WINKEL-Rolle Axialrolle fest	Open Product RFQ Page
200.008.000,	200.008.000, 4.061 WINKEL-ROLLE Ø 107,7 MM BEARING FLANGED	Open Product RFQ Page
200-008-017	200-008-017 WINKEL-Rolle	Open Product RFQ Page
200.015.002	200.015.002 COMBINED BEARINGS OLAMID INSERT(PR)-	Open Product RFQ Page
200.015.009	200.015.009	Open Product RFQ Page
200.024.000	200.024.000 Original Spare Part	Open Product RFQ Page
200.055.001	200.055.001 4.061 + AP 4 Q KOMBIROLLE Ø 107,7 MM FEST VERSCHWEIßT MIT ANSCHRAUBPLATTE ANSCHRAUBPL Original Spare Part	Open Product RFQ Page
200.056.000	200.056.000	Open Product RFQ Page
200.076.001	200.076.001 4.062 + AP 4 Q Kombirolle Ø 123,0 mm fest verschweißt mit Anschraubplatte Anschraubplatte quadratisch 120 x 120 x 20 mm Gewicht 84,00 kg	Open Product RFQ Page
200.101.002	200.101.002 PR 4.055 + AP 1 WINKEL-Rolle Ø 73,8 mm, WINKEL-Rolle fest verschweißt mit Anschraubplatte Anschraubplatte rechteckig 120 x 80 x 15 mm	Open Product RFQ Page
200.105.000,	200.105.000, PR 4.062 WINKEL-ROLLE Ø 127,8 MM BEARING FLANGED	Open Product RFQ Page
200.162.000	200.162.000 KB 4.072 WINKEL-Rolle Ø 62,5 mm mit Kombibolzen	Open Product RFQ Page
200.216.302	200.216.302	Open Product RFQ Page
201.032.000	201.032.000 Axial über Exzenter justierbar	Open Product RFQ Page
201.035.000	201.035.000 4,458 combi roller Ø 88,4 mm adjustable by eccentric	Open Product RFQ Page
201.055.001	201.055.001 4,094 + AP 93 Q ANGLE roller Ø 320,0 mm ANGLE role welded to mounting plate Square mounting plate 280 x 280 x 37 mm	Open Product RFQ Page
205.062.000	205.062.000 RADIAL BEARING	Open Product RFQ Page
205.064.000	205.064.000 RADIAL BEARING	Open Product RFQ Page
2.056	2.056 Roller Radial Bearing	Open Product RFQ Page
206.039.000	206.039.000 (flange bearing UCFL 205 shaft Ø 25 mm shaft Ø 25 mm mounting holes Ø 16 mm)	Open Product RFQ Page
212.014.000	212.014.000 AP S Anschraubplatte	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
225.000.000(W2R.23 0.06.XX	225.000.000(W2R.230.06.XX 1106KD DKOL-10L) Hose tambor; TWIN HYDRAULIC	Open Product RFQ Page
227.044.000	227.044.000 SECURITY CLUTCH	Open Product RFQ Page
23721117	23721117 standart profle	Open Product RFQ Page
238.021.005	238.021.005	Open Product RFQ Page
238.025.000	238.025.000 Distanzsteckblech	Open Product RFQ Page
240.100.176	240.100.176 (extendable universal joint shaft - A25x50-G.2100-2350.WNV.WNV - extendable universal joint shaft (joint acc. to DIN 808) - with sliding b	Open Product RFQ Page
264.002.000	264.002.000 (lock with spring for roller chain 12B-1 für Präz. Rollenkette 12B-1)	Open Product RFQ Page
264.109.000	264.109.000 (precision roller chain 12B-1 No. Length 1 590,00 mm)	Open Product RFQ Page
270-005-000	270-005-000 Original Spare Part	Open Product RFQ Page
270-012-000	270-012-000	Open Product RFQ Page
270-013-000	270-013-000	Open Product RFQ Page
2811	2811 C Profile	Open Product RFQ Page
3	3 NB PROFIL L:460MM WINKEL STANDART 3 NB PROFIL L:460mm	Open Product RFQ Page
3116.06.00	3116.06.00 SCHOTTANSCHLUSS	Open Product RFQ Page
3126.06.00	3126.06.00 stopfen	Open Product RFQ Page
3126.08.00	3126.08.00 Stopfen	Open Product RFQ Page
3139.06.00	3139.06.00 winkelschottanschluss	Open Product RFQ Page
3166.06.10	3166.06.10 reduzierung	Open Product RFQ Page
3199	3199 10 21 winkel ein schraubanschluesse	Open Product RFQ Page
3199.06.17	3199.06.17 inkl FDA Zertifikat EINSCHRAUBANSHLUSS D6-G3/8	Open Product RFQ Page
3199.08.17	3199.08.17 winkel einschraubanschluss d8-g3/8	Open Product RFQ Page
3199.10.17	3199.10.17 einschraubanschluss d10-g3/8	Open Product RFQ Page
403903.03.00-16-3	403903.03.00-16-3 SPROCKET	Open Product RFQ Page
4.053	4.053 + AP S Q WINKEL-Rolle Ø 52,5 mm	Open Product RFQ Page
4.054	4.054 + AP 0 WINKEL-Rolle Ø 62,5 mm Rolle	Open Product RFQ Page
4.054+AP0	4.054+AP0	Open Product RFQ Page
4.055	4.055 + AP 1 WINKEL-Rolle Ø 70,1 mm Rolle	Open Product RFQ Page
4.056	4.056	Open Product RFQ Page
4.058	4.058 + AP 3 Q Rolle Ø 88,4 mm	Open Product RFQ Page
4.061	4.061 WINKEL-Rolle Ø 107,7 mm Rolle Axialrolle fest	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
4.062	4.062 WINKEL-Rolle Ø 123,0 mm Rolle Axialrolle fest	Open Product RFQ Page
4.063	4.063 combined roller	Open Product RFQ Page
4.072	4.072 P	Open Product RFQ Page
4.074	4.074	Open Product RFQ Page
4.0784	4.0784 + AP 4 Q KOMBIROLLE Ø 107,7 MM ROULEAU COMBINE COURT	Open Product RFQ Page
4.094	4.094 jumbo	Open Product RFQ Page
4.455	4.455 AP1-Q Combined Bearings - Axial Bearing eccentric adjustable	Open Product RFQ Page
4.456	4.456 Bearing	Open Product RFQ Page
4.458	4.458 AP3-Q COMBINED BEARINGS - AXIAL BEARING ECCENTRIC ADJUSTABLE	Open Product RFQ Page
70257852130110	70257852130110 Original Spare Part	Open Product RFQ Page
9086.21.13	9086.21.13 Stecknippel mit g1/4 ohne abspernung	Open Product RFQ Page
9087.21.13	9087.21.13 Stecknippel 1/4	Open Product RFQ Page
9201.21.13	9201.21.13 schnellkupplung mit g	Open Product RFQ Page
9286.21.13	9286.21.13 Stecknippel mit g	Open Product RFQ Page
9287.21.13	9287.21.13 stecnippel mit ag	Open Product RFQ Page
ALTERNATIV	ALTERNATIV 4.061 U-profil Standard 4 Nb 1.300,00mm	Open Product RFQ Page
AP	AP 1-LUB VE WINKEL 4.055 ürünler : 1 adet Oring ,2 adet spacers 0.5 mm, 1 adet ya lama eleman m6 x1	Open Product RFQ Page
AP3-Q	AP3-Q Flan Plakas	Open Product RFQ Page
AP4	AP4 PLATE Original Spare Part	Open Product RFQ Page
Art.	Art. Nr: 113.018.000 Standard U-Profil NbV	Open Product RFQ Page
DS-0-1.0	DS-0-1.0 [238.020.001] Shim plate	Open Product RFQ Page
DS-1-1,0	DS-1-1,0 alternative 238.021.005 holder	Open Product RFQ Page
DS-4-1,0	DS-4-1,0 washer	Open Product RFQ Page
GALETS	GALETS INOX 4.055 Original Spare Part	Open Product RFQ Page
JC	JC 4.054 Justierbare WINKEL-Rolleneinheit	Open Product RFQ Page
JC4.055	JC4.055 adjustable dimension roller unit	Open Product RFQ Page
KB	KB 4.072 P	Open Product RFQ Page
KF	KF 0 Klemmflansch für Profil Std. 0 NbV Klemmflansch	Open Product RFQ Page
PR	PR 0 NbV 113.010.002 L=3600 Precision profile	Open Product RFQ Page
Präzisionsprofil	Präzisionsprofil PR 1 NbV Original Spare Part	Open Product RFQ Page
PROFIL=	PROFIL= 3NB 2METER Original Spare Part	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
S450	S450 J2 113.011.000 Aussenmaße 103,2 x 40 mm No. 2 Length 2.400,00 mm sandblasted with SA 2,5	Open Product RFQ Page
SEALINGS	SEALINGS 2 RS/ZRS Original Spare Part	Open Product RFQ Page
serie	serie 21 g1/4 schnellkupplung	Open Product RFQ Page
STANDART	STANDART 1-NB BOY:18 BU SEKILDE SATILMAMAKTADIR. minimum sipari■ miktar■ 36Metredir. D■s boyutlar : 103,2x40mm kumlanm■■ SA 2,5	Open Product RFQ Page
SWVE	SWVE 12 L	Open Product RFQ Page
U-Profil	U-Profil Standard 0 NbV Original Spare Part	Open Product RFQ Page
U-PROFILE	U-PROFILE STANDARD NBV 3 FULLY PROCESSED ACCORDING TO DRAWING NO. 19162575 Länge: 1.675 mm - ohne zusätzliche Oberflächenbehandlung	Open Product RFQ Page
V	V 1432 AP VULKOLLAN® WINKEL-Rolle	Open Product RFQ Page

Axiparts Offices

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten PI #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates